

KIDS PAIN AND FEVER- acetaminophen liquid Genexa Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Kids' Pain & Fever Organic Cherry Flavor

Drug Facts

Active ingredient (in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold
- headache
- toothache
- flu
- sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see Overdose warning)**
- **SHAKE WELL BEFORE USING**
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- if possible, use weight to dose; otherwise, use age
- do not give more than 5 times in 24 hours

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

Other information

store between 20-25°C (68-77°F)

Inactive ingredients organic agave syrup, organic cherry flavor, natural citrus extract, flavor, purified water

Questions?

1-855-436-3921

Bottle is safety sealed with a perforated band around bottle. DO NOT use if bottle seal is disturbed or missing.

CERTIFIED B CORPORATION

CERTIFIED GLUTEN FREE GFCO.ORG

CERTIFIED VEGAN VEGAN.ORG

Patent Pending | Distributed by: Genexa Inc.

Atlanta, GA 30324 | genexa.com

* This product is not manufactured or distributed by Johnson & Johnson Corp., owner of the registered trademark Children's Tylenol® Oral Suspension Cherry.

Made in the USA with globally sourced ingredients

R-20230303

NDC 69676-0084-9

Genexa®

MEDICINE MADE CLEAN

Ages 2-11

Kids' Pain & Fever

Acetaminophen

160 mg per 5 mL | Oral Suspension

Pain Reliever Fever Reducer


Made with the same active ingredient as
Children's Tylenol® Oral Suspension Cherry*

Medicine made clean

Same effective active ingredient, but **no artificial fillers.**

Organic Cherry Flavor

4 FL OZ (118 mL) Liquid Dosing cup included



We hope you feel better
@genexa

Keep outer package for complete product information

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Acetaminophen 160 mg	Pain reliever/fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold
- flu
- headache
- sore throat
- toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount

• with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms. →

People Over Everything.

We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't. It's what people deserve.

David Johnson *Max Spielberg*
David Johnson Max Spielberg

Questions for our founders? Text Max.

310-502-8844

Drug Facts (continued)

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see Overdose warning)
- SHAKE WELL BEFORE USING
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- if possible, use weight to dose; otherwise, use age
- do not give more than 5 times in 24 hours

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

Other information
store between 20-25°C (68-77°F)

Inactive ingredients

organic agave syrup, organic cherry flavor, natural citrus extract, natural flavor, purified water

Questions? 1-855-436-3921

Genexa

MEDICINE MADE CLEAN



Ages 2-11

Kids' Pain & Fever

Acetaminophen

160 mg per 5 mL | Oral Suspension

Pain Reliever Fever Reducer

Made with the same active ingredient as Children's Tylenol® Oral Suspension Cherry*

Medicine made clean

Same effective active ingredient, but no artificial fillers.



Organic Cherry Flavor



4 fl oz (118 mL) Dosing cup included

ONLY INGREDIENTS PEOPLE DESERVE

Acetaminophen

Organic Agave Syrup

Organic Cherry Flavor

Natural Citrus Extract

Natural Flavor

Purified Water

And that's all.

SHAKE WELL before each use.

Bottle is safety sealed with a perforated band around bottle. DO NOT use if bottle seal is disturbed or missing.



Patent Pending | Distributed by: Genexa Inc. Atlanta, GA 30324 | genexa.com

*This product is not manufactured or distributed by Johnson & Johnson Corp., owner of the registered trademark Children's Tylenol® Oral Suspension Cherry.



Made in the USA with globally sourced ingredients

R-20230303

NDC 69676-0064-9



Please recycle



8 50015 73649 0

Keep outer package for complete product information

Drug Facts

Active ingredient (in each 5 mL) **Purpose**

Acetaminophen 160 mg.....Pain reliever/
fever reducer

Uses

temporarily reduces fever and relieves minor aches and pains due to:

- the common cold • headache • toothache
- flu • sore throat

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening • blisters • rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Prompt medical attention is critical even if you do not notice any signs or symptoms. →

People Over Everything.

We think you should feel good about what makes you feel better. That's why we make medicine with the same active ingredients you need, but without the artificial ones you don't. It's what people deserve.

David Johnson Max Spielberg

Questions for our founders? Text Max.

310-502-8844

Drug Facts (continued)

Directions

- this product does not contain directions or complete warnings for adult use
- do not give more than directed (see Overdose warning)
- **SHAKE WELL BEFORE USING**
- find right dose on chart below
- for accurate dosing, use measuring cup provided. Do not use with any other dosing device.
- give dose every 4 hours while symptoms last
- if possible, use weight to dose; otherwise, use age
- do not give more than 5 times in 24 hours

Weight	Age	Dose
under 24 lbs.	under 2 years	ask a doctor
24-35 lbs.	2-3 years	5 mL
36-47 lbs.	4-5 years	7.5 mL
48-59 lbs.	6-8 years	10 mL
60-71 lbs.	9-10 years	12.5 mL
72-95 lbs.	11 years	15 mL

Other information
store between 20-25°C (68-77°F)

Inactive ingredients
organic agave syrup, organic cherry flavor, natural citrus extract, natural flavor, purified water

Questions? 1-855-436-3921

Genexa[®]

MEDICINE MADE CLEAN

Ages 2-11

Kids' Pain & Fever

Acetaminophen

160 mg per 5 mL | Oral Suspension

Pain Reliever Fever Reducer

Made with the same active ingredient as Children's Tylenol[®] Oral Suspension Cherry[®]

Medicine made clean

Same effective active ingredient, but **no artificial fillers.**

Organic Cherry Flavor

4 fl oz (118 mL)

Dosing cup included

ONLY INGREDIENTS PEOPLE DESERVE

- Acetaminophen
- Organic Agave Syrup
- Organic Cherry Flavor
- Natural Citrus Extract
- Natural Flavor
- Purified Water

And that's all.

SHAKE WELL before each use.

Bottle is safety sealed with a perforated band around bottle. **DO NOT** use if bottle seal is disturbed or missing.

Patent Pending | Distributed by: Genexa Inc. Atlanta, GA 30324 | genexa.com

*This product is not manufactured or distributed by Johnson & Johnson Corp., owner of the registered trademark Children's Tylenol[®] Oral Suspension Cherry.

Made in the USA with globally sourced ingredients

R-20230303 NDC 69676-0084-9

Please recycle

8 50015 73649 0

KIDS PAIN AND FEVER			
acetaminophen liquid			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69676-0084
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg in 5 mL	

Inactive Ingredients

Ingredient Name	Strength
CHERRY (UNII: BUC5I9595W)	
AGAVE TEQUILANA JUICE (UNII: GVG8G02070)	
WATER (UNII: 059QF0KO0R)	
CITRUS FRUIT (UNII: XDK00Z8012)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69676-0084-9	1 in 1 CARTON	05/30/2023	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	05/30/2023	

Labeler - Genexa Inc. (079751024)

Revised: 5/2023

Genexa Inc.