

ANTICAVITY- sodium fluoride rinse
Old East Main Co.

Rexall 004.002/004AE
Anticavity Fluoride Rinse, Bubble Gum

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)

Purpose

Anticavity

Use

aids in the prevention of dental cavities

Warnings

for this product

Keep out of reach of children.

If more than used for rinsing is accidentally swallowed, see professional assistance or contact a Poison Control Center immediately.

Directions

Adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
- vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
- do not swallow the rinse
- do not eat or drink for 30 minutes after rinsing
- instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
- supervise children as necessary until capable of using without supervision

Children under 6 years of age: consult a dentist or doctor

Other information

- store at room temperature

Inactive ingredients

benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

Tamper Evident Statement

Sealed with printed neckband for your protection

Adverse Reaction

Visit us at: Rexall.com or call 1-866-4-REXALL

DISTRIBUTED BY Old East Main CO,

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Since 1903 Rexall is a registered trademark of Rexall Sundown, Inc.

Principal display panel

Since 1903

Rexall™

kids

Anticavity

Fluoride Rinse

Anticavity Fluoride Rinse

- Helps prevent cavities
- Helps strengthen teeth
- Alcohol free

IMPORTANT: read directions for proper use.

ADA Accepted

America Dental Association

Helps Prevent cavities

Bubblegum Flavor

500 mL (1.05 PT) 16.9 FL OZ

Since 1903
RexallTM

kids

**Anticavity
Fluoride Rinse**
Anticavity Fluoride Rinse

- Helps prevent cavities
- Helps strengthen teeth
- Alcohol free



IMPORTANT: read directions
for proper use.

**Bubblegum
Flavor**

500 mL (1.05 PT) 16.9 FL OZ

L0019654FC

Drug Facts

Active ingredient

Sodium fluoride 0.05% (0.02% w/v fluoride ion)..... Anticavity

Purpose

Use aids in the prevention of dental cavities

Warning

Keep out of reach of children. If more than used for rinsing is accidentally swallowed, seek professional assistance or contact a Poison Control Center immediately.

Directions

Adults and children 6 years of age and older:

- use once a day after brushing your teeth with a toothpaste
 - vigorously swish 10 milliliters of rinse between your teeth for 1 minute and then spit out
 - do not swallow the rinse
 - do not eat or drink for 30 minutes after rinsing
 - instruct children under 12 years of age in good rinsing habits (to minimize swallowing)
 - supervise children as necessary until capable of using without supervision
- Children under 6 years of age: consult a dentist or doctor

Other information ■ store at room temperature

Inactive ingredients benzyl alcohol, calcium disodium EDTA, cetylpyridinium chloride, disodium EDTA, disodium phosphate, flavor, poloxamer 407, polysorbate 80, propylene glycol, red 33, sodium benzoate, sodium phosphate, sodium saccharin, sorbitol, water

SEALED WITH PRINTED NECKBAND FOR YOUR PROTECTION

Visit us at: Rexall.com or call 1-866-4-REXALL



DISTRIBUTED BY OLD EAST MAIN CO.

100 MISSION RIDGE

GOODLETTSVILLE, TN 37072

Since 1903 Rexall® is a registered trademark of Rexall Sundown, Inc.



ANTICAVITY

sodium fluoride rinse

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-030
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM FLUORIDE (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	0.2 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EDETATE CALCIUM DISODIUM ANHYDROUS (UNII: 8U5D034955)	

CETYLPIRIDINIUM CHLORIDE (UNII: D9OM4SK49P)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PHOSPHATE (UNII: SE337SVY37)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SORBITOL (UNII: 506T60A25R)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-030-77	500 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/24/2015	
2	NDC:55910-030-44	532 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/24/2015	09/16/2024

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M021	02/24/2015	

Labeler - Old East Main Co. (068331990)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(55910-030)

Revised: 3/2026

Old East Main Co.