

MENSTRUAL RELIEF- acetaminophen, caffeine, pyrilamine maleate tablet, film coated

United Natural Foods, Inc. dba UNFI

Equaline 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg

Caffeine 60 mg

Pyrilamine maleate 15 mg

Purpose

Pain reliever

Diuretic

Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- water-weight gain
- cramps
- backache
- fatigue
- muscle aches

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- see end flap for expiration date and lot number
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-855-423-2630

Principal Display Panel

EQUALINE®

compare to
Midol® Complete
active ingredients*
NDC 41163-391-10

multi-symptom
menstrual relief
acetaminophen (pain reliever)
caffeine (diuretic)
pyrilamine maleate (antihistamine)
relieves:

- *cramps, bloating, fatigue*
- *backache & headache*

40 caplets actual size

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING**

**DISTRIBUTED BY UNFI
PROVIDENCE, RI 02908 USA
855-423-2630**

*This product is not manufactured or distributed
by Bayer HealthCare LLC, owner of the registered
trademark Midol® Complete.
50844 REV0623J39010

Drug Facts
 (in each caplet)
 Acetaminophen 500 mg
 Caffeine 60 mg
 Pyrilamine maleate 15 mg

Active Ingredients
 Acetaminophen 500 mg
 Caffeine 60 mg
 Pyrilamine maleate 15 mg

Purpose
 Pain reliever

Warnings
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours or more alcoholic drinks every day while using this product.
 Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, hives, blisters, rash.

Drug Facts (continued)

Uses
 for the temporary relief of these symptoms associated with menstrual periods: bloating, headache, muscle aches, cramps, backache, fatigue, water-weight gain.

EQUALINE®
 multi-symptom
menstrual relief
 acetaminophen (pain reliever)
 caffeine (diuretic)
 pyrilamine maleate (antihistamine)

compare to
Midol® Complete
 active ingredients*
 NDC 41163-391-10

relieves:
 • cramps, bloating, fatigue
 • backache & headache

40 caplets


 actual size

Drug Facts (continued)
 If pregnant or breast-feeding, ask a health professional before use.
 Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 ■ do not take more than directed
 ■ adults and children 12 years and over:
 take 2 caplets with water
 repeat every 6 hours, as needed
 do not exceed 6 caplets per day
 ■ children under 12 years: ask a doctor

Other information
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
 ■ see end flap for expiration date and lot number

Inactive ingredients
 corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments? 1-855-423-2630

Drug Facts (continued)
 If a skin reaction occurs, stop use and seek medical help right away.
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ difficulty in urination due to enlargement of the prostate gland
 ■ liver disease
 ■ a breathing problem such as emphysema or chronic bronchitis
 ■ glaucoma

Ask a doctor or pharmacist before use if you are:
 ■ taking the blood thinning drug warfarin
 ■ taking sedatives or tranquilizers
 ■ When using this product
 ■ drowsiness may occur

Do not use
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or any of its ingredients
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

Stop use and ask a doctor if:
 ■ new symptoms occur
 ■ redness or swelling is present
 ■ pain gets worse or lasts more than 10 days
 ■ fever gets worse or lasts more than 3 days
 ■ These could be signs of a serious condition.

Drug Facts (continued)
 ■ avoid alcoholic beverages
 ■ alcohol, sedatives, and tranquilizers may increase drowsiness
 ■ use caution when driving a motor vehicle or operating machinery
 ■ limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

DISTRIBUTED BY UNFI
 PROVIDENCE, RI 02908 USA
 855-423-2630

100% Quality GUARANTEED


 0 41163 46725 5

B-0019E-390-10-RR
 REV0623J39010

No print area
 Glue flap

No Print Area
 Lot no. & Exp. area

No print area
 Glue flap

Equaline 44-390

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41163-391	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)		ACETAMINOPHEN	500 mg	
CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)		CAFFEINE	60 mg	
PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)		PYRILAMINE MALEATE	15 mg	
Inactive Ingredients				
Ingredient Name			Strength	
STARCH, CORN (UNII: O8232NY3SJ)				
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)				
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
POLYDEXTROSE (UNII: VH2XOU12IE)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIACETIN (UNII: XHX3C3X673)				
Product Characteristics				
Color	white	Score	no score	
Shape	OVAL	Size	17mm	
Flavor		Imprint Code	44;390	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41163-391-10	1 in 1 CARTON	09/03/2024	
1		40 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

OTC Monograph Drug	M013	09/03/2024	
--------------------	------	------------	--

Labeler - United Natural Foods, Inc. dba UNFI (943556183)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(41163-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(41163-391) , pack(41163-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(41163-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(41163-391)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(41163-391)