

ACETAMINOPHEN- acetaminophen tablet
FAMILY DOLLAR

Arthritis Pain Relief

Acetaminophen Extended-release tablets USP, 650mg

Pain Reliever/ Fever Reducer

For the temporary relief of minor arthrititis pain

Contains No Aspirin

See New Warning

Do not use with other medicines containing acetaminophen

Active ingredient (in each caplet)

Acetaminophen USP, 650 mg

Purpose

Pain reliever/ fever reducer

Uses

■ temporarily relieves minor aches and pains due to: ■ minor pain of arthritis ■ muscular aches ■ backache ■ premenstrual and menstrual cramps ■ the common cold ■ headache

■ toothache ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

■ more than 6 caplets in 24 hours, which is the maximum daily amount ■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present.
- These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Keep out of reach of children.

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning)

adults ■ take 2 caplets every 8 hours with water

- swallow whole; do not crush, chew, split or dissolve

- do not take more than 6 caplets in 24 hours

■ do not use for more than 10 days unless directed by a doctor
under 18

years of age ■ ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if foil inner seal is broken or missing

Inactive Ingredients

hydroxy ethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

contact **1-877-770-3183** Mon-Fri 8:00 AM EST to 5:00 PM PST

PDP

| | |
|------------|-----------------------|
| item : | |
| code # : | |
| size : | 1+3/4 X 1+3/4 X 3+3/8 |
| ref # : | PP180604B |
| material : | .016 SBS |

COATING FREE AREA

200000004595
700000003486

Family Wellness
ARTHRTIS PAIN RELIEF
Acetaminophen
Extended-release tablets USP, 650 mg
Pain Reliever/Fever Reducer
For The Temporary Relief Of
Minor Arthritis Pain
Contains No Aspirin

24 CAPSULES PER BLISTER PACK (Pain Reliever/Fever Reducer)

Family Wellness
ARTHRTIS PAIN RELIEF
Acetaminophen
Extended-release tablets USP, 650 mg
Pain Reliever/Fever Reducer
For The Temporary Relief Of Minor Arthritis Pain
Contains No Aspirin

24 CAPSULES PER BLISTER PACK (Pain Reliever/Fever Reducer)

Important: Read all product information before using. Keep the carton for important information. Do not use if foil inner seal is broken or missing.

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen USP, 650 mg Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, hives, rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Directions

- do not take more than directed (see overdose warning)

adults

- take 2 caplets every 8 hours with water
- swallow whole; do not crush, chew, split or dissolve
- do not take more than 6 caplets in 24 hours
- do not use for more than 10 days unless directed by a doctor

under 18 years of age

- ask a doctor

Other information

- store between 20-25°C (68-77°F)
- do not use if foil inner seal is broken or missing

Inactive ingredients
hydroxy ethyl cellulose, hypromellose, magnesium stearate

NOT 100% SATISFIED?
Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

DO NOT USE WITH OTHER MEDICATIONS CONTAINING ACETAMINOPHEN

COMPARE TO THE ACTIVE INGREDIENT OF TYLENOL® 8 HR ARTHRITIS PAIN RELIEF

See New Warning

ACTUAL SIZE

SKU 914771

0 52251 92168 1

COATING FREE AREA

Lot
Exp.

| | |
|------------|--------------------------|
| end user : | GRANULES |
| item : | |
| code # : | |
| size : | 2+3/32 X 2+3/32 X 4+3/16 |
| ref # : | PP1806C4A |
| material : | 016 SBS |
| view : | |
| date : | |

COATING FREE AREA

200000004597
700000003487



COATING FREE AREA

200000004597
700000003487



COATING FREE AREA

200000004597
700000003487



SKU 998381

0 3225192167 4

Lot

Exp.

COATING FREE AREA

200000004597
700000003487



COATING FREE AREA

200000004597
700000003487



COATING FREE AREA

200000004597
700000003487



SKU 998381

0 3225192167 4

Lot

Exp.

ACETAMINOPHEN

acetaminophen tablet

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:55319-185 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 650 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| STARCH, CORN (UNII: O8232NY35J) | |
| POVIDONE K30 (UNII: U725QWY32X) | |
| HYPROMELLOSE 2910 (6 MPA.S) (UNII: 0WZ8WG20P6) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B) | |
| HYDROXYETHYL CELLULOSE (140 CPS AT 5%) (UNII: 8136Y38GY5) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |

Product Characteristics

| | | | |
|-----------------|---------|---------------------|----------|
| Color | white | Score | no score |
| Shape | CAPSULE | Size | 19mm |
| Flavor | | Imprint Code | G650 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:55319-185-24 | 24 in 1 BOTTLE; Type 0: Not a Combination Product | 09/01/2023 | |
| 2 | NDC:55319-185-10 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 09/01/2023 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA | ANDA211544 | 09/01/2023 | |

Labeler - FAMILY DOLLAR (024472631)