HEALTH MART OMEPRAZOLE- omeprazole tablet, delayed release Strategic Sourcing Services LLC

McKesson Omeprazole Drug Facts

Active ingredient (in each tablet)

Omeprazole 20 mg

Purpose

Acid reducer

Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to omeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea

• you develop a rash or joint pain

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

Inactive ingredients

carnauba wax, ferric oxide red, ferric oxide yellow, hypromellose, hypromellose acetate succinate, lactose monohydrate, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, titanium dioxide, triethyl citrate

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Prilosec OTC®

ACID REDUCER

Omeprazole

Delayed Release Tablets 20 mg Acid Reducer

Treats Frequent Heartburn!

24 HR

28 Tablets

ACTUAL SIZE

Two 14-day courses of treatment

May take 1 to 4 days for full effect

SEE CURRENT DRUG FACTS



ACID REDUCER

Omeprazole

Delayed Release Tablets 20 mg **Acid Reducer**

Treats Frequent Heartburn! 24 HR

myou ne acho bak emore than n 1 courseof braziman t'every4 montha myou get darnhea myou de velop a rash or p'nt pain

Byour heart burn cont in use or worsens Byou ne ed to tak ethis product for more than 14 days Stopuse and a sk a doc tor it:

Aska do etor or pharmae istbefore use ityo u ane taking a prescription drug, Asid neducers ma yinteract with certain prescription drug s

co ndificer. Mitre quent wheezing, particularlywith hearth urn Mu nexplained weight loss

Aska do ctor be fore use if you have: The ad hearth our over 3 months. This may be a sign of amore seious on ortifico.

These maybe signs of a serious condition. See your doctor.

speading to arms, ne door shoulders; or lighthe eadedness The quent che st pain

The earthurn with lightheaded in se, a wear ting or disziness.

The earthurn with lightheaded in se, a wear ting or disziness.

The earthurn with lightheaded in the earth; a wearting; p ain a care and a second or a care and a second or a care and a care

The uble orp ain awalb win grood, womiting with blood, ord loody or black stools :ewsrlucy(tieau ≯orroD

Allergy a lert: Do not use if you are allergic to omeprazale

mate als frequent hearthum (occurs <u>2 ormore</u> days a week) or fred als form madials relief of he authum; this a u g mayta ke 1 dr 4 days forfull effect

Active ingredient (in each tablet)

Questions or comments? 1-800-719-92-60

yklow, hyprometese, hay ownelloes acetate succinate, bactese nan ohyd rate omnoe thankamine, propylene glycol, sod mu hun yl sulfate, sod mu atarch glycolate, sodium stearate, sodium steary if um aaste, tab, dann b mulioxil e, Inactive ingredients can autox way, terricoxide red, terricoxide

> ■read the directions and warningsbelore use ■keep the carbon it con bins important in formation. ■stere at 20, 23°C (16-37°C) and protect from moisture noitermoini 19410

sometimes be caused by a se four scond floor.

Omeprazole

Health Mart.

Feats Frequent Heartburn! 24 HR

on outske for more than 14 days or more often fran eve ry 4 months unless directe ab dby a doctor ■ you may repeata 1 4-day course every 4 mon this Repeated 14-Day Course s(if needed)

■ swalb wwh ole. Do n ot chew or orush tablets ■ swalls w1 tablet with a glassof water before eating in fremonting ■ bite sway day for 1 4 days — do not use form ore than 1 tableta day ■ do not use form ore than 1 4 days unless discrete by your d ochr

14-Day Course of Treatment

sun of PS if iffiwsmotymes or it is to be used once a day(every24 hous), every day for 1 4 day ≡itm ay bake 1 to 4 daystorfull effect; some people getcom pleterellefor mitorad uits 18 years of age and older

lf pregnantor breast-feeding,aska beath professional beforeuse. Keep outofreach of clainfeen. In case of overdose, gat medical help or contacta Polson. Can broiter ig hlaway (1-80 G.S. 12 ⊠.)

Drug Facts (continued)

Drug Facts

*This product is not manufactured or distributed by Procter & Gamble, distributor of Prilosec OTC®.

Safety Feature - Do not use if printed tablet blister unit is open or torn.



MSKESSON

Distributed by McKesson 6555 State Highway 161, Irving, TX 75039 Money Back Guarantee

Made in Israel

NDC 62011-0157-2

Compare to Prilosec OTC®



Omeprazole

Delayed Release Tablets 20 mg **Acid Reducer**

> Treats Frequent Heartburn! 24 HR

> > **SEE CURRENT DRUG FACTS**













Two 14-day courses of treatment May take 1 to 4 days for full effect



HEALTH MART OMEPRAZOLE

omeprazole tablet, delayed release

| Product Information | | | |
|-------------------------|----------------|--------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:62011-0157 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | | |
|--|-------------------|----------|--|
| Ingredient Name | Basis of Strength | Strength | |
| OMEPRAZOLE (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9) | OMEPRAZOLE | 20 mg | |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X) | |
| MONOETHANOLAMINE (UNII: 5KV86114PT) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| SODIUM LAURYL SULFATE (UNII: 368GB5141J) | |
| SODIUM STEARATE (UNII: QU7E2XA9TG) | |
| SODIUM STEARYL FUMARATE (UNII: 7CV7WJK4UI) | |
| TALC (UNII: 7SEV7J4R1U) | |
| TITANIUM DIO XIDE (UNII: 15FIX9 V2JP) | |
| TRIETHYL CITRATE (UNII: 8Z96QXD6UM) | |

| Product Characteristics | | | | |
|-------------------------|-------|--------------|----------|--|
| Color | BROWN | Score | no score | |
| Shape | OVAL | Size | 12mm | |
| Flavor | | Imprint Code | 20 | |
| Contains | | | | |

| P | Packaging | | | |
|---|------------------|---|-----------------------------|---------------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:62011-0157-2 | 2 in 1 CARTON | 03/20/2012 | |
| 1 | | 14 in 1 CARTON | | |
| 1 | | $1\ \text{in}\ 1\ \text{BLISTER}$ PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:62011-0157-1 | 1 in 1 CARTON | 03/20/2012 | |
| 2 | | 14 in 1 CARTON | | |
| 2 | | $1\ \text{in}\ 1\ \text{BLISTER}$ PACK; Type 0: Not a Combination Product | | |
| 3 | NDC:62011-0157-3 | 3 in 1 CARTON | 03/20/2012 | |
| 3 | | 14 in 1 CARTON | | |

| 3 | in 1 BLISTER PACK; Type 0: Not a Combination Product | | | |
|-----------------------|--|----------------------|--------------------|--|
| | | | | |
| | | | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| NDA | NDA022032 | 03/20/2012 | | |
| | | | | |

Labeler - Strategic Sourcing Services LLC (116956644)

Revised: 3/2020 Strategic Sourcing Services LLC