

**THOMPSON EXTRA STRENGTH NON-ASPIRIN- acetaminophen tablet**  
**THOMPSON EXTRA STRENGTH NON-ASPIRIN- acetaminophen tablet, film coated**  
**Thompson**

-----  
**Thompson Extra Strength Non-Aspirin**

***Drug Facts***

***Active ingredient***

Acetaminophen 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- minor pain of arthritis
- backache
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever fever.

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug

contains acetaminophen, ask a doctor or pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

- liver disease

**Ask a doctor or pharmacist before use if**

- you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed (see overdose warning)**

**Adults and children: (12 years and over)**

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Other information**

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

**Inactive ingredients**

corn starch\*, hypromellose\*, polyethylene glycol\*, povidone (K-30)\*, pregelatinized starch\*, purified water\*, sodium starch glycolate, stearic acid, titanium dioxide\*

\*may contain

**Questions or comments?** 877.506.4291

Extra Strength Non-Aspirin

Pain Reliever/ Fever Reducer

Thompson

Safety Works | Business Thrives™

Pull to Open

This Package is for Households without Young Children.

Aches, Fever

Acetaminophen 500 MG

100 Tablets

Tamper Evident Sealed Packets

**Drug Facts**  
**Active ingredient (in each tablet)** Acetaminophen 500 mg **Purpose** Pain reliever/fever reducer

**Uses**  
temporarily relieves minor aches and pains due to:  
■ headache ■ muscular aches ■ minor pain of arthritis ■ backache  
■ the common cold ■ toothache ■ premenstrual and menstrual cramps  
temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions.  
Symptoms may include: ■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product  
**Ask a doctor before use if you have** ■ liver disease (continued on opposite panel)

**Retain carton for complete product information**

**EXTRA STRENGTH NON-ASPIRIN**  
**PAIN RELIEVER/FEVER REDUCER**

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES  
Pull to Open

**THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.**

**ACHES, FEVER ACETAMINOPHEN 500 MG**

**100 Tablets TAMPER EVIDENT SEALED PACKETS**

**Drug Facts (continued)**  
**Ask a doctor or pharmacist before use if** ■ you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**  
■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days  
■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.

**Other information**  
■ do not use more than directed (see overdose warning)  
**Adults and children:** ■ take 2 tablets every 6 hours while symptoms last  
(12 years and over) ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor  
■ do not use for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Keep out of reach of children.**

**Other information**  
■ store at room temperature 59°-86°F (15°-30°C)  
■ tamper-evident sealed packets  
■ do not use any opened or torn packets

**Retain carton for complete product information**

**Drug Facts (continued)**  
**Inactive ingredients** corn starch, hydroxyethylcellulose, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide  
\*may contain

**Questions or comments?** 877.506.4291

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES

Reorder CS90433

Distributed by  
**Thompson Safety**  
Houston, TX 77073  
877.506.4291  
www.thompson-safety.com

0 73408 90433 1

Extra Strength Non-Aspirin

Pain Reliever/ Fever Reducer

Thompson

Safety Works | Business Thrives™

Pull to Open

This Package is for Households without Young Children.

Aches, Fever

Acetaminophen 500 MG

100 Tablets

Tamper Evident Sealed Packets

**Drug Facts**  
**Active ingredient (in each tablet)** Acetaminophen 500 mg **Purpose** Pain reliever/fever reducer

**Uses**  
temporarily relieves minor aches and pains due to:  
■ headache ■ muscular aches ■ minor pain of arthritis ■ backache  
■ the common cold ■ toothache ■ premenstrual and menstrual cramps  
temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  
■ more than 4,000 mg in 24 hours, which is the maximum daily amount  
■ with other drugs containing acetaminophen  
■ 3 or more alcoholic drinks every day while using this product  
**Allergy alert:** Acetaminophen may cause severe skin reactions.  
Symptoms may include: ■ skin redness ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
■ if you are allergic to acetaminophen or any of the inactive ingredients in this product  
**Ask a doctor before use if you have** ■ liver disease (continued on opposite panel)

**Retain carton for complete product information**

**EXTRA STRENGTH NON-ASPIRIN**  
**PAIN RELIEVER/FEVER REDUCER**

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES  
Pull to Open

**THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN.**

**ACHES, FEVER ACETAMINOPHEN 500 MG**

**100 Tablets TAMPER EVIDENT SEALED PACKETS**

**Drug Facts (continued)**  
**Ask a doctor or pharmacist before use if** ■ you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if**  
■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days  
■ new symptoms occur ■ redness or swelling is present  
These could be signs of a serious condition.

**Other information**  
■ do not use more than directed (see overdose warning)  
**Adults and children:** ■ take 2 tablets every 6 hours while symptoms last  
(12 years and over) ■ do not take more than 6 tablets in 24 hours, unless directed by a doctor  
■ do not use for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Keep out of reach of children.**

**Other information**  
■ store at room temperature 59°-86°F (15°-30°C)  
■ tamper-evident sealed packets  
■ do not use any opened or torn packets

**Retain carton for complete product information**

**Drug Facts (continued)**  
**Inactive ingredients** corn starch, hydroxyethylcellulose, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide  
\*may contain

**Questions or comments?** 877.506.4291

**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES

Reorder CS90433

Distributed by  
**Thompson Safety**  
Houston, TX 77073  
877.506.4291  
www.thompson-safety.com

0 73408 90433 1

**Drug Facts**

**Active ingredient (in each tablet)**  
Acetaminophen 500 mg **Purpose**  
Pain reliever/fever reducer

**Uses**  
temporarily relieves minor aches and pains due to:  

- headache
- muscular aches
- minor pain of arthritis
- backache
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:  

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions.  
Symptoms may include: ■ skin reddening ■ blisters ■ rash  
If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have:** ■ liver disease *(continued on opposite panel)*

**EXTRA STRENGTH  
NON-ASPIRIN**

**PAIN RELIEVER/FEVER REDUCER**



**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES

Pull to Open

**THIS PACKAGE IS FOR HOUSEHOLDS  
WITHOUT YOUNG CHILDREN.**

**ACHES, FEVER  
ACETAMINOPHEN 500 MG**

**100 Tablets** TAMPER EVIDENT SEALED PACKETS

**Drug Facts (continued)**

Ask a doctor or pharmacist before use if:  

- you are taking the blood thinning drug warfarin

**Stop use and ask a doctor if:**  

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.  
Keep out of reach of children.

**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  

- do not use more than directed (see overdose warning)

**Adults and children:**  
(12 years and over)

- take 2 tablets every 6 hours while symptoms last
- do not take more than 8 tablets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

**Children under 12 years:** Ask a doctor

**Other information**  

- store at room temperature 59°-86°F (15°-30°C)
- tamper-evident sealed packets
- do not use any opened or torn packets

**Drug Facts (continued)**

**Inactive ingredients**  
corn starch, hydroxyethylcellulose, polyethylene glycol, povidone (K-30), pregelatinized starch, purified water, sodium starch glycolate, stearic acid, titanium dioxide

Tray contains

**Questions or comments?** 877.506.4291



**THOMPSON**  
SAFETY WORKS | BUSINESS THRIVES



Reorder CS90433

Distributed by  
**Thompson Safety**  
Houston, TX 77073  
877.506.4291  
www.thompson-safety.com

Retain carton for complete product information

# THOMPSON EXTRA STRENGTH NON-ASPIRIN

acetaminophen tablet

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73408-174
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	44;148
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-174-33	50 in 1 BOX	05/01/2023	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/01/2023	

## THOMPSON EXTRA STRENGTH NON-ASPIRIN

acetaminophen tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73408-804
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	AZ;235
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-804-33	50 in 1 BOX	05/01/2023	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/01/2023	

## THOMPSON EXTRA STRENGTH NON-ASPIRIN

acetaminophen tablet, film coated

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73408-274
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE K30 (UNII: U725QWY32X)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STARCH, CORN (UNII: O8232NY3SJ)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	

### Product Characteristics

Color	white ((White to Off-White))	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	G552
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73408-274-33	50 in 1 BOX, UNIT-DOSE	09/04/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/04/2024	

**Labeler** - Thompson (080998015)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Prestige Packaging		080667761	pack(73408-804, 73408-174)

**Establishment**

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Medique Products		086911794	pack(73408-804, 73408-174)

Revised: 9/2025

Thompson