THOMPSON EXTRA STRENGTH NON-ASPIRIN- acetaminophen tablet Thompson

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Thompson Extra Strength Non-Aspirin

Drug Facts

Active ingredient

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

temporarily relieves minor aches and pains due to:

- headache
- muscular aches
- minor pain of arthritis
- backache
- the common cold
- toothache
- premenstrual and menstrual cramps

temporarily reduces fever fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

• with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug

contains acetaminophen, ask a doctor or pharmacist.

• if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if

• you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

• do not use more than directed (see overdose warning)

Adults and children: (12 years and over)

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

Children under 12 years: Ask a doctor

Other information

- store at room temperature 59º-86ºF (15º-30ºC)
- tamper-evident sealed packets
- do not use any opened or torn packets

Inactive ingredients

corn starch, hypromellose*, polyethylene glycol*, povidone, pregelatinized starch*, sodium starch glycolate*, stearic acid*, titanium dioxide*

*may contain

Questions or comments? 877.506.4291

Extra Strength Non-Aspirin

Pain Reliever/ Fever Reducer

Thompson

Safety Works | Business Thrives ™

Pull to Open


This Package is for Households without Young Children.

Aches, Fever

Acetaminophen 500 MG

100 Tablets

Tamper Evident Sealed Packets



Extra Strength Non-Aspirin

Pain Reliever/ Fever Reducer

Thompson

Safety Works | Business Thrives ™

Pull to Open


This Package is for Households without Young Children.

Aches, Fever

Acetaminophen 500 MG

100 Tablets

Tamper Evident Sealed Packets



THOMPSON EXTRA acetaminophen tablet	STRENGT		-ASPIRIN				
Product Information							
Product Type	HUMAN OTC DR	RUG	Item Code (So	urce)	NDC:734	DC:73408-174	
Route of Administration	ORAL						
Active Ingredient/Activ	<i>v</i> e Moiety						
In	gredient Name	1		Basis of St	trength	Strengt	
ACETAMINOPHEN (UNII: 36209	9ITL9D) (ACETAMINO	PHEN - UNI	I:362O9ITL9D)	ACETAMINOPH	IEN	500 mg	
Inactive Ingredients Ingredient Name Strength							
Ingredient Name Strength SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)							
STEARIC ACID (UNII: 4ELV7Z65		(01411. 5050)	,502,727				
STARCH, CORN (UNII: 08232N)	(3SJ)						
POVIDONE (UNII: FZ989GH94E))						
Product Characteristic	S						
	white	re Score 2 pie			2 pieces	pieces	
Shape	ROUND				12mm		
Flavor		Imprint Code 44		44;148			
Contains							
Packaging							
			Mayleat:		NA - viz - i	line Fred	

#	ltem Code	Package Description	Date	Date			
1	NDC:73408-174- 33	50 in 1 BOX	05/01/2023				
1		2 in 1 PACKET; Type 0: Not a Combination Product					
M	Marketing Information						
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
01 fin	rC monograph not al	part343	05/01/2023				

THOMPSON EXTRA STRENGTH NON-ASPIRIN acetaminophen tablet							
Product Information							
Product Type	HUMAN OTC DE	RUG	Item Code (Sou	urce)	NDC:734	08-804	
Route of Administration	ORAL						
Active Ingredient/Act	ive Moiety						
	ngredient Name	•		Basis of S	trength	Strength	
ACETAMINOPHEN (UNII: 3620) 9ITL9D) (ACETAMINC	OPHEN - UNI	l:362O9ITL9D)	ACETAMINOPH	-	500 mg	
Inactive Ingredients	Inactive Ingredients						
	Ingredient Name Strength						
STARCH, CORN (UNII: 08232)	STARCH, CORN (UNII: 08232NY3SJ)						
	HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)						
POVIDONE, UNSPECIFIED (U							
TITANIUM DIOXIDE (UNII: 15F							
POLYETHYLENE GLYCOL, UI		-					
	SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)						
STEARIC ACID (UNII: 4ELV7Z6	5AP)						
Product Characteristi	ics						
Color	white	te Score no score			no score		
Shape	ROUND				12mm		
Flavor					Z;235		
Contains							
Packaging							
# Itom Code	Packago Doccri	ntion	Marketi	ng Start	Market	ting End	

#	item Code	Package Description	Date	Date			
1	NDC:73408-804- 33	50 in 1 BOX	05/01/2023				
1		2 in 1 PACKET; Type 0: Not a Combination Product					
M	Marketing Information						
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
01 fin	۲C monograph not al	part343	05/01/2023				

Labeler - Thompson (080998015)

Establishment					
Name	Address	ID/FEI	Business Operations		
Prestige Packaging		080667761	pack(73408-804, 73408-174)		

Establishment

Name	Address	ID/FEI	Business Operations
Medique Products		086911794	pack(73408-804, 73408-174)

Revised: 3/2023

Thompson