

**ACETAMINOPHEN- acetaminophen tablet  
FAMILY DOLLAR**

-----  
**Extra Strength  
Pain Relief**

**Acetaminophen USP, 500mg  
Pain Reliever/Fever Reducer**

**FOR ADULTS**

**Active ingredient (in each caplet)**

Acetaminophen USP, 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Ask a doctor before use if you have**

liver disease

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - new symptoms occur
  - redness or swelling is present
- These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children**

Keep out of reach of children

**Overdose warning:**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last

- do not take more than 6 caplets in 24 hours, unless directed by a doctor

- do not use for more than 10 days unless directed by a doctor

children under

12 years ■ ask a doctor

**Other information**

- store between 20-25°C (68-77°F). See USP Controlled Room Temperature.
- see end panel for lot number and expiration date



code # :		via
size :	1+3/4 X 1+3/4 X 3+3/8	dat
ref # :	PP180604B	
material :	.016 SBS	

COATING  
FREE AREA

700000003481



**Drug Facts (continued)**

doctor or pharmacist.  
 ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product  
**Ask a doctor before use if you have liver disease**  
**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**  
**Stop use and ask a doctor if**  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 These could be signs of a serious condition.  
**If pregnant or breast-feeding, ask a health professional before use.**  
**Keep out of reach of children**  
**Overdose warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

■ do not take more than directed (see overdose warning)  
 adults and children 12 years and over  
 ■ take 2 caplets every 6 hours while symptoms last  
 ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor  
 ■ do not use for more than 10 days unless directed by a doctor  
 children under 12 years  
 ■ ask a doctor

**Other information**

**Drug Facts (continued)**

■ store between 20-25°C (68-77°F). See USP Controlled Room Temperature.  
 ■ see end panel for lot number and expiration date

**Inactive Ingredients**

hydroxypropyl methylcellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

call 1-877-770-3183 Mon-Fri 8:00 AM EST to 5:00 PM PST

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Extra Strength **TYLENOL**® Caplets

DISTRIBUTED BY: MIDWOOD BRANDS, LLC  
 500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

MADE IN INDIA

Contains No Aspirin



**NOT 100% SATISFIED?**  
 Return package and unused product within 30 days to any Family Dollar store for a refund (with receipt) or exchange.

24 CAPLETS®  
 (Caplet Shape Tablets)  
 FOR ADULTS  
 Pain Reliever/Fever Reducer  
 Acetaminophen USP, 500 mg

**FAMILY Wellness**  
 EXTRA STRENGTH  
**PAIN RELIEF**  
 Acetaminophen USP, 500 mg  
 Pain Reliever/Fever Reducer  
 FOR ADULTS

24 CAPLETS®  
 (Caplet Shape Tablets)  
 FOR ADULTS  
 Pain Reliever/Fever Reducer  
 Acetaminophen USP, 500 mg



ACTUAL SIZE  
 NDC 55319-177-24

**FAMILY Wellness**  
 EXTRA STRENGTH  
**PAIN RELIEF**  
 Acetaminophen USP, 500 mg  
 Pain Reliever/Fever Reducer  
 FOR ADULTS

COMPARE TO THE ACTIVE INGREDIENT IN EXTRA STRENGTH **TYLENOL**® CAPLETS®

Important: Read all product information before using. Keep the carton for important information.

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

Active ingredient (in each caplet)	Purpose
Acetaminophen USP 500 mg	Pain reliever/fever reducer

**Uses**

- temporarily relieves minor aches and pains due to:
  - the common cold
  - backache
  - toothache
  - premenstrual and menstrual cramps
  - temporarily reduces fever
- headache
- minor pain of arthritis
- muscular aches

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product  
**■ Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin reddening ■ hives ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a

200000004587

700000003481

COATING  
FREE AREA

SKU 900557



0 32251 92166 7

Lot  
Exp.

COATING  
FREE AREA



FAMILY Wellness

COMPARE TO THE ACME  
DESIGN OF EXTRA STRENGTH  
ORAL™ CAPLET

EXTRA STRENGTH  
**PAIN RELIEF**

**Acetaminophen**  
USP, 500 mg  
Pain Reliever/Fever Reducer  
FOR ADULTS



250 CAPLETS!  
(Capsule-Shaped Tablets) NDC 55313-177-25

Important: Read all product information before using.  
**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL  
UNDER CAP IS BROKEN OR MISSING**

**Drug Facts**

**Active Ingredient (in each caplet)** Purpose  
Acetaminophen USP, 500 mg Pain reliever/fever reducer

**Uses**

- Temporarily relieves minor aches and pains due to:
  - the common cold
  - headache
  - backache
  - minor pain of arthritis
  - toothache
  - muscular aches
  - premenstrual and menstrual cramps
  - temporarily reduce fever

**Warnings**

- Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take
  - more than 4,000 mg of acetaminophen in 24 hours
  - with other drugs containing acetaminophen
  - 3 or more alcoholic drinks every day while using this product
- Always alert:** acetaminophen may cause severe skin reactions. Symptoms may include:
  - skin redness
  - hives
  - itching
  - rash
  - swelling
  - blistering
- If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

**Contains**

acetaminophen, hydrocodone bitartrate, and other inactive ingredients. This product is not affiliated with the manufacturer of Extra Strength Tylenol® Caplets.



LOT  
EXP

To simulate a printed label, fold along dotted line.

Inside (adhesive side)

**Drug Facts (continued)**

Ask a doctor before use if you have liver disease. Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** **Drug Facts Warning:** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-272-1222) **Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.**

**Directions**

- do not take more than directed (see overdose warning)
- adults and children 12 years
  - take 2 caplets every 6 hours with at least 4 hours between doses
  - do not take more than 8 caplets in 24 hours, unless directed by a doctor
  - do not use for more than 10 days unless directed by a doctor
- children under 12 years
  - ask a doctor

**Other Information**

store between 20-25°C (68-77°F). See USP Controlled Room Temperature. see and panel for the number and expiration date.

**Inactive Ingredients**

hydroxypropyl methylcellulose, polyethylene glycol, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

**Questions or comments?**

Call 1-877-762-1818 Mon-Fri 8:00 AM EST to 5:00 PM PST



<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white (WHITE TO OFF-WHITE)	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	G;551
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-177-24	24 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	
2	NDC:55319-177-05	50 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	
3	NDC:55319-177-10	100 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	
4	NDC:55319-177-25	250 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	
5	NDC:55319-177-50	500 in 1 BOTTLE; Type 0: Not a Combination Product	09/01/2023	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/01/2023	

**Labeler** - FAMILY DOLLAR (024472631)

Revised: 12/2025

FAMILY DOLLAR