

LIL DRUG STORE CLARITIN NON-DROWSY, 24 HOUR- loratadine tablet
Lil' Drug Store Products, Inc

Claritin®
Antihistamine

Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- safety sealed: do not use if the individual blister unit imprinted with Claritin® is open or torn
- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture

Inactive ingredients

corn starch, lactose monohydrate, magnesium stearate

Questions or comments?

1-800-CLARITIN (1-800-252-7484) or www.claritin.com

PRODUCT MANUFACTURED BY:

MSD CONSUMER CARE, INC.,
P.O. BOX 377, MEMPHIS, TN 38151 USA,
A SUBSIDIARY OF MERCK & CO., INC.,
WHITEHOUSE STATION, NJ USA.

PRINCIPAL DISPLAY PANEL - 1 Tablet Pouch Carton

Original Prescription Strength

Non-Drowsy*

Claritin®

loratadine tablets 10 mg/antihistamine

24

Hour

Relief of:

- ***Sneezing***
- ***Runny Nose***
- ***Itchy,***
Watery Eyes
- ***Itchy Throat***
or Nose

****When taken as directed.***

See Drug Facts Panel.

**Indoor & Outdoor
Allergies**

**1
Tablet**

Lil'
Drug Store®



1 Tablet

Claritin 24 Hour

Drug Facts

Active ingredient (in each tablet)	Purpose
Loratadine 10 mg	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

LIFT PANEL FOR CONTINUED DRUG FACTS

Drug Facts (continued)

Other information

- safety sealed: do not use if the individual blister unit imprinted with Claritin® is open or torn
- store between 20° to 25° C (68° to 77° F)
- protect from excessive moisture

Inactive ingredients
corn starch, lactose monohydrate, magnesium stearate

Questions or comments?
1-800-CLARITIN (1-800-252-7484) or www.claritin.com

Bayer

Manufacturer: Bayer HealthCare LLC, Whippany, NJ 07981

This product is repackaged by Lil' Drug Store Products, Inc., 9300 Earhart Lane SW, Cedar Rapids, IA 52404; 1-877-507-6516 (M-F 8AM-4:30PM CST), from a product manufactured by Bayer. 97321C-US-01-16-A

Bayer, the Bayer Cross, Claritin and the Claritin Vista are registered trademarks of Bayer, used with permission.

Product of Ireland

LIL DRUG STORE CLARITIN NON-DROWSY, 24 HOUR

loratadine tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9732
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	10 mg

Inactive Ingredients

Ingredient Name	Strength
Starch, Corn (UNII: O8232NY3SJ)	
Lactose Monohydrate (UNII: EWQ57Q8I5X)	
Magnesium Stearate (UNII: 70097M6I30)	

Product Characteristics

Color	WHITE	Score	no score
Shape	ROUND	Size	6mm
Flavor		Imprint Code	458;Claritin10
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9732-1	1 in 1 CARTON	12/03/2018	
1		1 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9732-2	2 in 1 CARTON	12/03/2018	
2		1 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019658	04/21/2011	

Labeler - Lil' Drug Store Products, Inc (093103646)

Revised: 1/2020

Lil' Drug Store Products, Inc