### EZ NITE SLEEP NIGHTTIME SLEEP-AID- diphenhydramine hydrochloride capsule, liquid filled

#### QUALITY CHOICE (Chain Drug Marketing Association)

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **DRUG FACTS**

#### Active ingredient (in each softgel)

Diphenhydramine HCl 25 mg

#### Purpose

Nighttime sleep-aid

#### Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

#### Warnings

#### Do not use

- with any other product containing diphenhydramine, even one used on skin
- for children under 12 years of age
- with other drugs that cause drowsiness such as antihistamines, nighttime cold/flu products, and other nighttime sleep-aids

#### Ask a doctor before use if you have

- a breathing problem such as asthma, emphysema, or chronic bronchitis
- glaucoma
- heart disease
- trouble urinating due to an enlarged prostate gland

#### Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers or any other sleep-aid.

#### When using this product

- drowsiness will occur
- avoid alcoholic beverages and other drugs that cause drowsiness
- be careful when driving a motor vehicle or operating machinery

#### Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

**Overdose warning:** Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away.

#### **Directions**

- take only one dose per day (24 hours) see Overdose warning
- swallow whole; do not crush, chew, or dissolve
- adults & children 12 yrs & over
  - one dose = TWO 25 mg softgels (50 mg) at bedtime if needed or as directed by a doctor

#### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F) and high humidity
- protect from light

#### **Inactive ingredients**

FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, purified water, sorbitol-sorbitan solution, titanium dioxide

#### Questions or comments?

Call **1-248-449-9300** Monday-Friday 9AM-5PM EST

#### **Principal Display Panel**

\*Compare to the active ingredient in ZZZQUIL®

#### **EZ Nite Sleep**

Nighttime Sleep-Aid

Diphenhydramine HCl 25 mg

Non Habit-Forming

Not for Treating Cold or Flu | See Warnings

Softgels\*\*

(\*\*Liquid-filled capsules)

\*This product is not manufactured or distributed by The Procter & Gamble Company. VICKS®, LIQUICAPS®, and ZZZQUIL® are registered trademarks of The Procter & Gamble Company.

#### ©Distributed by C.D.M.A., Inc.

43157 W. Nine Mile

Novi, MI 48376-0995

#### www.qualitychoice.com

Product of Canada

Failure to follow these warnings could result in serious consequences.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS

TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

**Product Label** 

of The Procter & Gamble Company. Company, VICKS®, LIQUICAPS®, and ZZZQUIL® are registered trademarks This product is not manufactured or distributed by The Procter & Gamble

> CSII 1-248-449-8300 Woudsy-Fridsy 9AM-5PM EST Questions or comments?

διλοευμ' bοιλετυλιευε διλοοι' bnuusa waret' εοιρισοι-εοιρισευ εοιητιου' Inactive ingredients FD&C blue #1, FD&C red #40, gelatin,

> avoid excessive heat above 40°C (1°4°F) and high humidity ■ store at 20-25°C (68-77°F) UTher Information

 $\blacksquare$  swallow whole; do not crush, chew, or dissolve  $\blacksquare$  swallow whole; do not crush, chew the second of the sone one dose = TWO~SS mg softgels (50 mg) at bedtime if needed or as ■ take only one dose per day (24 hours) - see Overdose warning

Directions

Center right away. problems, in case or overdose, get medical neip or contact a Polson Overdose warning: Taking more than directed can cause serious health it bregnant or breast-feeding, ask a health professional before use.

**Dung Facts** (continued)

nuqeying medical illness.

more than 2 weeks. Insomnia may be a symptom of a serious Stop use and ask a doctor if sleeplessness persists continuously for

■ be careful when driving a motor vehicle or operating machinery drowsiness will occur.
 drowsiness will occur. When using this product

tranquilizers or any other sleep-aid.

Ask a doctor or pharmacist before use if you are taking sedatives or

■ trouble unrating due to an enlarged prostate gland pronchitis # glaucoma # heart disease

■ a breathing problem such as asthma, emphysema, or chronic

Ask a doctor before use if you have

nighttime cold/flu products, and other nighttime sleep-aids with other drugs that cause drowsiness such as antihistamines, on skin Tor children under 12 years of age with any other product containing diphenhydramine, even one used

9SN 10U OCI

■ reduces time to fall asleep if you have difficulty falling asleep ■ for the relief of occasional sleeplessness

Nighttime sleep-aid Purpose

....gm &S IOH anims1bydnadqiQ Active ingredient (in each soffgel)

Drug Facts

Failure to follow these warnings could result in serious consequences.



# **EZ Nite Sleep**

Diphenhydramine HCI 25 mg Non Habit-Forming





NDC 63868-014-48

\*Compare to the active ingredient in ZZZGUIL®



Diphenhydramine HCI 25 mg Non Habit-Forming

# **EZ Nite Sleep**

#### **Nighttime Sleep-Aid**

Diphenhydramine HCI 25 mg Non Habit-Forming

Not for Treating Cold or Flu | See Warnings



KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

USE IF CARTON IS OPENED OR IF BLISTER OR SHOWS ANY SIGNS OF TAMPERING.

TAMPER EVIDENT: DO NOT UNIT IS TORN, BROKEN

Date: Lot No.: Exp. Date

48 Softgels



Product of Canada

PLD-B FC001107



#### EZ NITE SLEEP NIGHTTIME SLEEP-AID

diphenhydramine hydrochloride capsule, liquid filled

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63868-014

Route of Administration ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NHYDRAMINE HYDRO CHLO RIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE -	DIPHENHYDRAMINE	25 mg

**DIPHENHYDRAMINE HYDRO CHLO RIDE** (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - DIPHENHYDRAMINI HYDRO CHLO RIDE

OCHLORIDE 25 mg

#### **Inactive Ingredients**

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SORBITOL (UNII: 506T60A25R)	
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)	
SORBITAN (UNII: 6092ICV9RU)	

# Product Characteristics Color PURPLE Score

ColorPURPLEScoreno scoreShapeCAPSULESize15mmFlavorImprint CodeA41

Contains

#### **Packaging**

	0 0			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-014-48	4 in 1 CARTON		
1		12 in 1 BLISTER PACK		
2	NDC:63868-014-24	2 in 1 CARTON		
2		12 in 1 BLISTER PACK		

#### **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	03/11/2013	

## Labeler - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 3/2013

QUALITY CHOICE (Chain Drug Marketing Association)