

**NIGHTTIME SLEEP AID- diphenhydramine hydrochloride capsule, liquid filled
Best Choice (Valu Merchandisers Company)**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Use

for relief of occasional sleeplessness.

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

avoid alcoholic drinks.

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed

by a doctor

Other information

- store at 15°-30°C (59°-86°F)

Inactive ingredients

edible white ink, FD&C blue #1, gelatin, glycerin, light mineral oil*, polyethylene glycol, purified water, sorbitol-sorbitan

*may contain this ingredient

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

COMPARE TO THE ACTIVE INGREDIENT IN UNISOM® SLEEPGELS®†

MAXIMUM STRENGTH

NIGHTTIME

Sleep Aid

DIPHENHYDRAMINE HCl 50 mg

Helps to reduce difficulty falling asleep

Safe, Non-Habit Forming

LIQUID FILLED

SOFTGELS

†This product is not manufactured or distributed by Chattem, Inc., owner of the registered trademark Unisom® SleepGels®.

PROUDLY DISTRIBUTED BY:

VALU MERCHANDISERS, CO.

5000 KANSAS AVE

KANSAS CITY, KS 66106

www.bestchoicebrand.com

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

Package Label

COMPARE TO THE ACTIVE INGREDIENT IN UNISOM® SLEEPGELS®†

MAXIMUM STRENGTH
NIGHTTIME

Sleep Aid

Best
Choice®

Actual Size



DIPHENHYDRAMINE HCl 50 mg
Helps to reduce difficulty falling asleep
Safe, Non-Habit Forming

LIQUID FILLED
16 SOFTGELS

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

Lot No.:
Exp. Date:

PROUDLY DISTRIBUTED BY:
VALU MERCHANDISERS, CO.
5000 KANSAS AVE
KANSAS CITY, KS 66106

Best Choice.
100% Guaranteed

www.bestchoicebrand.com

BEST CHOICE



0 70038 61017 5

KEEP OUTER CARTON FOR COMPLETE
WARNINGS AND PRODUCT INFORMATION.

PLD-E27L
FC001726

†This product is not manufactured or distributed by Chatham, Inc., owner of the registered trademark Unisom® SleepGels®.

Questions or comments? Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

* may contain this ingredient

Inactive ingredients edible white ink, FD&C blue #1, gelatin, glycerin, light mineral oil, polyethylene glycol, purified water, sorbitol-sorbitan

Other information
■ store at 15°-30°C (59°-86°F)

Directions
■ adults and children 12 years of age and over: 1 softgel (50 mg) at bedtime if needed, or as directed by a doctor

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

If pregnant or breast-feeding, ask a health professional before use.
serious underlying medical illness.

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a
When using this product avoid alcoholic drinks.

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.

■ trouble urinating due to an enlarged prostate gland
■ glaucoma

Ask a doctor before use if you have
■ a breathing problem such as emphysema or chronic bronchitis

Do not use
■ for children under 12 years of age ■ with any other product containing diphenhydramine, even one used on skin

Warnings
Use for relief of occasional sleeplessness.

Drug Facts
Active ingredient (in each softgel) Diphenhydramine HCl 50 mg
Purpose Nighttime sleep-aid

Best Choice Maximum Strength Nighttime Sleep Aid Softgel

NIGHTTIME SLEEP AID

diphenhydramine hydrochloride capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63941-236
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0K00R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	BLUE	Score	no score
Shape	OVAL	Size	13mm
Flavor		Imprint Code	P50;A99;S90
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-236-16	2 in 1 CARTON	02/01/2014	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part338	02/01/2014	

Revised: 10/2018

Best Choice (Valu Merchandisers Company)