#### BRONCHIAL COUGH THERAPY- antimony potassium tartrate - protortonia cacti - drosera rotundifolia - echinacea, unspecified - calcium sulfide - human sputum, bordetella pertussis infected - spongia officinalis skeleton, roasted tablet, orally disintegrating TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

\_\_\_\_\_

#### **Bronchial Cough Therapy**

Active Ingredients		Purpose	
Antimonium tartaricum HPUS	6c, 12c, 18c	Rattling cough	
Coccus cacti HPUS	6c, 12c, 18c	Congestive cough	
Drosera HPUS	6c, 12c, 18c	Dry tickling cough	
Echinacea HPUS	6c, 12c, 18c	Immune system support	
Hepar sulphuris calcareum HPUS	6c, 12c, 18c	Expectorant	
Pertussinum HPUS	18c	Recurring and Spasmodic coughing attacks	
Spongia tosta HPUS	6c, 12c, 18c	Dry barking cough	

The letters HPUS indicate that the components of this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

#### Uses

According to homeopathic indications these ingredients provide temporary relief of symptoms of Bronchial Cough such as: • coughing • mucous build-up • chest tightness and • chest soreness after diagnosis by a physician.

#### Warnings

#### USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN.

- This product is a not a fast acting (rescue) inhaler.
- This product is intended to complement, not replace, standard medical treatment.
- Initial worsening of symptoms may occur.

- A physician should always be consulted to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.

#### Stop use and ask a doctor if:

- You experience worsening symptoms.
- If symptoms last longer than 7 days.

### Keep out of reach of children

If pregnant or breast-feeding, ask a health professional before use.

#### Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.

#### Other information

- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.

## **Inactive Ingredients**

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

## Do not use if tamper evident seal is torn, broken or missing.

For more information and to order related products call toll free: 888-969-6855 or **trpcompany.com** 

#### **Principal Display Panel**

FDA Disclaimer: Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.



HOMEOPATHIC

Directions
 Stable for adults and children 2 years and over. 
 Discleve entire tablet under tongue. 
 Do not chew or swallow whole. 
 Nake 1 tablet 3 times a day or as directed by a piptician. 
 Directions
 piptician. 
 Directions
 piptician. 
 Directions
 constrained a days a needed. 
 Directions
 piptician. 
 Directions
 piptician. 
 Directions
 constrained a days a needed. 
 Directions
 piptician. 
 Directions
 constrained a days a needed. 
 Directions
 constrained a days a needed.
 Directions
 constrained a days a needed.
 Directions

Reno, NV 89502 www.thereleifproducts.com Questions or comments?

1-888-969-6855 8 am - 4 pm EST; Monday - Friday Do not use if tamper evident seal is torn, broken or missing.

## **BRONCHIAL COUGH THERAPY**

antimony potassium tartrate - protortonia cacti - drosera rotundifolia - echinacea, unspecified calcium sulfide - human sputum, bordetella pertussis infected - spongia officinalis skeleton, roasted tablet, orally disintegrating

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-018	
Route of Administration	ORAL			

# Active Ingredient/Active Moiety

Ingredient Name	<b>Basis of Strength</b>	Strength
<b>SPONGIA OFFICINALIS SKELETON, ROASTED</b> (UNII: 1PIP394IID) (SPONGIA OFFICINALIS SKELETON, ROASTED - UNII:1PIP394IID)	SPONGIA OFFICINALIS SKELETON, ROASTED	6 [hp_C]
<b>ANTIMONY POTASSIUM TARTRATE</b> (UNII: DL6OZ476V3) (ANTIMONY CATION (3+) - UNII:069647RPT5)	ANTIMONY POTASSIUM TARTRATE	6 [hp_C]
<b>PROTORTONIA CACTI</b> (UNII: LZB7TFX1LT) (PROTORTONIA CACTI - UNII:LZB7TFX1LT)	PROTORTONIA CACTI	6 [hp_C]
<b>DROSERA ROTUNDIFOLIA</b> (UNII: QR44N9XPJQ) (DROSERA ROTUNDIFOLIA - UNII:QR44N9XPJQ)	DROSERA ROTUNDIFOLIA	6 [hp_C]
<b>ECHINACEA, UNSPECIFIED</b> (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_C]
CALCIUM SULFIDE (UNII: 1MBW07J51Q) (CALCIUM SULFIDE - UNII:1MBW07J51Q)	CALCIUM SULFIDE	6 [hp_C]
HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED (UNII: U364V64HUN) (HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED - UNII:U364V64HUN)	HUMAN SPUTUM, BORDETELLA PERTUSSIS INFECTED	18 [hp_C]

Ingredient NameStrMANNITOL (UNII: 30WL53L36A)SORBITOL (UNII: 506T60A25R)CROSPOVIDONE (UNII: 257830E561)CELLULOSE, MICROCRYSTALLINE (UNII: 0P1R32D61U)COPOVIDONE (UNII: D9C330MD8B)	Inactive Ingredients			
SORBITOL (UNII: 506T60A25R) CROSPOVIDONE (UNII: 2S7830E561) CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	ength			
CROSPOVIDONE (UNII: 2S7830E561) CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)				
COPOVIDONE (UNII: D9C330MD8B)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
LACTOSE (UNII: J2B2A4N98G)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				

Product Characteristics				
Color	white	Score	no score	
Shape	DIAMOND	Size	13mm	
Flavor		Imprint Code	TRP	
Contains				

#	ltem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:17312-018- 14	1 in 1 PACKAGE	12/01/2011		
1		70 in 1 BOTTLE; Type 0: Not a Combination Product			
Marketing Information					
	Marketing Category	Application Number or Monograp	h Marketing Start	Marketing End	

# Labeler - TRP Company (105185719)

# Registrant - TRP Company (105185719)

Revised: 4/2024

TRP Company