

TRUEMED SALINE LAXATIVE - LEMON- magnesium citrate liquid
GURUNANDA, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

TrueMed Magnesium Citrate Saline Laxative- Lemon

Active ingredients (in each fl. oz.)

Magnesium Citrate 1.745 g

Purpose

Saline Laxative

Uses

- for relief of occasional constipation (irregularity)
- generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium restricted diet
- a potassium restricted diet
- stomach pain, nausea, or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drug work.

Stop using and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- shake well before use
- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or divided doses

adults and children 12 years of age and over	6.5 to 10 fl. oz., maximum 10 fl. oz. in 24 hours
children 6 to 12 years of age	3 to 7 fl. oz., maximum 7 fl. oz. in 24 hours
children 2 to under 6 years of age	2 to 3 fl. oz., maximum 3 fl. oz. in 24 hours
children under 2 years of age	ask a doctor

Other information

- each fl. oz. contains: magnesium 290 mg
- each fl. oz. contains: sodium 3 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, purified water, sucralose


NDC 70708-105-10 Do not use if tamper evident twist-off cap is missing, broken or separated from neck ring.

Tru+Med


Magnesium Citrate

Saline Laxative

- Relief of occasional constipation
- For use in bowel cleansing systems for surgery or exam preparation



Lemon Flavor



Empty & Replace Cap
PLASTIC BOTTLE
how2recycle.info

10 FL OZ (296mL)

Drug Facts

Active ingredient (in each fl oz) Purpose
Magnesium citrate 1.745 g Saline laxative

Uses ■ for relief of occasional constipation (irregularity) ■ generally produces bowel movement in 1/2 to 6 hours

Warnings

Ask a doctor before use if you have

- kidney disease ■ a magnesium restricted diet
- stomach pain, nausea, or vomiting ■ noticed a sudden change in bowel habits that persists over a period of 2 weeks ■ already used a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

- taking any other drug.
- Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop using and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help

Drug Facts (continued)

or contact a Poison Control Center right away.

Store at temperatures between 46° and 86°F (8° and 30°C).

Directions

- shake well before use ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor

Other information


- each fl oz contains: magnesium 290 mg
- each fl oz contains: sodium 3 mg

Inactive ingredients

benzoic acid, citric acid, disodium EDTA, flavor, purified water, sucralose

Questions? Call 1-866-421-0309

© 2023 GuruNanda, LLC
Buena Park, CA 90620, USA
Questions: 866-421-0309
contact@gurunanda.com
www.GuruNanda.com
PRODUCT OF INDIA



8 10051 08404 7

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70708-105
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	1.745 g in 29.6 mL

Inactive Ingredients

Ingredient Name	Strength
SUCRALOSE (UNII: 96K6UQ3ZD4)	
BENZOIC ACID (UNII: 8SKN0B0MIM)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
WATER (UNII: 059QF0K00R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	LEMON	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70708-105-10	296 mL in 1 BOTTLE; Type 0: Not a Combination Product	03/31/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	03/31/2023	

Labeler - GURUNANDA, LLC (079671169)