

**BOVATEC 15%- lasalocid sodium powder**  
**Phibro Animal Health**

-----  
**Bovatec 15% (Lasalocid Sodium)**

Bovatec 15% (Lasalocid Sodium)

Use directions

Species Dose Indications for use

**Cattle Fed in Confinement for Slaughter:**

Dose: 10-30 grams lasalocid per ton of total ration (90% dry matter)

Indications for Use: For improved feed efficiency in cattle fed in confinement for slaughter, feed continuously to provide not less than 100 mg no more than 360 mg per head per day.

Dose: 25-30 grams lasalocid per ton of total ration (90% dry matter)

Indications: For improved feed efficiency and increased rate of weight gain in cattle fed in confinement for slaughter, feed continuously to provide not less than 250 mg not more than 360 mg per head per day.

**Pasture Cattle - slaughter, stocker, feeder cattle, and dairy and beef replacement heifers:**

Dose: 60-300 mg lasalocid per head/day

Indications: For increased rate of weight gain. The drug must be contained in at least 1 pound of feed and fed continuously on a daily basis.

Dose: 60-300 mg lasalocid per head/day

Indications: For increased rate of weight gain, feed continuously on a free-choice basis. A medicated feed mill license is required when free choice feed is manufactured using a proprietary formula and/or specifications. Free-choice feed formulations must be FDA-approved.

Daily lasalocid intakes in excess of 200 mg per head per day have not been shown to be more effective than 200 mg lasalocid per head per day.

**NOTE:** Coccidiosis may occur when young pasture cattle are co-mingled with adult cattle passing coccidial oocysts.

**Cattle:**

Dose: 1 mg lasalocid per 2.2 lbs body weight/day

Indications: For control of coccidiosis caused by *Eimeria bovis* and *E. zuernii* in cattle up to 800 lbs. Hand feed continuously to provide not more than 360 mg per day.

**Sheep:**


Dose: 20-30 grams lasalocid per ton of total ration (90% dry matter)

Indications: For prevention of coccidiosis caused by *Eimeria ovina*, *E. crandallis*,

E. ovinoidalis (E. ninakohlyakimovae), E. parva, and E. intricata in sheep maintained in confinement. Feed continuously to provide not less than 15 mg nor more than 70 mg per head per day depending on body weight.

## Bovatec 15 Label

Bovatec 15 Label



Project No.	Attach Number	Description	Country
13161	14214901	Bovatec 15%	Gen. Export
38" x 16" x 6.5"		DWG-102456-00	Multiple SKUs
JDC component code - 210214			<input type="checkbox"/> EDITOR'S COPY
Rev	By	CA	DATE
01	J. Rutland	CA	02/08/2010
02	C. Hicks	CA	02/08/2010
03	C. Nelson	CA	02/08/2010

## BOVATEC 15%

lasalocid sodium powder

### Product Information

**Product Type**

OTC ANIMAL DRUG

**Item Code (Source)**

NDC:66104-9985

**Route of Administration** ORAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LASALOCID SODIUM (UNII: W2S5C71Y3G) (LASALOCID - UNII:W7V2ZZ2FWB)	LASALOCID	90.7 g in 0.45 kg

### Product Characteristics

<b>Color</b>	brown (light brown)	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66104-9985-1	20 kg in 1 BAG		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		02/18/2025	

**Labeler** - Phibro Animal Health (006989008)

**Registrant** - Phibro Animal Health (006989008)

### Establishment

Name	Address	ID/FEI	Business Operations
Phibro Animal Health		099219842	analysis, label, pack, medicated animal feed manufacture, api manufacture

Revised: 2/2025

Phibro Animal Health