

BOVATEC 15%- lasalocid sodium powder
Phibro Animal Health

Bovatec 15% (Lasalocid Sodium)

Bovatec 15% (Lasalocid Sodium)

Use directions

Species Dose Indications for use

Cattle Fed in Confinement for Slaughter:

Dose: 10-30 grams lasalocid per ton of total ration (90% dry matter)

Indications for Use: For improved feed efficiency in cattle fed in confinement for slaughter, feed continuously to provide not less than 100 mg no more than 360 mg per head per day.

Dose: 25-30 grams lasalocid per ton of total ration (90% dry matter)

Indications: For improved feed efficiency and increased rate of weight gain in cattle fed in confinement for slaughter, feed continuously to provide not less than 250 mg not more than 360 mg per head per day.

Pasture Cattle - slaughter, stocker, feeder cattle, and dairy and beef replacement heifers:

Dose: 60-300 mg lasalocid per head/day

Indications: For increased rate of weight gain. The drug must be contained in at least 1 pound of feed and fed continuously on a daily basis.

Dose: 60-300 mg lasalocid per head/day

Indications: For increased rate of weight gain, feed continuously on a free-choice basis. A medicated feed mill license is required when free choice feed is manufactured using a proprietary formula and/or specifications. Free-choice feed formulations must be FDA-approved.

Daily lasalocid intakes in excess of 200 mg per head per day have not been shown to be more effective than 200 mg lasalocid per head per day.

NOTE: Coccidiosis may occur when young pasture cattle are co-mingled with adult cattle passing coccidial oocysts.

Cattle:

Dose: 1 mg lasalocid per 2.2 lbs body weight/day

Indications: For control of coccidiosis caused by *Eimeria bovis* and *E. zuernii* in cattle up to 800 lbs. Hand feed continuously to provide not more than 360 mg per day.

Sheep:


Dose: 20-30 grams lasalocid per ton of total ration (90% dry matter)

Indications: For prevention of coccidiosis caused by *Eimeria ovina*, *E. crandallis*,

E. ovinoidalis (E. ninakohlyakimovae), E. parva, and E. intricata in sheep maintained in confinement. Feed continuously to provide not less than 15 mg nor more than 70 mg per head per day depending on body weight.

Bovatec 15

Bovatec 15



BOVATEC 15%

lasalocid sodium powder

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:66104-9985
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LASALOCID SODIUM (UNII: W2S5C71Y3G) (LASALOCID - UNII:W7V2ZZ2FWB)	LASALOCID	90.7 g in 0.45 kg

Product Characteristics

Color	brown (light brown)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66104-9985-1	20 kg in 1 BAG		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
export only		02/18/2025	

Labeler - Phibro Animal Health (006989008)

Registrant - Phibro Animal Health (006989008)

Revised: 3/2025

Phibro Animal Health