#### DOLEX ACETAMINOPHEN 500MG EXTRA STRENGTH- acetaminophen capsule, coated Pharmadel LLC

-----

Rapidol Acetaminophen 500 (HPharma)

Drug Facts

Active ingredient & Purpose

Active ingredient (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever/ fever reducer

### Uses

For the temporary relief of minor aches and pains due to:

- the common cold
- headache
- backache
- muscular aches
- toothache
- minor pain of arthritis
- premenstrual and menstrual cramps
- temporarily reduces fever

## Warnings

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than **4000mg in 24 hours**, which is the maximum daily amount
- with other drugs containing acetaminophen

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- 🗖 rash.

If a skin reaction occurs, stop use and seek medical help right away.

## Do not use

 with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • If allergic to of the inactive ingredients in this product

### Ask a doctor before use if you have

liver disease.

### Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

#### Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- any new symptoms occur

These could be signs of a serious condition.

### If pregnant or breast feeding,

#### Keep out of reach of children.

#### Keep out of reach of children.

#### **Overdose warning:**

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## Directions

## • do not take more than directed (see OVERDOSE WARNING)

Age	Dose
adults and children 12 years of age and over	<ul> <li>take 2 caplets, every 6 hours while symptoms last.</li> <li>do not take more than 6 caplets in 24 hours, unless directed by a doctor <ul> <li>do not use for more than 10 days, unless directed by a doctor</li> </ul> </li> </ul>
children under 12 years of age	• consult a doctor

#### Other information

• store at room temperature 77-86°F (25-30°C)

#### Inactive ingredients

corn starch,hypromellose,magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone k90, stearic acid, titanium dioxide

## Distributed by:

## PHARMADEL LLC.

New Castle, DE 19720 1-866-359-3478

## Prinicipal Display Panel



# DOLEX ACETAMINOPHEN 500MG EXTRA STRENGTH

acetaminophen capsule, coated

Product Infor	mation						
Product Type		HUMAN OTC DRUG	Item Co	m Code (Source) ND		NDC:557	58-372
Route of Admini	istration	ORAL					
Active Ingredi	ient/Active	Moiety					
Ingredient Name Basis of Stren							Strength
ACETAMINOPHEN	(UNII: 36209ITL	.9D) (ACETAMINOPHEN - UNI	I:36209ITL	.9D)	ACETAMINOPH	IEN	500 mg
Inactive Ingre	dients						
		Ingredient Name				S	trength
	E (UNII: 15FIX9V	2JP)					
STARCH, CORN (U	NII: 08232NY3S	J)					
HYPROMELLOSE,	UNSPECIFIED	(UNII: 3NXW29V3WO)					
MAGNESIUM CITR	ATE (UNII: RHO	2601T9V)					
POLYETHYLENE G	LYCOL, UNSPE	CIFIED (UNII: 3WJQ0SDW14	4)				
POVIDONE K90 (U	NII: RDH86HJV52	<u>Z</u> )					
STEARIC ACID (UN	II: 4ELV7Z65AP)						
MICROCRYSTALLI	NE CELLULOSI	(UNII: OP1R32D61U)					
Product Chara	acteristics						
Color	white		Score		nc		score
Shape	OVAL (Capsule	e-Shaped Tablet) Size		18	mm		
Flavor		Impr		Impri	nt Code AP		500
Contains							
Packaging							
# Item Code	Pa	kage Description	Ν		ing Start ate		ting End Date
<b>1</b> NDC:55758-372- 24	1 in 1 CARTON	I	04/0	07/2023			
1	24 in 1 BOTTL Product	E; Type 0: Not a Combinati	on				

Marketing In			
	Application Number or Monograph	<b>Marketing Start</b>	Marketing End
Marketing Category	Citation	Date	Date

Labeler - Pharmadel LLC (030129680)

Revised: 11/2024

Pharmadel LLC