

CITY SKIN AGE DEFENSE BROAD SPECTRUM SPF 50- titanium dioxide and zinc oxide lotion
Murad, LLC

**City Skin Age Defense Broad Spectrum
SPF 50**

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Titanium Dioxide 2.7%	Sunscreen
Zinc Oxide 10.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

- if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses.

Inactive ingredients

Water (Aqua), Dimethicone, C12-15 Alkyl Benzoate, Glycerin, Triheptanoin, Caprylic/Capric Triglyceride, C13-16 Isoparaffin, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Polyurethane-35, Polyhydroxystearic Acid, Polymethylsilsesquioxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Avena Sativa (Oat) Kernel Extract, Bisabolol, Hydrolyzed Jojoba Esters, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Tocopherol, Biosaccharide Gum-4, Hydroxyphenyl Propamidobenzoic Acid, Silica, Calendula Officinalis Flower Extract, Pentylene Glycol, Butylene Glycol, Dimethicone/PEG-10/15 Crosspolymer, Lauryl PEG-9 Polydimethylsiloxyethyl Dimethicone, PEG/PPG-18/18 Dimethicone, Triethoxycaprylylsilane, Aluminum Stearate, Alumina, Ethylhexylglycerin, Leuconostoc/Radish Root Ferment Filtrate, Ascorbyl Palmitate, Methylpropanediol, Dipropylene Glycol, Caprylyl Glycol, Phenylpropanol, Phenoxyethanol, Chlorphenesin, Potassium Sorbate, Sodium Benzoate, Iron Oxides (CI 77491), Iron Oxides (CI 77492)

Other information

- protect this product from excessive heat and direct sun

Questions or comments?

1.310.765.1520 or Murad.com

PRINCIPAL DISPLAY PANEL - 50 mL Bottle Carton

Murad®

ENVIRONMENTAL
SHIELD™

City Skin™

Age Defense

Broad Spectrum

SPF 50 | PA++++

mineral sunscreen

e 50 mL NET VOL 1.7 FL OZ



Drug Facts (continued)

Inactive ingredients

Water (Aqua), Dimethicone, C12-15 Alkyl Benzoate, Glycerin, Triheptanoin, Caprylic/Capric Triglyceride, C13-16 Isoparaffin, Argania Spinosa Kernel Oil, Tocopheryl Acetate, Polyurethane-35, Polyhydroxystearic Acid, Polymethylsiloxane, Dimethicone/Vinyl Dimethicone Crosspolymer, Avena Sativa (Oat) Kernel Extract, Bisabolol, Hydrolyzed Jojoba Esters, Urea, Yeast Amino Acids, Trehalose, Inositol, Taurine, Betaine, Tocopherol, Biosaccharide Gum-4, Hydroxyphenyl Propamidobenzoic Acid, Silica, Calendula Officinalis Flower Extract, Pentylene Glycol, Butylene Glycol, Dimethicone/PEG-10/15 Crosspolymer, Lauryl PEG-9 Polydimethylsiloxethyl Dimethicone, PEG/PPG-18/18 Dimethicone, Triethoxycaprylsilane, Aluminum Stearate, Alumina, Ethylhexylglycerin, Leuconostoc/Radish Root Ferment Filtrate, Ascorbyl Palmitate, Methylpropanediol, Dipropylene Glycol, Caprylyl Glycol, Phenylpropanol, Phenoxyethanol, Chlorphenesin, Potassium Sorbate, Sodium Benzoate, Iron Oxides (CI 77491), Iron Oxides (CI 77492)

Other information ■ protect this product from excessive heat and direct sun

Questions or comments?
1.310.765.1520 or Murad.com

Protect | Brighten | Correct

A new level of skin protection. This revolutionary, ultra-light 100% mineral sunscreen with Environmental Protection Technology shields skin from 5 main causes of damage that accelerate signs of aging.

- UVA
- UVB
- Pollution
- Blue light from devices
- Infrared radiation

An advanced polymer matrix helps inhibit adhesion and penetration of environmental toxins, while vitamin C helps brighten skin. Color correcting tint evens tone and boosts radiance.

TO USE: SHAKE WELL. Apply liberally to face, neck and chest.



Murad.com

Murad.

ENVIRONMENTAL SHIELD™

City Skin™
Age Defense
Broad Spectrum
SPF 50 | PA++++
mineral sunscreen

50 mL NET VOL 1.7 FL OZ



Made in USA | ©MURAD
USA: Los Angeles, CA 90245
UK: London SE1 0LH
DE: Wiesenstr. 21 D-40549 Düsseldorf
AUS: 111 Chandos St, Crows Nest, NSW 2065 605653/0524



Drug Facts

Active ingredients

Titanium Dioxide 2.7%
Zinc Oxide 10.0%

Purpose
Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**) decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor ■ if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ apply liberally 15 minutes before sun exposure
■ use a water resistant sunscreen if swimming or sweating
■ reapply at least every 2 hours
■ children under 6 months of age: ask a doctor ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. - 2 p.m.
■ wear long-sleeved shirts, pants, hats, and sunglasses. ▶



CITY SKIN AGE DEFENSE BROAD SPECTRUM SPF 50

titanium dioxide and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70381-127
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	2.7 g in 100 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	10 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
GLYCERIN (UNII: PDC6A3C0OX)	
TRIHEPTANOIN (UNII: 2P6O7CFW5K)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
C13-16 ISOPARAFFIN (UNII: LED42LZG6O)	
ARGAN OIL (UNII: 4V59G5UW9X)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
POLYURETHANE-35 (NOT MORE THAN 500 MPa.S AT 40%) (UNII: Q2LKX89BE0)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
OAT (UNII: Z6J799EAJK)	
LEVOMENOL (UNII: 24WE03BX2T)	
HYDROLYZED JOJOBA ESTERS (ACID FORM) (UNII: UDR641JW8W)	
UREA (UNII: 8W8T17847W)	
AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0O72R8RF8A)	
TREHALOSE (UNII: B8WCK70T7I)	
INOSITOL (UNII: 4L6452S749)	
TAURINE (UNII: 1EQV5MLY3D)	
BETAINE (UNII: 3SCV180C9W)	
TOCOPHEROL (UNII: R0ZB2556P8)	
BIOSACCHARIDE GUM-4 (UNII: 9XRL057X90)	
HYDROXYPHENYL PROPAMIDOBENZOIC ACID (UNII: 25KRT26H77)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	

Product Characteristics

Color	PINK (Light pink/peach)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70381-127-02	1 in 1 CARTON	03/25/2025	
1	NDC:70381-127-01	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH DRUG	M020	03/25/2025	

Labeler - Murad, LLC (781254792)

Establishment			
Name	Address	ID/FEI	Business Operations
Cosway Company, Inc.		052400223	MANUFACTURE(70381-127)

Revised: 3/2025

Murad, LLC