

**MAXIMUM STRENGTH BACKACHE RELIEF- magnesium salicylate capsule, coated**  
**JHK DBA American Safety & First Aid**

-----  
**Maximum Strength Backache Relief**

***Drug Facts***

**Active ingredient (In Each Caplet)**

Magnesium salicylate tetrahydrate 580 mg (NSAID)<sup>1</sup> (equivalent to 467.2 mg of anhydrous magnesium salicylate)

---

<sup>1</sup> Nonsteroidal Anti-Inflammatory Drug

**Purpose**

pain reliever/fever reducer

**Use**

for the temporary relief of minor backache pain

**Warnings**

**Reye's syndrome**

Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy Alert**

**Magnesium salicylate** may cause a severe allergic reaction which may include:

- hives
- facial swelling
- asthma (wheezing)
- shock

**Stomach bleeding warning**

This product contains a nonsteroidal anti-inflammatory drug (NSAID), which may cause severe stomach bleeding. The chance is higher if you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing a prescription or nonprescription NSAID (aspirin,

ibuprofen, naproxen, or others)

- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

### **Do not use**

- if you are allergic to salicylates (including aspirin) or to any other pain reliever/fever reducer
- for more than 10 days for pain unless directed by a doctor

### **Ask doctor before use if:**

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have asthma, high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic

### **Ask a doctor or pharmacist before use if you are:**

taking a prescription drug for

- gout
- diabetes
- arthritis

### **Stop use and ask a doctor if:**

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
  - if ringing in the ears or loss of hearing occurs new symptoms occur
  - new symptoms occur
  - pain gets worse or lasts more than 10 days
  - fever gets worse or lasts more than 3 days
  - redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breastfeeding**, ask a health professional before use. **It is especially important not to use magnesium salicylate at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.**

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- drink a full glass of water with each dose
- **adults and children 12 years and over:** take 2 caplets every 6 hours, not to exceed 8 caplets in 24 hours

- **children under 12 years:** do not use unless directed by a doctor.

### **Other Information**

- Each caplet contains: magnesium 40mg
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- tamper evident sealed packets
- do not use if packet is opened or torn

### **Inactive ingredient**

hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, stearic acid, titanium dioxide, triacetin

### **Questions?**

1-866-651-3660 Monday-Friday 8:00am-5:00pm EST

### **PRINCIPAL DISPLAY PANEL - 580 mg Caplet Packet Carton**

This product is not manufactured or distributed by  
Dr Reddy's Laboratories, Inc  
Owner of the registered trademark Doan's®.

Maximum Strength  
Backache Relief

Product #1272

Pain Reliever/Fever Reducer

Active ingredient:  
Magnesium Salicylate

- Temporary relief from pain, fever, and inflammation
- Soothes muscle aches and minor arthritis pain

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z308.1-2021 standards. They are sealed in tamper-evident packets for safety and convenience.

80 Caplets • 2 Caplets Per Packet

This product is not manufactured or distributed by Dr. Reddy's Laboratories, Inc. Owner of the registered trademark Doan's®.

Product #1272



### Maximum Strength Backache Relief

Pain Reliever/Fever Reducer

Active ingredient:  
**Magnesium Salicylate**

- Temporary relief from pain, fever, and inflammation
- Soothes muscle aches and minor arthritis pain

These quality comfort tablets are formulated and packaged for use in the workplace and meet ANSI Z.308.1-2021 standards. They are sealed in tamper-evident packets for safety and convenience.

# 80 Caplets • 2 Caplets Per Packet

#### Drug Facts (continued)

- fever gets worse or lasts more than 3 days
  - redness or swelling is present
- These could be signs of a serious condition.

**If pregnant or breastfeeding,** ask a health professional before use. It is especially important not to use magnesium salicylate at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions** ■ drink a full glass of water with each dose ■ adults and children 12 years and over: take 2 caplets every 6 hours, not to exceed 8 caplets in 24 hours ■ children under 12 years: do not use unless directed by a doctor.

**Other Information** ■ Each caplet contains: magnesium 40mg ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) ■ tamper evident sealed packets ■ do not use if packet is opened or torn

**Inactive ingredient** hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, stearic acid, titanium dioxide, triacetin

**Questions?** 1-866-651-3660 Monday-Friday 8:00am-5:00pm EST  
Manufactured for American Safety & First Aid Osceola, IN 48561


Pain Reliever/Fever Reducer

### Maximum Strength Backache Relief



Product #1272

# 80 Caplets • 2 Caplets Per Packet



## MAXIMUM STRENGTH BACKACHE RELIEF

magnesium salicylate capsule, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73598-1272
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MAGNESIUM SALICYLATE</b> (UNII: 41728CY7UX) (SALICYLIC ACID - UNII:O414PZ4LPZ)	MAGNESIUM SALICYLATE	580 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	

<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>TRIACETIN</b> (UNII: XHX3C3X673)	

### Product Characteristics

<b>Color</b>	WHITE	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	44;338
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73598-1272-1	40 in 1 CARTON	06/26/2024	
1		2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	06/26/2024	

**Labeler** - JHK DBA American Safety & First Aid (867236309)

### Establishment

Name	Address	ID/FEI	Business Operations
LNK International, INC		832867837	MANUFACTURE(73598-1272)

Revised: 10/2024

JHK DBA American Safety & First Aid