

MAJOR ARTHRITIS PAIN RELIEF PATCH- menthol, methyl salicylate patch

Major Pharmaceuticals

Major Arthritis Pain Relief Patch

Active Ingredients

Active Ingredients Purpose

Menthol 3.0%Topical Analgesic

Methyl Salicylate 10.0% NSAID: nonsteroidal anti-inflammatory drugTopical Analgesic

For External Use Only

Allergy alert:If prone to allergic reaction from aspirin or salicylates, consult a doctor before use **Stomach bleeding**

warning:This product contains an NSAID, which may cause stomach bleeding. The chance is small but higher if you: ■ are age 60 or older ■ have stomach ulcers or bleeding problems ■ take a blood thinning (anticoagulant) or steroid drug ■ take other drugs containing an NSAID (aspirin, ibuprofen, naproxen, or others) ■ have 3 or more alcoholic drinks every day while using this product ■ take (apply) more or for longer time than directed

Do not use:

on the face or rashes ■ on wounds or damaged skin ■ if allergic to aspirin or other NSAIDs ■ with a heating pad ■ when sweating (such as from exercise or heat) ■ any patch from a pouch that has been open for 14 or more days ■ right before or after heart surgery

When using this product

■ use only as directed ■ wash hands after applying or removing patch ■ avoid contact with eyes, If eye contact occurs, rinse thoroughly with water ■ Dispose of used patch away from children and pets.

Used patches still contain the drug product which can produce serious adverse effects if a child or pet chews

or ingests the patch ■ the risk of heart attack or stroke may increase if you use more than directed or for longer than directed

Stop use and consult a doctor

■ stomach pain or upset gets worse or lasts ■ you feel faint, vomit blood, or have bloody or black stools. These are a sign of stomach bleeding ■ rash, itchy or skin irritation develops ■ condition worsens ■ symptoms last for more than 3 days ■ symptoms clear up and occur again within a few days

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Packaging is not child-resistant

Uses

For temporary relief of minor aches and pains of muscles and joints associated with arthritis, simple backache, strains, sprains, and bruises.

Directions

Adults 18 years of age and over: ■ only use 1 patch at a time ■ clean and dry affected area.

■ remove patch from backing film and apply to skin (see illustration) ■ leave patch in place for up to 8 to 12 hours

■ if pain lasts after using the first patch, a second patch may be applied for up to another 8 to 12 hours ■ remove

used patch from the skin before a new one is applied ■ do not use more than 2 patches per day ■ do not use for more than 3 days in row ■ properly discard patch after single use ■ reseal pouch after opening.

Children under 18 years of age: do not use this product.

Inactive Ingredients

Hydrogenated Poly, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Petroleum, Styrene / Isoprene Copolymer

Indication and Usage

Temporarily relieves mild to moderate aches and pains of muscles and joints associated with:

■ strains ■ sprains ■ simple backache ■ arthritis ■ bruises

If pregnant or breastfeeding

ask a doctor before use while breast-feeding and during the first 6 months of pregnancy. Do not use during the last 3 months of pregnancy because it may cause problems in the unborn child or complications during delivery.

menthol, methyl salicylate patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0904-7342
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	3 g in 100 g
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
HYDROGENATED C6-20 POLYOLEFIN (100 CST) (UNII: 39EYQ1W9RB)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
LIQUID PETROLEUM (UNII: 6ZAE7X688J)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	

Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0904-7342-33	5 in 1 BOX	04/01/2023	04/25/2026
1		9 g in 1 PATCH; Type 0: Not a Combination Product		
2	NDC:0904-7342-01	1 in 1 POUCH	05/01/2023	04/25/2026
2		9 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	04/01/2023	04/25/2026

Labeler - Major Pharmaceuticals (191427277)**Establishment**

Name	Address	ID/FEI	Business Operations
Foshan Aqua Gel Biotech Co.,Ltd.		529128763	manufacture(0904-7342)

Revised: 2/2026

Major Pharmaceuticals