

**MITCHUM CLEAR GEL- aluminum sesquichlorohydrate liquid**  
**Revlon Consumer Products Corp**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Mitchum Clear Gel AP**

Aluminum Sesquichlorohydrate 25%

**Purpose**

Antiperspirant

**Warnings:**

For external use only.

Do not use on broken skin

Ask a doctor before use if you have kidney disease

Stop use if rash or irritation occurs

If swallowed, get medical help or contact a Poison Control Center right away.

**Inactive Ingredients**

AQUA ((WATER) EAU) , CYCLOPENTASILOXANE, DIMETHICONE, DIPROPYLENE GLYCOL, GLYCERIN , PARFUM (FRAGRANCE) , PEG-12 DIMETHICONE CROSSPOLYMER, PEG/PPG-19/19 DIMETHICONE, PEG/PPG-18/18 DIMETHICONE, LINALOOL, XYLITOL, CITRONELLOL



Reduces underarm wetness

**MITCHUM ADVANCED MENS GEL 2.25OZ CLEAN CONTROL  
WRAP LABEL  
TM01832 / 3105-13  
5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR  
OVERALL MATTE VARNISH**

- GREEN BACKGROUND GRADIENT PRINTS:**  
100% PMS 7484 FADE TO 75% PMS 334 OVERPRINTING 100% WHITE
- DRUG FACTS TEXT, RULES AND UPC ON BACK PRINT:**  
100% PMS 7484 OVERPRINTING 100% WHITE
- GREEN TEXT ON TOP BACK PRINTS:**  
100% PMS 7484
- BLUE BACKGROUND PRINTS:**  
100% PMS 310 OVERPRINTING 100% WHITE
- LIGHT BLUE BACKGROUND PRINTS:**  
50% PMS 310 OVERPRINTING 100% WHITE
- BLUE TEXT PRINTS:**  
100% PMS 311 OVERPRINTING BACKGROUND
- GREEN PANEL PRINTS:**  
100% PMS 7484 OVERPRINTING 100% SILVER METALLEX
- ORANGE TEXT AND LOGO ON FRONT PRINT:**  
100% PMS 117 METALLIC OVERPRINTING BACKGROUND
- ORANGE TEXT AND LOGO ON BACK PRINT:**  
100% PMS 117 METALLIC
- WHITE BACKGROUND PRINTS:**  
100% WHITE
- WHITE TEXT PRINTS:**  
100% SILK WHITE
- GREEN "48 HR" AND SCENT TEXT PRINT:**  
100% PMS 7484 METALLIC OVERPRINTING BACKGROUND
- CYAN RULES REPRESENT DIE AND MEASUREMENTS:**  
DO NOT PRINT
- CYAN DASHED RULES REPRESENT LIVE AREA:**  
DO NOT PRINT




**UPC: 309973105133**

Mechanical Approval		Disk Release: 05-17-2013	
<p><b>LIMITATION OF LIABILITY:</b> NO PRINT PLATE OR ORIGINAL WITHOUT PROPER INSPECTION All original files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any printing, reworking, and/or printing. It is the responsibility of the recipient to create and inspect all digital files, film, plates, and proofs prior to any printing, reworking, and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-598-6000 or 1-800-827-1808 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and ensure that corrected files are ready prior to using this product. The liability of Schawk shall be limited to supplying the work product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, and/or any other work, proof delays, and/or making of insertion dead.</p>			
<p><b>SCHAWK</b> 1500 East Sherman Avenue Des Plaines, IL 60018 Phone: 847-598-6000 800-827-1808 Fax: 847-598-9468</p>		<p>For support please contact the following: <b>Level 1:</b> Customer Service Susan Gojny susan.gojny@schawk.com - 847.759.7045 <b>Level 2:</b> Customer Service Tim Dawson tim.dawson@schawk.com - 847.759.7070 <b>Package Developer:</b> Doris Lisowski doris.lisowski@schawk.com - 732.287.7044</p>	
<p><b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 520524A <b>Anthem #:</b> 37649 <b>Description:</b> Mitchum Advanced Mens 2.25oz Gel Clean Control Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> 14-5851 <b>Project #:</b> TM01832 <b>Stock #:</b> 207746-92 <b>MLI #:</b> 23169 <b>Product #:</b> 3105-13 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> <b>File Name:</b> REV_520524A04_TM01832.ai <b>Software:</b> 15 <b>Op/Date:</b> KP 05-03-13, XXY 05-10-2013, LMX 05-14-2013, CIL 05-17-2013</p>			
<p><b>Color</b> 100% 75% 50% 25% 10% 5% 1% 0% PMS 7484 PMS 7484 Metallic PMS 334 WHITE SILK WHITE PMS 117 Metallic PMS 310 PMS 311 SILVER METALLEX VARNISH DIE STRIKE REV. ON CALLOUTS</p>		<p><b>Reason for change:</b> 1. Color, Varnish &amp; White Changes 2. Text Changes 3. Release 4. Change description</p> <p>Date: 05-10-13 Date: 05-14-13 Date: 05-17-13 Date: 05-09-01</p>	

**MITCHUM ADVANCED WOMENS GEL 2.25OZ PURE FRESH  
WRAP LABEL  
TM01849 / 3105-21  
5.822"W x 2.7577"H**





**SUBSTRATE IS CLEAR  
OVERALL MATTE VARNISH**

**GREEN BACKGROUND GRADIENT PRINTS:**  
100% PMS 353 FADE TO 30% PMS 353 OVERPRINTING 100% WHITE

**DRUG FACTS TEXT, RULES AND UPC ON BACK PRINT:**  
100% PMS 339 OVERPRINTING 100% WHITE

**GREEN TEXT ON TOP BACK PRINT:**  
100% PMS 339

**DARK YELLOW BACKGROUND PRINTS:**  
100% PMS 121 OVERPRINTING 100% WHITE

**LIGHT YELLOW BACKGROUND PRINTS:**  
50% PMS 121 OVERPRINTING 100% WHITE

**YELLOW TEXT PRINTS:**  
100% PMS 123 OVERPRINTING BACKGROUND

**GREEN PANEL PRINTS:**  
100% PMS 353 OVERPRINTING 100% SILVER METALLEX

**ORANGE TEXT AND LOGO ON FRONT PRINT:**  
100% PMS 117 METALLIC OVERPRINTING BACKGROUND

**ORANGE TEXT AND LOGO ON BACK PRINT:**  
100% PMS 117 METALLIC



**WHITE BACKGROUND PRINTS:**  
100% WHITE

**WHITE TEXT PRINTS:**  
100% SILK WHITE

**GREEN "48 HR" AND SCENT TEXT PRINT:**  
100% PMS 353 METALLIC OVERPRINTING BACKGROUND

**CYAN RULES REPRESENT DIE AND MEASUREMENTS:**  
DO NOT PRINT

**CYAN DASHED RULES REPRESENT LIVE AREA:**  
DO NOT PRINT



UPC: 309973105218

**Mechanical Approval**

Disk Release: 05-30-13

**LIMITATION OF LIABILITY  
DO NOT PLATE OR ENGRAVE WITHOUT  
PROPER INSPECTION**

All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-821-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or missing of insertion dates.



1600 East Sherwin Avenue  
Des Plaines, IL 60018  
Phone: 847-296-6000  
800-621-1909  
Fax: 847-296-9466

**For support please contact the following:**

**Level 1:** Customer Service: Susan Gojney  
susan.gojney@schawk.com - 847.759.7045  
**Level 2:** Customer Service: Tim Dawson  
tim.dawson@schawk.com - 847.759.7070  
**Package Developer:** Donna Lisowski  
donna.lisowski@revlon.com - 732.287.7644

**Client:** Revlon **Brand:** Mitchum **Job #:** 520522E **Anthem #:** 37649  
**Description:** Mitchum Advanced Womens 2.25oz Gel Pure Fresh Wrap Label  
**Component:** Wrap Label **Program #:** 14-5851 **Project #:** TM01849  
**Stock #:** 207746-96 **MLI #:** 23171 **Product #:** 3105-21  
**Size:** 5.822"W x 2.7577"H **Die #:**  
**File Name:** REV\_520522E02\_TM01849.ai **Software:** 15  
**Op/Date:** XXY 05-21-2013, AY 05-30-13

100%	75%	50%	25%	10%	5%	2%	1%	Color
								PMS 353
								PMS 353 Metallic
								PMS 339
								White
								Silk White
								PMS 117 Metallic
								PMS 121
								PMS 123
								Silver Metallex
								VARNISH
								DIESTRIKE
								REVLOV CALLOUTS

ARTWORK COMPONENTS														Reason for change:								
Checked By:	Copy	Trimmarks	Registration Marks	Weight Check	Die Stroke/Blind Plated	UVI Symbols	UPC A	UPC Standard	Color	Color	Component Number	Product Number	Mesh Count	Die	Mix	Stamps	Lead File	Translations	Makeup Check (operator)	Printing (operator)	1. Release	Date: 05-30-13
MARKETING																					2. Change description	Date: 00-00-00
LEGAL																					3. Change description	Date: 00-00-00
PRODUCTION DEVELOPMENT																					4. Change description	Date: 00-00-00
AAA																						

**MITCHUM POWER GEL 2.25 OZ MENS SPORT  
WRAP LABEL  
TR05220 / 3162-00  
5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR  
OVERALL SATIN FINISH**

**BACKGROUND IMAGE WITH BURST PRINTS:**  
5/C (MATCH DARK GREEN, TOYO 10894, TOYO 10280, WHITE & SILVER METALLEX):  
FINAL ART, CROP AND BLEED AS SHOWN

**MITCHUM LOGO, POWER GEL BACKGROUND, NET WT, AND UPC BOX PRINTS:**  
100% WHITE

**POWER GEL TEXT PRINTS:**  
TOYO 10280 100% TO 0 OVER 100% WHITE

**DARK GREEN TEXT, OUTLINES, AND UPC PRINT:**  
100% MATCH DARK GREEN

**SCENT TEXT PRINTS:**  
100% TOYO 10178

**CYAN RULES REPRESENT DIE AND MEASUREMENTS: DO NOT PRINT**

**CYAN DASHED RULES REPRESENT LIVE AREA: DO NOT PRINT**

**PRINTER NOTE**  
**Sancoa responsible to match color and finish to approved Revlon proof. Sancoa to provide color rotation.**

UPC: 3-0997-3162-00-6


**Mechanical Approval**

Disk Release: 12-04-08

<p><b>LIMITATION OF LIABILITY</b> DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION</p> <p>All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and approve all digital files, film,</p>	<p><b>SCHAWK</b> 1600 East Sherwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-621-1909 Fax: 847-296-9466</p>	<p><b>For support please contact the following:</b> <b>Level 1:</b> Customer Service: Amy Simon amy.simon@schawk.com - 847.759.7348 <b>Level 2:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Package Developer:</b> Diane Dempsey</p>	<table border="1"> <tr> <td>100%</td> <td>75%</td> <td>50%</td> <td>25%</td> <td>10%</td> <td>3%</td> <td>2%</td> <td>1%</td> </tr> <tr> <td>Black</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>DIESTRIKE</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MATCH DARK GREEN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>MATCH DARK GREEN SCREEN</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>	100%	75%	50%	25%	10%	3%	2%	1%	Black								DIESTRIKE								MATCH DARK GREEN								MATCH DARK GREEN SCREEN								<p><b>Offset</b></p> <p>Black</p> <p>DIESTRIKE</p> <p>MATCH DARK GREEN</p> <p>MATCH DARK GREEN SCREEN</p>
100%	75%	50%	25%	10%	3%	2%	1%																																					
Black																																												
DIESTRIKE																																												
MATCH DARK GREEN																																												
MATCH DARK GREEN SCREEN																																												

plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-621-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or missing of insertion dates.

Client: Revlon Brand: Mitchum Job #: 468198C Anthem #: 19230  
 Description: Mitchum Power Gel 2.25oz Sport Wrap Label  
 Component: Wrap Label Program #: Project #: TR05220  
 Stock #: 207746-17 MLI #: 21811 Product #: 3162-00  
 Size: 5.822"W x 2.7577"H Die #: n/a  
 File Name: REV\_468198C04\_TR05220.ai Software: 12  
 Op/Date: CV 9-30-08/10-16,11-21ncr/CV 12-04



TOYO 10178  
 REVLON CALLOUTS  
 REVWHITE  
 REVWHITE\_2  
 TOYO 10280  
 TOYO 10894  
 SILVER METALLEX

ARTWORK COMPONENTS															Reason for change:							
Checked By:	Copy	Trademarks	Registration Marks	Weight Claim	Die Vinyl/Blister Placement	Int'l Symbols	UPC #	UPC Sub/Loc	Qty/Disp	Color Breaks	Component Numbers	Product Numbers	Merch Code	Claims	ML's	Shades	Label Pos	Translations	Make-up Colors (Shades)	Pricing (Wtd. by/oz)	1. Type changes	Date: 10-10-08
MARKETING																					2. Release	Date: 11-21-08
LEGAL																					3. RE-RELEASE	Date: 12-04-08
PACKAGING DEVELOPMENT																					4. Change description	Date: 00-00-08
R&D																						

**MITCHUM POWER GEL 2.25 OZ MENS MOUNTAIN AIR WRAP LABEL**  
**TR05222 / 3202-00**  
**5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR  
 OVERALL SATIN FINISH**

- BACKGROUND IMAGE WITH BURST PRINTS:**  
 5/C (MATCH DARK GREEN, TOYO 10894, TOYO 10280, WHITE & SILVER METALLEX);  
 FINAL ART, CROP AND BLEED AS SHOWN
- MITCHUM LOGO, POWER GEL BACKGROUND, NET WT, AND UPC BOX PRINTS:**  
 100% WHITE
- POWER GEL TEXT PRINTS:**  
 TOYO 10280 100% TO 0 OVER 100% WHITE
- DARK GREEN TEXT, OUTLINES, AND UPC PRINT:**  
 100% MATCH DARK GREEN
- SCENT TEXT PRINTS:**  
 100% PMS 362
- CYAN RULES REPRESENT DIE AND MEASUREMENTS: DO NOT PRINT**
- CYAN DASHED RULES REPRESENT LIVE AREA: DO NOT PRINT**

**PRINTER NOTE**  
 Sancoa responsible to match color and finish to approved Revlon proof. Sancoa to provide color rotation.

<p><b>LIMITATION OF LIABILITY</b> DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION</p> <p>All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-621-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or missing of insertion dates.</p>	<p><b>SCHAWK</b></p> <p>1600 East Sherwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-621-1909 Fax: 847-296-9466</p>	<p>For support please contact the following: <b>Level 1:</b> Customer Service: Amy Simon amy.simon@schawk.com - 847.759.7348 <b>Level 2:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Package Developer:</b> Diane Dempsey diane.dempsey@revlon.com - 212-527-5313</p>		<p><b>Offset</b></p> <p>Black DIESTRIKE MATCH DARK GREEN MATCH DARK GREEN SCREEN PANTONE 362 REVLOON CALLOUTS REVWHITE REVWHITE_2 TOYO 10280 TOYO 10894 SILVER METALLEX</p>																																																																																																														
					<p><b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 468198D <b>Anthem #:</b> 19230 <b>Description:</b> Mitchum Power Gel 2.25oz Mountain Air Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> <b>Project #:</b> TR05222 <b>Stock #:</b> 207746-19 <b>MLI #:</b> 21808 <b>Product #:</b> 3202-00 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> n/a <b>File Name:</b> REV_468198D04_TR05222.ai <b>Software:</b> 12 <b>Op/Date:</b> CV10-1-08/10-15ls/10-28,11-7ncr/</p>																																																																																																													
<p><b>ARTWORK COMPONENTS</b></p> <table border="1"> <thead> <tr> <th>Copy</th> <th>Thumbnail</th> <th>Hydrate Date</th> <th>Weight (oz)</th> <th>Qty/Vol/Plat/Placement</th> <th>Art Symbols</th> <th>UPC #</th> <th>UPC Size/Co</th> <th>Qty/Cyl</th> <th>Color/Stroke</th> <th>Component Name/Num</th> <th>Product Name/Num</th> <th>Match Code</th> <th>Colors</th> <th>MLTs</th> <th>Shells</th> <th>Label Pre</th> <th>Tamper/Co</th> <th>Make-up Date (if any)</th> <th>Printing (ink drops)</th> <th>Reason for change:</th> <th>Date:</th> </tr> </thead> <tbody> <tr> <td>1</td> <td></td> <td>1. Type Change</td> <td>10-15-08</td> </tr> <tr> <td>1</td> <td></td> <td>2. Release</td> <td>10-29-08</td> </tr> <tr> <td>1</td> <td></td> <td>3. Delete TM &amp; Re-Release</td> <td>11-07-08</td> </tr> <tr> <td>1</td> <td></td> <td>4. Change description</td> <td>00-00-08</td> </tr> </tbody> </table>					Copy	Thumbnail	Hydrate Date	Weight (oz)	Qty/Vol/Plat/Placement	Art Symbols	UPC #	UPC Size/Co	Qty/Cyl	Color/Stroke	Component Name/Num	Product Name/Num	Match Code	Colors	MLTs	Shells	Label Pre	Tamper/Co	Make-up Date (if any)	Printing (ink drops)	Reason for change:	Date:	1																				1. Type Change	10-15-08	1																				2. Release	10-29-08	1																				3. Delete TM & Re-Release	11-07-08	1																				4. Change description	00-00-08
Copy	Thumbnail	Hydrate Date	Weight (oz)	Qty/Vol/Plat/Placement	Art Symbols	UPC #	UPC Size/Co	Qty/Cyl	Color/Stroke	Component Name/Num	Product Name/Num	Match Code	Colors	MLTs	Shells	Label Pre	Tamper/Co	Make-up Date (if any)	Printing (ink drops)	Reason for change:	Date:																																																																																													
1																				1. Type Change	10-15-08																																																																																													
1																				2. Release	10-29-08																																																																																													
1																				3. Delete TM & Re-Release	11-07-08																																																																																													
1																				4. Change description	00-00-08																																																																																													

**MITCHUM WOMENS POWER GEL 2.25OZ SOUTH AFRICA POWDER FRESH WRAP LABEL**  
**QR00219 / 0145-00**  
**5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR  
OVERALL SATIN FINISH**

**BACKGROUND IMAGE WITH BURST PRINTS:**  
4/C (TOYO 10290, TOYO 10306, WHITE & SILVER METALLEX):  
FINAL ART, CROP AND BLEED AS SHOWN

**MITCHUM LOGO, POWER GEL BACKGROUND, NET WT, ANTI-PERSPIRANT & DEODORANT AND UPC BOX PRINTS:** 100% WHITE

**POWER GEL TEXT PRINTS:**  
TOYO 10290 80% TO 0 OVER 100% WHITE

**GREEN TEXT, OUTLINES, AND UPC PRINT:**  
100% PMS 3278

**PRINTER NOTE**  
**Sancoa responsible to match color and finish to**

**SCENT TEXT PRINTS:**  
100% PMS 212

**CYAN RULES REPRESENT DIE AND MEASUREMENTS: DO NOT PRINT**

**CYAN DASHED RULES REPRESENT LIVE AREA: DO NOT PRINT**

**www.revlon.com**  
**approved**  
**Revlon proof.**  
**Sancoa to provide**  
**color rotation.**

UPC: 3-0997-3156-00-5

**Mechanical Approval**

Disk Release: 2-18-09

<p><b>LIMITATION OF LIABILITY</b> DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION</p> <p>All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-621-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or missing of insertion dates.</p>	<p><b>SCHAWK</b> 1600 East Sherwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-621-1909 Fax: 847-296-9466</p>	<p>For support please contact the following: <b>Level 1:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Level 2:</b> Customer Service: Amy Simon amy.simon@schawk.com - 847.759.7348 <b>Package Developer:</b> Diane Dempsey diane.dempsey@revlon.com - 212-527-5313</p>	<table border="1"> <tr> <td>100%</td><td>75%</td><td>50%</td><td>25%</td><td>10%</td><td>5%</td><td>2%</td><td>1%</td> </tr> <tr> <td>Cyan</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Magenta</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Yellow</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>Black</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>CF 10290*</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>CF 10305*</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>DIESTRIKE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>METALLEX</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>PANTONE 212 C</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>PANTONE 3278 C</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>REVON CALLOUTS</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>REVWHITE</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TOYO 10290</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> <tr> <td>TOYO 10305</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>	100%	75%	50%	25%	10%	5%	2%	1%	Cyan								Magenta								Yellow								Black								CF 10290*								CF 10305*								DIESTRIKE								METALLEX								PANTONE 212 C								PANTONE 3278 C								REVON CALLOUTS								REVWHITE								TOYO 10290								TOYO 10305							
	100%	75%	50%	25%	10%	5%	2%	1%																																																																																																																			
Cyan																																																																																																																											
Magenta																																																																																																																											
Yellow																																																																																																																											
Black																																																																																																																											
CF 10290*																																																																																																																											
CF 10305*																																																																																																																											
DIESTRIKE																																																																																																																											
METALLEX																																																																																																																											
PANTONE 212 C																																																																																																																											
PANTONE 3278 C																																																																																																																											
REVON CALLOUTS																																																																																																																											
REVWHITE																																																																																																																											
TOYO 10290																																																																																																																											
TOYO 10305																																																																																																																											
<p><b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 471738A <b>Anthem #:</b> 20749 <b>Description:</b> Mitchum Womens Power Gel 2.25oz South Africa Powder Fresh Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> <b>Project #:</b> QRO0219 <b>Stock #:</b> 207746-33 <b>MLI #:</b> 21805 <b>Product #:</b> 0145-00 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> n/a <b>File Name:</b> REV_471738A03_QRO0219.ai <b>Software:</b> 12 <b>Op/Date:</b> 12-18-08nrc/CV 1-13-09/2-18nrc/</p>	<p>QC1 QC2 QC3</p>	<p><b>Offset</b></p>																																																																																																																									

CHECKED BY:	ARTWORK COMPONENTS													Reason for change:	Date:					
	Copy	Title/Name	Registration	Image/Color	Use/When/Color	Print/Placement	UPC/Barcode	UPC/Label	Color/Labels	Customer/Numbers	Product/Numbers	Mesh/Colors	Dielines			Fonts	Labels/Files	Translations	Make to Order (MTC)	Priority (MTC/Setup)
MARKETING																			1. type changes	01-13-09
LEGAL																			2. Release	02-18-09
PRODUCTION DEVELOPMENT																			3. Change description	06-09-09
S&P																			4. Change description	06-09-09

**MITCHUM POWER GEL 2.25 OZ MENS FRESH WAVE WRAP LABEL**

**TR05223 / 3044-01**  
**5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR**  
**OVERALL SATIN FINISH**

BACKGROUND IMAGE WITH BURST PRINTS.

**BACKGROUND IMAGE WITH BURST PRINTS:**  
5/C (MATCH DARK GREEN, TOYO 10894, TOYO 10280, WHITE & SILVER METALLEX):  
FINAL ART, CROP AND BLEED AS SHOWN

**MITCHUM LOGO, POWER GEL BACKGROUND, NET WT, AND UPC BOX PRINTS:**  
100% WHITE

**POWER GEL TEXT PRINTS:**  
TOYO 10280 100% TO 0 OVER 100% WHITE

**DARK GREEN TEXT, OUTLINES, AND UPC PRINT:**  
100% MATCH DARK GREEN

**SCENT TEXT PRINTS:**  
100% PMS 3272

**CYAN RULES REPRESENT DIE AND MEASUREMENTS:** DO NOT PRINT

**CYAN DASHED RULES REPRESENT LIVE AREA:**  
DO NOT PRINT

**PRINTER NOTE**  
**Sancoa responsible to match color and finish to approved Revlon proof. Sancoa to provide color rotation.**

UPC: 3-0997-3044-01-2

Mechanical Approval															Disk Release: 11-12-08																																																																																																																											
<b>LIMITATION OF LIABILITY</b> DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-621-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or missing of insertion dates.			<b>SCHAWK</b> 1600 East Sherwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-621-1909 Fax: 847-296-9466			<b>For support please contact the following:</b> <b>Level 1:</b> Customer Service: Amy Simon amy.simon@schawk.com - 847.759.7348 <b>Level 2:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Package Developer:</b> Diane Dempsey diane.dempsey@revlon.com - 212-527-5313								<b>Offset</b> Black DIESTRIKE MATCH DARK GREEN MATCH DARK GREEN SCREEN PANTONE 3272 REVLON CALLOUTS REVWHITE REVWHITE_2 TOYO 10280 TOYO 10894 SILVER METALLEX		<b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 468198G <b>Anthem #:</b> 19230 <b>Description:</b> Mitchum Power Gel 2.25oz Fresh Wave Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> <b>Project #:</b> TR05223 <b>Stock #:</b> 207746-20 <b>MLI #:</b> 21812 <b>Product #:</b> 3044-01 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> n/a <b>File Name:</b> REV_468198G03_TR05223.ai <b>Software:</b> 12 <b>Op/Date:</b> CV 10-1-08/10-16,11-12ncr/																																																																																																																										
<table border="1"> <thead> <tr> <th colspan="17">ARTWORK COMPONENTS</th> </tr> <tr> <th>Copy</th> <th>Increase</th> <th>Registration Marks</th> <th>Registration Color</th> <th>On View/Show Placement</th> <th>Left/Right</th> <th>UPC #</th> <th>UPC Barcode</th> <th>Color Proof</th> <th>Component Number</th> <th>Product Number</th> <th>Item Code</th> <th>Class</th> <th>M/A</th> <th>Shade %</th> <th>Label %</th> <th>Insetters</th> <th>Make-up Code (Shop)</th> <th>Make-up (DW/Revlon)</th> <th>Reason for change:</th> <th>Date:</th> </tr> </thead> <tbody> <tr> <td>MARKETING</td> <td></td> <td>1. Type change</td> <td>10-16-08</td> </tr> <tr> <td>LEGAL</td> <td></td> <td>2. Delete <sup>TM</sup> &amp; Release</td> <td>11-12-08</td> </tr> <tr> <td>PROGRAM DEVELOPMENT</td> <td></td> <td>3. Change description</td> <td>08-09-08</td> </tr> <tr> <td>BA</td> <td></td> <td>4. Change description</td> <td>08-09-08</td> </tr> </tbody> </table>																	ARTWORK COMPONENTS																	Copy	Increase	Registration Marks	Registration Color	On View/Show Placement	Left/Right	UPC #	UPC Barcode	Color Proof	Component Number	Product Number	Item Code	Class	M/A	Shade %	Label %	Insetters	Make-up Code (Shop)	Make-up (DW/Revlon)	Reason for change:	Date:	MARKETING																			1. Type change	10-16-08	LEGAL																			2. Delete <sup>TM</sup> & Release	11-12-08	PROGRAM DEVELOPMENT																			3. Change description	08-09-08	BA																			4. Change description	08-09-08
ARTWORK COMPONENTS																																																																																																																																										
Copy	Increase	Registration Marks	Registration Color	On View/Show Placement	Left/Right	UPC #	UPC Barcode	Color Proof	Component Number	Product Number	Item Code	Class	M/A	Shade %	Label %	Insetters	Make-up Code (Shop)	Make-up (DW/Revlon)	Reason for change:	Date:																																																																																																																						
MARKETING																			1. Type change	10-16-08																																																																																																																						
LEGAL																			2. Delete <sup>TM</sup> & Release	11-12-08																																																																																																																						
PROGRAM DEVELOPMENT																			3. Change description	08-09-08																																																																																																																						
BA																			4. Change description	08-09-08																																																																																																																						

**MITCHUM POWER GEL 2.25 OZ WOMENS FLOWER FRESH WRAP LABEL**  
**TR05228 / 3091-15**  
**5.822"W x 2.7577"H**

5.822"	
	<p><b>Mitchum Power Gel™ for Women</b></p> <ul style="list-style-type: none"> <li>• OdorGuard technology: helps eliminate odor-causing bacteria on contact.</li> <li>• Ultimate Strength: contains the maximum level of active ingredient</li> <li>• Quick-drying: no trace of messy white residue</li> <li>• Alcohol-free: won't sting or irritate skin – even after shaving</li> </ul> <p><b>Drug Facts</b>      QUESTIONS OR COMMENTS? Call 1-888-8-MITCHUM</p> <p><b>Active Ingredient</b> ALUMINUM SESQUICHLOROHYDRATE 25%      <b>Purpose</b> Anti-Perspirant</p> <p><b>Use</b> • Reduces underarm wetness.</p> <p><b>Warnings</b> • For external use only. • Do not use on broken skin. • Stop use if rash or irritation occurs. • Ask a doctor before use if you have kidney disease. • Keep out of reach of children if essential.</p> <p><b>Inactive Ingredients</b> AQUA (WATER, EAQ) • (C)-CLOPHENOLONE • DIMETHICONE • DIPHOMYLENE GLYCOL • GLYCERIN • PEG-12 DIMETHICONE CROSSLINKER • PEG/PPG-18/18 DIMETHICONE • PEG/PPG-18/18 DIMETHICONE</p> <p style="text-align: right; font-size: 2em;"><b>UPC FPO</b></p>
	2.7577"



**SUBSTRATE IS CLEAR  
OVERALL SATIN FINISH**

**BACKGROUND IMAGE WITH BURST PRINTS:**  
4/C (TOYO 10290, TOYO 10306, WHITE & SILVER METALLEX):  
FINAL ART, CROP AND BLEED AS SHOWN

**MITCHUM LOGO, POWER GEL BACKGROUND, NET WT, ANTI-PERSPIRANT  
& DEODORANT AND UPC BOX PRINTS:** 100% WHITE

**POWER GEL TEXT PRINTS:**  
TOYO 10290 80% TO 0 OVER 100% WHITE

**GREEN TEXT, OUTLINES, AND UPC PRINT:**  
100% PMS 3278

**SCENT TEXT PRINTS:**  
100% TOYO 10088

**CYAN RULES REPRESENT DIE AND  
MEASUREMENTS:** DO NOT PRINT

**CYAN DASHED RULES REPRESENT LIVE AREA:**  
DO NOT PRINT

**PRINTER NOTE**  
**Sancoa responsible  
to match color  
and finish to  
approved  
Revlon proof.  
Sancoa to provide  
color rotation.**

**UPC: 3-0997-3091-15-3**

**Mechanical Approval**

**Disk Release: 12-01-08**

<p><b>LIMITATION OF LIABILITY</b> <b>DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION</b></p> <p>All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-621-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or missing of insertion dates.</p>	<p><b>SCHAWK</b> 1600 East Sherwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-621-1909 Fax: 847-296-9466</p>	<p><b>For support please contact the following:</b> <b>Level 1:</b> Customer Service: Amy Simon amy.simon@schawk.com - 847.759.7348 <b>Level 2:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Package Developer:</b> Diane Dempsey diane.dempsey@revlon.com - 212-527-5313</p>	<table border="1"> <tr> <th>100%</th> <th>75%</th> <th>50%</th> <th>25%</th> <th>10%</th> <th>3%</th> <th>2%</th> <th>1%</th> <th>Color</th> <th>Offset</th> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Black</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>DIESTRIKE</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TOYO 10088</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PANTONE 3278</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>PANTONE 3278 SCREEN</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>REVLON CALLOUTS</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>REVWHITE</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>REVWHITE_2</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TOYO 10290</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>TOYO 10306</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>SILVER METALLEX</td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>VARNISH</td> <td></td> </tr> </table>								100%	75%	50%	25%	10%	3%	2%	1%	Color	Offset									Black										DIESTRIKE										TOYO 10088										PANTONE 3278										PANTONE 3278 SCREEN										REVLON CALLOUTS										REVWHITE										REVWHITE_2										TOYO 10290										TOYO 10306										SILVER METALLEX										VARNISH	
			100%	75%	50%	25%	10%	3%	2%	1%	Color	Offset																																																																																																																																
								Black																																																																																																																																				
								DIESTRIKE																																																																																																																																				
								TOYO 10088																																																																																																																																				
								PANTONE 3278																																																																																																																																				
								PANTONE 3278 SCREEN																																																																																																																																				
								REVLON CALLOUTS																																																																																																																																				
								REVWHITE																																																																																																																																				
								REVWHITE_2																																																																																																																																				
								TOYO 10290																																																																																																																																				
								TOYO 10306																																																																																																																																				
								SILVER METALLEX																																																																																																																																				
								VARNISH																																																																																																																																				
<p><b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 468212E <b>Anthem #:</b> <b>Description:</b> Mitchum For Women Power Gel 2.25oz Flower Fresh Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> <b>Project #:</b> TR05228 <b>Stock #:</b> 207746-25 <b>MLI #:</b> 21813 <b>Product #:</b> 3091-15 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> n/a <b>File Name:</b> REV_468212E03_TR05228.ai <b>Software:</b> 12 <b>Op/Date:</b> CV10-02/10-15ncr/CV 12-01</p>			<p>QC1 _____ QC2 _____ QC3 _____</p>																																																																																																																																									

CHECKED BY:	ARTWORK COMPONENTS														Reason for change:	Date:							
	Copy	Indemite	Registration Marks	Weight Call	Die Voids/Blair Placement	Int Symbols	UPC #	UPC Size/Loc	Dot Color	Color Swatches	Component Numbers	Product Numbers	Merch Codes	Claims			MLIs	Shades	Label Fee	Translations	Make-up Credits (charges)	Pricing (W/ discounts)	
MARKETING																					1. Type change	12-16-08	
LEGAL																						2. release	12-01-08
PACKAGING DEVELOPMENT																						3. Change description	00-00-08
BAO																						4. Change description	00-00-08

**MITCHUM WOMENS POWER GEL 2.25OZ SOUTH AFRICA SHOWER FRESH  
WRAP LABEL  
QR00300 / 0141-00  
5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR  
OVERALL SATIN FINISH**

**BACKGROUND IMAGE WITH BURST PRINTS:**  
4/C (TOYO 10290, TOYO 10306, WHITE & SILVER METALLEX):  
FINAL ART, CROP AND BLEED AS SHOWN

**MITCHUM LOGO, POWER GEL BACKGROUND, NET WT, ANTI-PERSPIRANT  
& DEODORANT AND UPC BOX PRINTS: 100% WHITE**

**POWER GEL TEXT PRINTS:**  
TOYO 10290 80% TO 0 OVER 100% WHITE

**GREEN TEXT, OUTLINES, AND UPC PRINT:**  
100% PMS 3278

**SCENT TEXT PRINTS:**  
100% PMS 2995

**CYAN RULES REPRESENT DIE AND  
MEASUREMENTS: DO NOT PRINT**

**CYAN DASHED RULES REPRESENT LIVE AREA:  
DO NOT PRINT**

**PRINTER NOTE**  
**Sancoa responsible  
to match color  
and finish to  
approved  
Revlon proof.  
Sancoa to provide  
color rotation.**

**UPC: 3-0997-3234-00-0**

Mechanical Approval															Disk Release: 7-13-09																																																																																																																															
<b>LIMITATION OF LIABILITY</b> DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-621-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-inks, any press work, press delays, and/or missing of insertion dates.			<b>SCHAWK!</b> 1600 East Shenwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-621-1909 Fax: 847-296-9466			For support please contact the following: <b>Level 1:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Level 2:</b> Customer Service: Amy Simon amy.simon@schawk.com - 847.759.7348 <b>Package Developer:</b> Diane Dempsey diane.dempsey@revlon.com - 732-287-5313			<b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 478533D <b>Anthem #:</b> 23552 <b>Description:</b> Mitchum Womens Power Gel 2.25oz South Africa Shower Fresh Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> <b>Project #:</b> QR00300 <b>Stock #:</b> 207746-54 <b>MLI #:</b> 22045 <b>Product #:</b> 0141-00 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> n/a <b>File Name:</b> REV_478533D02_QR00300.ai <b>Software:</b> 12 <b>Op/Date:</b> MR 6-15-09/7-13nct/			<table border="1"> <tr> <td>100%</td><td>75%</td><td>50%</td><td>25%</td><td>0%</td><td>5%</td><td>2%</td><td>1%</td><td>Color</td><td>Offset</td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>Black</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>DIESTRIKE</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PANTONE 2995</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PANTONE 3278</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>PANTONE 3278 SCREEN</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>REV-LON CALLOUTS</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>REVWHITE</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>REVWHITE_2</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>TOYO 10290</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>TOYO 10306</td><td></td> </tr> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>SILVER METALLEX</td><td></td> </tr> </table>			100%	75%	50%	25%	0%	5%	2%	1%	Color	Offset									Black										DIESTRIKE										PANTONE 2995										PANTONE 3278										PANTONE 3278 SCREEN										REV-LON CALLOUTS										REVWHITE										REVWHITE_2										TOYO 10290										TOYO 10306										SILVER METALLEX		<table border="1"> <tr> <td>QC1</td><td></td></tr> <tr> <td>QC2</td><td></td></tr> <tr> <td>QC3</td><td></td></tr> </table>		QC1		QC2		QC3	
100%	75%	50%	25%	0%	5%	2%	1%	Color	Offset																																																																																																																																					
								Black																																																																																																																																						
								DIESTRIKE																																																																																																																																						
								PANTONE 2995																																																																																																																																						
								PANTONE 3278																																																																																																																																						
								PANTONE 3278 SCREEN																																																																																																																																						
								REV-LON CALLOUTS																																																																																																																																						
								REVWHITE																																																																																																																																						
								REVWHITE_2																																																																																																																																						
								TOYO 10290																																																																																																																																						
								TOYO 10306																																																																																																																																						
								SILVER METALLEX																																																																																																																																						
QC1																																																																																																																																														
QC2																																																																																																																																														
QC3																																																																																																																																														
<table border="1"> <thead> <tr> <th>Qty</th><th>Yield</th><th>Production</th><th>Material</th><th>Setup</th><th>Run</th><th>Hold</th><th>Final</th><th>Check</th><th>QC</th><th>Print</th><th>Ship</th><th>Reason for change:</th><th>Date:</th> </tr> </thead> <tbody> <tr> <td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>1. Release</td><td>07-13-09</td> </tr> </tbody> </table>															Qty	Yield	Production	Material	Setup	Run	Hold	Final	Check	QC	Print	Ship	Reason for change:	Date:													1. Release	07-13-09																																																																																																				
Qty	Yield	Production	Material	Setup	Run	Hold	Final	Check	QC	Print	Ship	Reason for change:	Date:																																																																																																																																	
												1. Release	07-13-09																																																																																																																																	



MARKETING	2. Change description	Date: 00-00-00
LEGAL	3. Change description	Date: 00-00-00
PACKAGING DEVELOPMENT	4. Change description	Date: 00-00-00
R&D		

**MITCHUM ADVANCED WOMENS GEL 2.25OZ PURE FRESH  
WRAP LABEL  
TM01849 / 3105-21  
5.822"W x 2.7577"H**



**SUBSTRATE IS CLEAR  
OVERALL MATTE VARNISH**


- GREEN BACKGROUND GRADIENT PRINTS:**  
100% PMS 353 FADE TO 30% PMS 353 OVERPRINTING 100% WHITE
- DRUG FACTS TEXT, RULES AND UPC ON BACK PRINT:**  
100% PMS 339 OVERPRINTING 100% WHITE
- GREEN TEXT ON TOP BACK PRINT:**  
100% PMS 339
- DARK YELLOW BACKGROUND PRINTS:**  
100% PMS 121 OVERPRINTING 100% WHITE
- LIGHT YELLOW BACKGROUND PRINTS:**  
50% PMS 121 OVERPRINTING 100% WHITE
- YELLOW TEXT PRINTS:**  
100% PMS 123 OVERPRINTING BACKGROUND
- GREEN PANEL PRINTS:**  
100% PMS 353 OVERPRINTING 100% SILVER METALLEX
- ORANGE TEXT AND LOGO ON FRONT PRINT:**  
100% PMS 117 METALLIC OVERPRINTING BACKGROUND
- ORANGE TEXT AND LOGO ON BACK PRINT:**  
100% PMS 117 METALLIC
- WHITE BACKGROUND PRINTS:**  
100% WHITE
- WHITE TEXT PRINTS:**  
100% SILK WHITE
- GREEN "48 HR" AND SCENT TEXT PRINT:**  
100% PMS 353 METALLIC OVERPRINTING BACKGROUND
- CYAN RULES REPRESENT DIE AND MEASUREMENTS:**  
DO NOT PRINT
- CYAN DASHED RULES REPRESENT LIVE AREA:**  
DO NOT PRINT



UPC:309973105218

**Mechanical Approval**

Disk Release: 05-30-13

<b>LIMITATION OF LIABILITY</b> <b>DO NOT PLATE OR ENGRAVE WITHOUT PROPER INSPECTION</b> All digital files, film, plates, and proofs should be thoroughly inspected by the recipient immediately upon receipt of the same prior to any plating, engraving, and/or printing. It is the responsibility of the recipient to examine and proofread all digital files, film, plates, and proofs prior to any plating, engraving and/or printing. Should the work be found to be incorrect upon the inspection described above, call 847-296-6000 or 1-800-821-1909 outside IL and ask for the Production Manager or contact the Customer Service Representative managing this job, and insure that corrections are made prior to using this product. The liability of Schawk shall be limited to correcting its own product. Schawk shall not be liable for any other loss or damage including but not limited to costs of the printing plates or cylinders, over-time, any press work, press delays, and/or mislating of insertion dates.	 1600 East Sherwin Avenue Des Plaines, IL 60018 Phone: 847-296-6000 800-821-1909 Fax: 847-296-9466	<b>For support please contact the following:</b> <b>Level 1:</b> Customer Service: Susan Gojney susan.gojney@schawk.com - 847.759.7045 <b>Level 2:</b> Customer Service: Tim Dawson tim.dawson@schawk.com - 847.759.7070 <b>Package Developer:</b> Donna Lisowski donna.lisowski@revlon.com - 732.287.7644																																												
				<b>Client:</b> Revlon <b>Brand:</b> Mitchum <b>Job #:</b> 520522E <b>Anthem #:</b> 37649 <b>Description:</b> Mitchum Advanced Womens 2.25oz Gel Pure Fresh Wrap Label <b>Component:</b> Wrap Label <b>Program #:</b> 14-5851 <b>Project #:</b> TM01849 <b>Stock #:</b> 207746-96 <b>MLI #:</b> 23171 <b>Product #:</b> 3105-21 <b>Size:</b> 5.822"W x 2.7577"H <b>Die #:</b> <b>File Name:</b> REV_520522E02_TM01849.ai <b>Software:</b> 15 <b>Op/Date:</b> XXY 05-21-2013, AY 05-30-13	QC1 QC2 QC3																																									
<table border="1"> <thead> <tr> <th colspan="14">ARTWORK COMPONENTS</th> </tr> <tr> <th>Color</th> <th>Yearmark</th> <th>Registration Marks</th> <th>Registration Color</th> <th>Registration Plate</th> <th>Registration Ink</th> </tr> </thead> <tbody> <tr> <td> </td><td> </td> </tr> </tbody> </table>				ARTWORK COMPONENTS														Color	Yearmark	Registration Marks	Registration Color	Registration Plate	Registration Ink															<b>Reason for change:</b> 1. Release Date: 05-30-13 2. Change description Date: 00-00-00 3. Change description Date: 00-00-00 4. Change description Date: 00-00-00								
ARTWORK COMPONENTS																																														
Color	Yearmark	Registration Marks	Registration Color	Registration Plate	Registration Ink	Registration Ink	Registration Ink	Registration Ink	Registration Ink	Registration Ink	Registration Ink	Registration Ink	Registration Ink																																	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10967-603
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLORO HYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLORO HYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLORO HYDRATE	0.25 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-603-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
2	NDC:10967-603-22	66 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-611
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROXYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROXYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROXYDRATE	0.25 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-611-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-647
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLORO HYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLORO HYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLORO HYDRATE	0.25 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-647-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-648
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	0.25 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-648-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

**MITCHUM CLEAR GEL**

aluminum sesquichlorohydrate liquid

**Product Information**

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-604
Route of Administration	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	0.25 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
.BETA.-CITRONELLOL, (R)- (UNII: P010UT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	


## Product Characteristics

Color		Score	
Shape		Size	
Flavor		Imprint Code	
Contains			



## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-604-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
2	NDC:10967-604-22	66 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
3	NDC:10967-604-70	20 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

**MITCHUM BASE GELS MEN - USA**  
**3.4 OZ LABEL (X2) TWIN PACK - UNSCENTED**  
**2236393000**  
**5.8345"W x 3.661"H**



**PRINTER TO DISTORT ART TO MATCH CURVE OF DIE**  
**WHITE TINTS AND THE DOT PATTERN IN THE SHIELD MAY NEED ADJUSTMENTS DUE TO RESULTS FROM PRINT TEST**



- CLEAR SUBSTRATE:**
- "NEW" "48HR PROTECTION" AND BACKGROUND PRINT: PMS 7484 C/ BACKED WITH 100% WHITE**
  - DOT PATTERN PRINTS: SILVER KNOCKS OUT OF PMS 7484 C BACKGROUND SHAPE: PRINTS PMS 7484 C BACKED WITH 50% WHITE DOT PATTERN SHOULD BE KNOCKED OUT OF MATTE VARNISH**
  - FRAGRANCE PANEL PRINTS: PMS 545 C BACKED WITH 60% WHITE**
  - FRONT PANEL: M SHIELD, "TRIPLE ODOR DEFENSE" AND NEW VIOLATOR BACKGROUND PRINT: PMS 117 C OVER SILVER**
  - FRONT AND BACK PANEL (LOGO GRAPHIC) PRINTS: PMS 117 C OVER SILVER WITH WHITE INK HIGHLIGHT**
  - MITCHUM LOGO, WHITE TYPE, ICONS AND IFC BACKGROUND PRINT:**

- MAGENTA RULES REPRESENT DIE AND MEASUREMENTS: DO NOT PRINT**
- BLACK DASHED RULES REPRESENT COPY AREA: DO NOT PRINT**

**REVLON** **ART RELEASE: 04/16/2018**

**BRAND:** MITCHUM      **FRANCHISE:** RAFFIKI      **ARTIST:** MSM

**DESCRIPTION:** BASE GELS MEN 3.4 OZ (X2) TWIN PACK USA - UNSCENTED

**COMPONENT:** LABEL      **MLI#:** 24595

■ MITCHUM CLEAR GEL, WHITE - REPRESENTED BY CYAN (DO NOT PRINT)  
■ PURPLE REPRESENTS GLOSS VARNISH (DO NOT PRINT PURPLE)  
■ LIGHT GREEN REPRESENTS MATTE VARNISH (DO NOT PRINT LIGHT GREEN)

**SIZE:** 5.8345"W x 3.661"H      **SAP COMP#:** 2236393000  
**UPC#:** 309973105904      **SAP FG#:** 7242470000  
**FILE NAME:** 2236393000\_MT\_Gel\_Men\_Unscented\_3\_4ozTwin\_USA\_04-16-18\_FIN

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10967-605
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLORO HYDRATE (UNII: UCN889409 V) (ALUMINUM SESQUICHLORO HYDRATE - UNII:UCN889409 V)	ALUMINUM SESQUICHLORO HYDRATE	0.25 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-605-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
2	NDC:10967-605-22	66 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-607
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLORO HYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLORO HYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLORO HYDRATE	0.25 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C00X)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-607-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
2	NDC:10967-607-22	66 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-608
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROXYDRATE (UNII: UCN889409V) (ALUMINUM SESQUICHLOROXYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROXYDRATE	0.25 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THF5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-608-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
2	NDC:10967-608-22	66 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

## MITCHUM CLEAR GEL

aluminum sesquichlorohydrate liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:10967-612
--------------	----------------	--------------------	---------------

<b>Route of Administration</b>	TOPICAL
--------------------------------	---------

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
ALUMINUM SESQUICHLOROHYDRATE (UNII:UCN889409V) (ALUMINUM SESQUICHLOROHYDRATE - UNII:UCN889409V)	ALUMINUM SESQUICHLOROHYDRATE	0.25 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-12 DIMETHICONE (UNII: ZEL54N6W95)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
.BETA.-CITRONELLOL, (R)- (UNII: P01OUT964K)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10967-612-34	100 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	
2	NDC:10967-612-22	66 mL in 1 CONTAINER; Type 0: Not a Combination Product	01/01/2014	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	01/01/2014	

**Labeler** - Revlon Consumer Products Corp (788820165)

**Establishment**

Name	Address	ID/FEI	Business Operations
REVLON, INC.		809725570	manufacture(10967-603, 10967-604, 10967-605, 10967-607, 10967-608, 10967-611, 10967-647, 10967-612, 10967-648)