OXYGEN - oxygen gas Fox Welding Supply Inc

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Oxygen Label

OXYGEN REFRIGERATED LIQUID, USP UN 1073 (CRYOGENIC LIQUID) Produced by Air Liquefaction ALWAYS KEP CONTAINER IN UPRIGHT POSITION.

WARNING

WARNING: EXTREMELY COLD OXIDIZING LIQUUI AND GAS UNDER PRESSURE. VIGOROUSLY ACCELERATED COMBUSTION. COMBUSTIBLES IN CONTACT WITH LIQUID OXYGEN MAY EXPLODE ON IGNITION OR IMPACT. CAN CAUSE SEVERE FROSTBITE.

For emergency use only when administered b properly trained personnel for xogyen deficiency and resuscitation. For all other medical applications, RX only.

WARNING: Uninterrupted use of high concentrations of oxygen over long diruation, without monitoring its effects on oxygen content in arerial blood, may be harmful. Use only with pressure reducing equipment, and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with Material Safety Data Sheet.

DO NOT REMOVE THIS PRODUCT LABEL.

FIRST AID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION

Company Name:

Lot Number:

Contents:

Expiration Date:

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

OXYGEN REFRIGERATED LIQUID, U.S.P. UN 1073

OXYGEN

(CRYOGENIC LIQUID)

Produced by Air Liquefaction

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING

WARNING!
EXTREMELY COLD OXIDEZING
LIQUID AND RAS UNDER
PRESSURE:
VIGOROUSLY ACCELERATES
COMBUSTION, COMBUSTIBLES
IN CONTACT WITH LIQUID
OXYGEN MAY EXPLODE ON
IGNITION OR IMPACT. CAN
CAUSE SEVERE FROSTBITE.

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, RX only.

WARNING

WARNING: Caution Federal Law Prohibits Dispensing without Prescription.

Uninterrupted use of high concentrations of oxygen over long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Use only with pressure reducing equipment and apparatus designed for oxygen. Do not attempt to use on patients who have stopped breathing, unless used in conjunction with resuscitative equipment. Keep oil, grease, and combustibles away. Use only with equipment cleaned for oxygen service. Store and use with adequate ventilation. Do not get liquid in eyes, on skin or clothing. For liquid withdrawal, wear face shield and gloves. Do not drop. Use hand truck for container movement. Avoid spills. Do not walk on or roll equipment over spills. Close valve after each use and when empty. Use in accordance with indirections.

FIRSTAID

IN CASE OF FROSTBITE, obtain medical treatment immediately.

PLEASE REFER TO THE MATERIAL SAFETY DATA SHEET FOR SAFETY AND PRODUCT INFORMATION.

Company Name:

Lot Number:

Contents:

Expiration Date:

DO NOT REMOVE THIS PRODUCT LABEL

PART 400-USF

FIRST AID

MAD. OF FAV. TO

OXYGEN

oxygen gas

Product Information

Product Type HUMAN PRESCRIPTION DRUG Item Code (Source) NDC:50975-001

Route of Administration RESPIRATORY (INHALATION)

Active Ingredient/Active Moiety

Ingredient NameBasis of StrengthStrengthoxygen (UNII: S88TT14065) (oxygen - UNII:S88TT14065)oxygen990 mL in 1 L

Packaging

1 uckuşmiş							
#	Item Code	Package Description	Marketing Start Date	Marketing End Date			
1	NDC:50975-001-01	99 L in 1 CYLINDER					
2	NDC:50975-001-02	141 L in 1 CYLINDER					
3	NDC:50975-001-03	234 L in 1 CYLINDER					
4	NDC:50975-001-04	387 L in 1 CYLINDER					

5	NDC:50975-001-05	643 L in 1 CYLINDER	
6	NDC:50975-001-06	2540 L in 1 CYLINDER	
7	NDC:50975-001-07	7100 L in 1 CYLINDER	
8	NDC:50975-001-08	9401 L in 1 CYLINDER	
9	NDC:50975-001-09	18 18 50 L in 1 DEWAR	
10	NDC:50975-001-10	125783 L in 1 DEWAR	
11	NDC:50975-001-11	129379 L in 1 DEWAR	
12	NDC:50975-001-12	35962 L in 1 DEWAR	

Marketing Information								
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date					
unapproved medical gas		0 1/0 1/19 6 0						

Labeler - Fox Welding Supply Inc (023385834)

Establishment								
Name	Address	ID/FEI	Business Operations					
Fox Welding Supply Inc		023385834	manufacture					

Revised: 5/2011 Fox Welding Supply Inc