

**CLINPRO 5000- sodium fluoride paste, dentifrice**  
**Solventum US LLC**

-----

**Principal Display Panel - CA Box Label**

3M ESPE

**Clinpro<sup>MC</sup> 5000**

Menthe-vanille

**Dentifrice anticarie** au

fluorure de sodium à 1,1 %

Formule de

**diphosphate**

**tricalcique**

novatrice

Offerte uniquement par 3M ESPE

Contenu : 1 tube POIDS NET : 113 g (4 oz)

**NPN 80012416**



## Principal Display Panel - CA Tube Label

3M ESPE

**Clinpro™ MC 5000**

Vanilla Mint

Menthe vanilla

1.1% Sodium Fluoride **Anti-Cavity Toothpaste**

**Dentifrice anticarie** au fluorure de sodium à 1,1 %

NET WT 113 g (4 oz) / POIDS NET : 133 g (4 oz)

NPN 80012416

Innovative

**Tri-Calcium**

**Phosphate**

Exclusively from 3M ESPE

Formule de

**diphosphate**

**tricalcique**

innovante

Offerte uniquement par 3M ESPE

**3M** ESPE

**Clinpro™ 5000**

Vanilla Mint  
Menthe vanille



1.1% Sodium Fluoride Anti-Cavity Toothpaste  
Dentifrice anticarie au fluorure de sodium à 1,1 %

NET WT 113 g (4 oz) / POIDS NET : 113 g (4 oz)

NPN 80012416

Innovative  
**Tri-Calcium  
Phosphate**

Exclusively from 3M ESPE

Formule de  
**diphosphate  
tricalcique**

innovante

Offerte uniquement par 3M ESPE

**INDICATIONS:** Fluoride toothpaste for use in the prevention of dental cavities.

**ACTIVE INGREDIENT:** Sodium Fluoride (5000 ppm F<sup>-</sup>) 1.1% w/w (0.63% w/v fluoride ion).

**INACTIVE INGREDIENTS:** Water, Sorbitol, Hydrated Silica, Glycerin, Polyethylene-Polypropylene Glycol, Flavour, Polyethylene Glycol, Sodium Lauryl Sulfate, Titanium Dioxide, Carboxymethyl Cellulose, Sodium Saccharin, Tri-Calcium Phosphate.

**DIRECTIONS FOR USE:** This toothpaste is recommended for adults and children 6 years of age and older. To prevent swallowing of toothpaste, adult supervision is recommended for children under 12. Consult a healthcare practitioner before using with children under 6 years of age. Use once daily in place of a conventional toothpaste. Follow the instructions provided unless otherwise instructed by a healthcare practitioner.

1. Apply a thin ribbon or pea-sized amount of Clinpro™ 5000 1.1% Sodium Fluoride Anti-Cavity Toothpaste to a soft-bristled toothbrush, and brush teeth for two minutes.
2. After brushing, adults should expectorate. Children 6-16 years of age should expectorate and rinse mouth thoroughly with water. Your healthcare practitioner may recommend using only Clinpro™ 5000 Toothpaste or otherwise alter the directions.

**WARNINGS: DO NOT SWALLOW. Keep out of reach of children under 6 years of age.**

Read all instructions before using this product. Do not freeze or expose to extreme heat. Store at room temperature. If more product than amount normally used for brushing is accidentally swallowed, get medical help or contact a Poison Control Centre right away. Do not use if foil seal has been tampered with or broken.

Made in USA for  
**3M Canada**  
P.O. Box 5757  
London, Ontario N6A 4T1  
1-888-363-3685  
www.3MESPE.ca

Fabriqué aux É.-U. pour :  
**3M Canada**  
C.P. 5757  
London (Ontario) N6A 4T1  
1 888 363-3685  
www.3MESPE.ca

REF / N° de réf. : 12215

3M, ESPE and Clinpro are trademarks of 3M or 3M Deutschland GmbH. Used under license in Canada. © 2020, 3M. All rights reserved.

**INDICATIONS :** Dentifrice au fluorure de sodium destiné à être utilisé pour la prévention des caries dentaires.

**INGRÉDIENT ACTIF :** Fluorure de sodium (5 000 ppm) à 1,1 % p/p (0,63 % d'ion fluorure en p/v).

**INGRÉDIENTS INACTIFS :** Eau, sorbitol, silice hydratée, glycérine, polyéthylène glycol ou polypropylène glycol, arôme, polyéthylène glycol, laurylsulfate de sodium, dioxyde de titane, carboxyméthylcellulose, saccharine sodique et diphosphate tricalcique.

**DIRECTIVES D'UTILISATION :** Ce dentifrice est recommandé pour les adultes et les enfants de 6 ans et plus. Pour prévenir l'ingestion de dentifrice chez les enfants de moins de 12 ans, la supervision d'un adulte est recommandée. Consulter un professionnel de la santé avant d'utiliser ce produit chez les enfants de moins de 6 ans. Utiliser une fois par jour au lieu du dentifrice habituel. Suivre les directives fournies à moins d'avis contraire de la part d'un professionnel de la santé.

1. Appliquer un mince filet ou une quantité correspondant à la taille d'un pois de Dentifrice anticarie au fluorure de sodium à 1,1 % Clinpro™ 5000 sur une brosse à dents à soies souples et se brosser les dents pendant deux minutes.
2. Après le brossage, les adultes doivent recracher. Les enfants de 6 à 16 ans doivent recracher et bien se rincer la bouche avec de l'eau. Votre professionnel de la santé pourrait vous recommander d'utiliser uniquement le Dentifrice Clinpro™ 5000 ou encore modifier les directives d'utilisation.

**MISES EN GARDE : NE PAS AVALER. Tenir hors de la portée des enfants de moins de 6 ans.**

Lire toutes les directives avant d'utiliser ce produit. Ne pas le congeler ni l'exposer à une chaleur extrême. Entreposer à température ambiante. En cas d'ingestion accidentelle d'une quantité plus importante que celle utilisée normalement lors du brossage, consulter immédiatement un médecin ou un centre antipoison. Ne pas utiliser si la pellicule en aluminium est endommagée ou brisée.

3M, ESPE et Clinpro sont des marques de commerce de 3M ou de 3M Deutschland GmbH, utilisées sous licence au Canada. © 2020, 3M. Tous droits réservés.

34-8725-6467-8-A

**Principal Display Panel - AU/NZ Box Label**

**PHARMACIST ONLY MEDICINE**

KEEP OUT OF REACH OF CHILDREN

3M

Clinpro™ 5000

Sodium Fluoride 1.1% w/w

Vanilla Mint

**Anti-Cavity Toothpaste**

**For use after professional recommendation.**

Contains: 1 Tube NET WT 113g

AUST R 219455



**Principal Display Panel - AU/NZ Tube Label**

**PHARMACIST ONLY MEDICINE**

KEEP OUT OF REACH OF CHILDREN

3M

Clinpro™ 5000

Sodium Fluoride 1.1% w/w

Vanilla Mint

## Anti-Cavity Toothpaste

For use after professional recommendation.

NET WT 113g

AUST R 219455

## PHARMACIST ONLY MEDICINE

KEEP OUT OF REACH OF CHILDREN



# Clinpro™ 5000

## Sodium Fluoride 1.1% w/w



Vanilla Mint



### Anti-Cavity Toothpaste

For use after professional recommendation.

NET WT 113g

AUST R 219455

**INDICATIONS:** Fluoride toothpaste for use after recommendation by a dental or medical professional, in the prevention of dental caries in high risk patients.

**ACTIVE INGREDIENT:** Sodium Fluoride 1.1% w/w or 11.05 mg/g (5000 ppm F-)

**DIRECTIONS FOR USE:** This toothpaste is recommended for adults and children 6 years of age and older. Use once daily in place of a conventional toothpaste. Follow these instructions unless otherwise instructed by a physician or dentist.

1. Apply a thin ribbon or pea-sized amount of Clinpro™ 5000 Sodium Fluoride 1.1% w/w Anti-Cavity Toothpaste to a soft-bristled toothbrush, and brush teeth for two minutes.
2. After brushing, adults should expectorate. Children 6-16 years of age should expectorate and rinse mouth thoroughly with water. Your physician or dentist may recommend using only Clinpro 5000 toothpaste or otherwise alter the directions.
3. For best results, do not eat or drink for 30 minutes after use.

**PRECAUTIONS: DO NOT SWALLOW.** If toothpaste is swallowed (more than used for normal brushing) obtain medical help or contact the Emergency Poisons Information Centre (in Australia 131 126 and in New Zealand 0800 764 766). If you are pregnant or may become pregnant, check with your doctor, dentist or pharmacist before using. Do not use this product in children 6 years of age or less. Read all instructions before using this product. Do not use if foil seal has been tampered with or broken. Store below 25°C.

**Contains: saccharin**

Made in USA for  
**3M New Zealand Limited**  
94 Apollo Drive, Rosedale  
Auckland 0632  
Ph 09 477 4040

Made in USA for  
**3M Australia Pty Limited**  
Building A, 1 Rivett Road  
North Ryde NSW 2113, Australia  
Product Info: 136 136

3M and Clinpro are trademarks of  
3M or 3M Deutschland GmbH.  
© 3M 2020. All rights reserved.  
34-8725-6474-4-A

## CLINPRO 5000

sodium fluoride paste, dentifrice

### Product Information

<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:48878-3120
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
sodium fluoride (UNII: 8ZYQ1474W7) (fluoride ion - UNII:Q80VPU4080)	fluoride ion	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Sorbitol (UNII: 506T60A25R)	
Silicon Dioxide (UNII: ETJ7Z6XBU4)	
Glycerin (UNII: PDC6A3C0OX)	
Polyethylene Glycol, Unspecified (UNII: 3WJQ0SDW1A)	
Sodium Lauryl Sulfate (UNII: 368GB5141J)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
Carboxymethylcellulose Sodium (UNII: K679OBS311)	
Saccharin Sodium (UNII: SB8ZUX40TY)	
Tricalcium Phosphate (UNII: K4C08XP666)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	MINT (MINT)	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48878-3120-1	1 in 1 BOX	08/10/2009	
1		113 g in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:48878-3120-2	1 in 1 BOX	09/01/2017	
2		113 g in 1 TUBE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
Export only		08/10/2009	

