GENUINE TRIPLE ANTIBIOTIC - bacitracin zinc, neomycin sulfate, polymyxin b sulfate ointment Genuine First Aid LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Genuine Triple Antibiotic

Active Ingredients

Active Ingredient:Bacitracin Zinc 400 units Neomycin Sulfate 5mg (equivalent to 3.5 mg Neomycin base) Polymyxin B Sulfate 5000 units

Purpose

Triple Antibiotic Uses: To help prevent infection in: minor cuts; scrapes; burns

Warnings

For external use only.

Do not use: in eyes; over large areas of the body;

If allergic to any of the ingredients; for more than one week unless directed by a physician.

Stop use and consult a doctor:

if the condition persists or gets worse; a rash or other allergic reaction develops

Keep out of reach of children.

If ingested, contact a Poison

Control Center right away.

Directions

Directions: clean affected area; apply small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily; may be covered with a sterile bandage

Other information:

Store at room temperature.

Inactive Ingredient


Vaseline Mineral Oil Purified Water

Genuine Triple Antibiotic

First Aid Ointment To Help Prevent Infection Each Gram Contains: Bacitracin Zinc 400 units Neomycin Sulfate 5 mg (equivalent to 3.5 mg Neomycin base) Polymyxin B Sulfate 5000 units Net Wt. 0.5g ; (1/64 oz) Manufactured in CHINA for GENUINE FIRST AID.

Triple Antibiotic Ointment 10pcs Net wt. 0.9g (1/32oz)

100 Triple Antibiotic



| Product Information | | | | | | |
|---|--|--------------|--|-----------|--------------------------------|--|
| Product T ype | HUMAN OTC DRUG | Item Code (S | Item Code (Source) NDC | | 2:52124-0003 | |
| Route of Administration | TOPICAL | | | | | |
| | | | | | | |
| | | | | | | |
| Active Ingredient/Active I | | | | | | |
| Active ingredient/Active I | Molety | | | | | |
| U | Molety Ingredient Name | | Basis of Stre | ength | Strength | |
| I | ingredient Name | RWO52I) | Basis of Stre BACITRACIN ZIN | - | Strength 400 [iU] in 1 g | |
| I BACITRACIN ZINC (UNII: 89 Y4M | (ngredient Name 1234ES) (BACITRACIN - UNII:58H6 | | | C | _ | |
| I BACITRACIN ZINC (UNII: 89 Y4M NEOMYCIN SULFATE (UNII: 057 | A ngredient Name 1234ES) (BACITRACIN - UNII:58H6 Y626693) (NEOMYCIN - UNII:116Q | D7X297) | BACITRACIN ZIN | C FATE | 400 [iU] in 1 g | |
| I BACITRACIN ZINC (UNII: 89Y4M NEOMYCIN SULFATE (UNII: 057 | A ngredient Name 1234ES) (BACITRACIN - UNII:58H6 Y626693) (NEOMYCIN - UNII:116Q | D7X297) | BACITRACIN ZIN NEOMYCIN SULF | C FATE | 400 [iU] in 1 g 5 mg in 1 g | |
| Ū | A ngredient Name 1234ES) (BACITRACIN - UNII:58H6 Y626693) (NEOMYCIN - UNII:116Q | D7X297) | BACITRACIN ZIN NEOMYCIN SULF | C FATE | 400 [iU] in 1 g 5 mg in 1 g | |
| I BACITRACIN ZINC (UNII: 89Y4M NEOMYCIN SULFATE (UNII: 057 | A ngredient Name 1234ES) (BACITRACIN - UNII:58H6 Y626693) (NEOMYCIN - UNII:116Q | D7X297) | BACITRACIN ZIN NEOMYCIN SULF | C FATE | 400 [iU] in 1 g 5 mg in 1 g | |

| WAT | ER (UNII: 059QF0K | O0R) | | | | |
|------|--|---------------------|----------------------|----------------------|--------------------|--|
| | | , | | | | |
| | | | | | | |
| Pac | kaging | | | | | |
| # | Item Code | Package Description | Marketing Start Date | | Marketing End Date | |
| 1 NE | DC:52124-0003-1 | 0.5 g in 1 TUBE | | | | |
| 2 NE | DC:52124-0003-2 | 10 in 1 BOX | | | | |
| 2 | | 0.5 g in 1 PACKET | | | | |
| 3 NE | DC:52124-0003-3 | 100 in 1 CARTON | | | | |
| 3 | | 0.5 g in 1 PACKET | | | | |
| | | | | | | |
| | | | | | | |
| Ma | rketing Info | rmation | | | | |
| Mar | Marketing Category Application Number or Monograph C | | aph Citation | Marketing Start Date | Marketing End Date | |
| отс | monograph final | part333B | | 02/16/2010 | | |

Labeler - Genuine First Aid LLC (619609857)

Revised: 4/2012

Genuine First Aid LLC