

UP AND UP CHILDRENS ALLERGY MELTS- diphenhydramine hcl tablet, chewable

Target Corporation

up and up children's allergy melts

Active ingredient (in each tablet)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies.
 - runny nose
 - itchy, watery eyes
 - sneezing
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask your doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

- excitability may occur, especially in children

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222

Directions

- find right dose on chart below
- Chew one tablet completely at the onset of symptoms. Do not swallow tablets whole.
- take every 4 to 6 hours or as directed by a doctor
- do not take more than 6 times in 24 hours

| | |
|--|--|
| children under 2 years | do not use |
| children 2 to 5 years | do not use unless directed by a doctor |
| children 6 to 11 years of age | 1 to 2 chewable tablets (12.5 mg to 25 mg) |
| adults and children 12 years of age and over | 2 to 4 tablets (25 mg to 50 mg) |

Other information

- store at room temperature. Avoid high humidity. Protect from light

Inactive ingredients

citric acid, crospovidone, D&C Red No. 30, dextrose, FD&C Blue No. 1, flavors, magnesium stearate, maltodextrin, potassium citrate, silica, sodium polystyrene sulfonate, starch, sucralose.

Questions or comments?

1-866-467-2748

Principal Display Panel

Compare to active ingredient in Children's Benadryl® Allergy Chewables*

Children's Allergy relief

Diphenhydramine HCl, 12.5 mg/ Antihistamine

For relief of:

- sneezing

- runny nose
- itchy throat
- itchy, watery eyes

4-6 Hours/Dose

up & up

Grape Flavor

Naturally and Artificially Flavored

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

This product is not manufactured or distributed by Johnson & Johnson Consumer INC, owner of the registered trademark Children's Benadryl® Allergy Chewable Tablets.

Distributed by Target Corporation

Minneapolis, MN 55403

Made in USA

TM & ©2020 Target Brands, Inc.

100% satisfaction guaranteed or your money back.

Children's Allergy Grape Flavor 18 Chewable Tablets



children's allergy melts

diphenhydramine HCl, 12.5 mg/antihistamine

Compare to active ingredient in
Children's Benadryl® Allergy FastMelt® Tablets*

NDC 11673-012-18

children's allergy melts

diphenhydramine HCl, 12.5 mg/antihistamine



for temporary relief of:

- sneezing
- runny nose
- itchy throat
- itchy, watery eyes



GRAPE FLAVOR



ACTUAL SIZE


18

TABLETS

LOT:

EXP:

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BUBBLER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.



012GR18TG1TC

18 DISSOLVING TABLETS

100% satisfaction guaranteed or your money back.

Drug Facts

Active ingredient (in each tablet) Diphenhydramine HCl 12.5 mg.....Antihistamine

Purpose Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies, runny nose, itchy, watery eyes, sneezing, itching of the nose or throat

Warnings

- Do not use to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin
- Ask your doctor before use if you have glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- Ask your doctor or pharmacist before use if you are taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- Be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children
- If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Drug Facts (continued)

Directions

- dissolve in mouth or chew before swallowing
- take every 4 to 6 hours
- do not take more than 6 doses in 24 hours
- children under 2 years of age do not use
- children 2 to under 5 years of age do not use unless directed by a doctor
- children 6 to under 12 years of age 1 to 2 tablets
- adults and children 12 years of age 2 to 4 tablets

Other information

- store below at 30°C (86°F)

Inactive ingredients blue #1 lake, citric acid, croscopolidone, dextrose, flavors, magnesium stearate, malloxdextrin, potassium citrate, red #40 lake, silica, sodium polyacrylate, sucralose

Questions or comments? 1-800-910-6874

*This product is not manufactured or distributed by McKel-Allergy FastMelt® Tablets.

Consumer Healthcare, distributor of Children's Benadryl® Allergy FastMelt® Tablets.

094 04 0063 R01 ID205457
Dist. by Target Corp., Mpls., MN 55403
©2014 Target Brands, Inc.
Shop Target.com

Children's Allergy Grape Flavor 48 Chewable Tablets



UP AND UP CHILDRENS ALLERGY MELTS

diphenhydramine hcl tablet, chewable

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:11673-012 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 12.5 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
| | |

| |
|--|
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) |
| CROSPROVIDONE (120 .MU.M) (UNII: 68401960MK) |
| D&C RED NO. 30 (UNII: 2S42T2808B) |
| FD&C RED NO. 40 (UNII: WZB9127XOA) |
| DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2) |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) |
| MAGNESIUM STEARATE (UNII: 70097M6130) |
| MALTODEXTRIN (UNII: 7CVR7L4A2D) |
| POTASSIUM CITRATE (UNII: EE90ONI6FF) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| SODIUM POLYSTYRENE SULFONATE (UNII: 1699G8679Z) |
| STARCH, CORN (UNII: O8232NY3SJ) |
| SUCRALOSE (UNII: 96K6UQ3ZD4) |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|----------|
| Color | PURPLE | Score | 2 pieces |
| Shape | ROUND | Size | 16mm |
| Flavor | GRAPE | Imprint Code | RP012 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:11673-012-18 | 3 in 1 CARTON | 11/10/2015 | |
| 1 | | 6 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:11673-012-48 | 4 in 1 CARTON | 10/30/2019 | |
| 2 | | 12 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 11/01/2015 | |

Labeler - Target Corporation (006961700)