# TARGET GOODFELLOW AND CO SPF 30 FACE SCENT NO. 05 KELP AND SEA MINERAL- avobenzone, homosalate, octisalate, octocrylene lotion TARGET CORPORATION

-----

# Target Goodfellow & Co SPF 30 Face Lotion Scent No. 05 Kelp & Sea Mineral

#### **□**Active ingredients

Avobenzone 3.0%,

Homosalate 15.0%,

Octisalate 5.0%.

Octocrylene 7.0%

#### **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see \( \bigcup \b

# Warnings

# For external use only

#### Do not use

• on damaged or broken skin.

# When using this product

keep out of eyes. Rinse with water to remove.

# Stop use and ask a doctor if

rash occurs.

# Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

apply liberally 15 minutes before sun exposure

#### reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

#### Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

### Inactive ingredients

water, TRIDECYL SALICYLATE, sorbitol, stearic acid, Aluminum Starch Octenylsuccinate, SODIUM HYDROXIDE, POLYETHYLOXAZOLINE, ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER, tocopherol, FRUCTOOLIGOSACCHARIDES, BETA VULGARIS (BEET) ROOT EXTRACT, disodium edta, polyglyceryl-3 distearate, LINOLEIC ACID, LINOLENIC ACID, CAPRYLYL GLYCOL, PHENOXYETHANOL, ETHYLHEXYLGLYCERIN, BENTONITE, Sorbitan isostearate, OILIC ACID, PALMITIC ACID BENZYL ALCOHOL, FRAGRANCE

#### Label

# Goodfellow. &CO

SCENT

KELP &

No. 05

SEA MINERAL

# **SPF 30 Face Lotion**

SUNSCREEN, WATER RESISTANT (80 MINUTES), BROAD SPECTRUM SPF 30, UVA/UVB PROTECTION, DERMATOLOGIST TESTED

INGREDIENTS: Water, Tridecyl Salicylate, Sorbitol, Stearic Acid, Aluminum Starch Octenylsuccinate, Sodium Hydroxide, Polyethyloxazoline, Acrylates/ O10-30 Alkyl Acrylate Crosspolymer, Tocopherol, Fructooligosaccharides, Beta Vulgaris (Beet) Root Extract, Disodium EDTA, Polyglyceryl-3 Distearate, Linoleic Acid, Linolenic Acid, Caprylyl Glycol, Phenoxyethanol, Ethylhexylglycerin, Bentonite, Sorbitan Isostearate, Oleio Acid, Palmitic Acid, Benzyl Alcohol, Fragrance

4 FL 0Z (118 mL)

MOISTURIZES SENSITIVE SKIN AS IT PROTECTS FROM THE SUN'S HARMFUL UVA & UVB RAYS, HELPS MINIMIZE PORES AND IMPROVE THE APPEARANCE OF SKIN, MADE WITH VITAMIN F FORTE: HELPS MOISTURIZE AND SMOOTH THE SKIN MADE WITHOUT . PARABENS\* . · SYNTHETIC DYES · OXYBENZONE · OCTINOXATE

\*No parabens separately added to preserve this product

#### Drug Facts

Active ingredients

Purpose

Avobenzone 3%, Homosalate 15%, Octisalate 5%, Octocrylene 7%, Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes, Rinse with water

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply liberally 15 minutes before sun exposure

. reapply: . after 80 minutes of swimming or sweating


 immediately after towel drying • at least every 2 hours • children under 6 months: Ask a doctor . Sun Protection Measures\_ Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: . limit time in the sun, especially from 10 a.m. -2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses

Other information . protect the product in this container from excessive heat and direct sun . may stain or damage some fabrics, materials or surfaces

Inactive ingredients water, tridecyl salicylate, sorbitol, stearic acid, alluminum starch octenylsuccinate, sodium hydroxide, polyethyloxazoline, acrylates/C10-30 alkyl acrylate crosspolymer, tocopherol, fructooligosaccharides, beta vulgaris (beet) root extract, disodium EDTA, polyglyceryl-3 distearate, linoleic

acid, lindenic acid, caprylyl glycol, phenoxyethanol, ethylhexylglycerin, bentonite, sorbitan isostearate, oleic acid, palmitic acid, benzyl alcohol, fragrance

049 06 0457 R02 C-001226-01-031 DIST. BY TARGET CORPORATION MINNEAPOLIS, MN 55403 ©2022 TARGET BRANDS, INC.



# TARGET GOODFELLOW AND CO SPF 30 FACE SCENT NO. 05 KELP AND SEA MINERAL

avobenzone, homosalate, octisalate, octocrylene lotion

#### **Product Information**

HUMAN OTC DRUG **Product Type** 

Item Code (Source)

NDC:11673-232

**Route of Administration** 

**TOPICAL** 

Active Ingredient/Active Moiety				
Ingredient Name	<b>Basis of Strength</b>	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL		
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	150 mg in 1 mL		

Inactive Ingredients	
Ingredient Name	Strength
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
LINOLEIC ACID (UNII: 9KJL21T0QJ)	
OLEIC ACID (UNII: 2UMI9U37CP)	
POLYETHYLOXAZOLINE (5000 MW) (UNII: HNX7574GTX)	
SORBITOL (UNII: 506T60A25R)	
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: 19PJ006294)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
PALMITIC ACID (UNII: 2V16E095H1)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
WATER (UNII: 059QF0KO0R)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BENTONITE (UNII: A3N5ZCN45C)	
BETA VULGARIS ROOT FRUCTOOLIGOSACCHARIDES (UNII: N2UDM48ZD6)	
BEET (UNII: N487KM8COK)	
POLYGLYCERYL-3 DISTEARATE (UNII: Z11LK470XV)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:11673-232- 04	118 mL in 1 TUBE; Type 0: Not a Combination Product	08/19/2020		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M020	08/19/2020		

Revised: 10/2024 TARGET CORPORATION