

ABSORBINE VETERINARY- menthol, chloroxylenol, and iodine liquid
W. F. Young, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

ABSORBINE ®
VETERINARY
LINIMENT

Absorbine® has been trusted for generations to provide herbal healing and fast relief from sore aching muscles, joint and arthritis pain.

DIRECTIONS FOR USE




Legs & Joints

For fast relief of temporary muscular and joint soreness, swelling and stiffness, apply Absorbine Veterinary Liniment (AVL) to sore areas. May be applied two or more times a day.

Arthritis

Deep penetrating heat soothes the pain and swelling of tissues due to arthritis. Rub AVL on stiff and sore joints before and after turn out to increase pain relief.



Muscle Soreness

To relieve pain and stiffness, apply AVL to desired areas and cover with blanket. May be repeated two or more times a day as needed.

Body Wash

AVL cooling body wash refreshes a tired horse. AVL astringents wash away sweat and dirt. AVL's antimicrobial formula disinfects. Herbal oils shine the coat. **Recipe:** mix 4 oz. of AVL and 8 oz. vinegar with 24 oz. of water.

Warm Up

A rub down of AVL increases circulation to muscles and helps prevent injuries. Clinically proven to enhance performance.

Post Work Out

Applying AVL helps speed muscle recovery by increasing blood flow to the affected area, helping to reduce soreness, stiffness, swelling and pain. AVL's fast acting formula is proven to increase blood flow and help your horse heal himself rapidly.

Setting Up

Professional trainers recommend applying AVL after a workout to all four legs and wrapping lightly.



Hoof Disinfectant

AVL's formula penetrates into the porous hoof sole and frog to disinfect. Apply once a week to help prevent bacterial and fungal infections. Use AVL daily to treat hoof conditions such as abscesses, cracks, delamination, Thrush and White Line Disease.

Skin Infections

AVL kills germs on contact and stops the itch in seconds. Use AVL to clean and treat bacterial skin infections like Rain Rot, Scratches, Summer Itch and Tail Itch. Apply to infected area three times a week.

Active Ingredients

Menthol 1.27%, Chloroxylenol 0.50%, Iodine 0.02%. Inactive ingredients: absinthium oil, acetone, blue 1, plant extracts of calendula, echinacca and wormwood; potassium iodide, thymol, water, yellow 6.

Caution

Keep out of the reach of children. Replace cap firmly. For external use on livestock only. Avoid contact with eyes or mucous membranes. Do not apply to irritated skin. If excessive irritation develops, discontinue use and consult a veterinarian. In long standing cases or those not responding to treatment, or in case of puncture or deep wounds, consult a veterinarian.

If you rub, don't wrap.

Danger

Extremely flammable! Keep away from fire, sparks and heated surfaces.

Distributed by:

W.F. Young, Inc.
E. Longmeadow, MA 01028 U.S.A.

PRINCIPAL DISPLAY PANEL - 946 mL Bottle Label

ABSORBINE®

**VETERINARY
LINIMENT**

**TOPICAL ANALGESIC
& ANTISEPTIC**

Sore Muscle & Joint Pain Relief
Stimulates Circulation to Speed Healing

CLASSIC HERBAL FORMULA

• SINCE 1892 •

32 fl oz (946 mL)



ABSORBINE®

VETERINARY LINIMENT

TOPICAL ANALGESIC & ANTISEPTIC

*Sore Muscle & Joint Pain Relief
Stimulates Circulation to Speed Healing*



32 fl oz (946 mL)

ABSORBINE®

The Horse World's Most Trusted Name®

Absorbine® has been trusted for generations to provide herbal healing and fast relief from sore aching muscles, joint and arthritis pain.

DIRECTIONS FOR USE



Legs & Joints: For fast relief of temporary muscular and joint soreness, swelling and stiffness, apply Absorbine Veterinary Liniment (AVL) to sore areas. May be applied two or more times a day.

Arthritis: Deep penetrating heat soothes the pain and swelling of tissues due to arthritis. Rub AVL on stiff and sore joints before and after turn out to increase pain relief.



Muscle Soreness: To relieve pain and stiffness, apply AVL to desired areas and cover with blanket. May be repeated two or more times a day as needed.

Body Wash: AVL cooling body wash refreshes a tired horse. AVL astringents wash away sweat and dirt. AVL's antimicrobial formula disinfects. Herbal oils shine the coat. **Recipe:** mix 4 oz. of AVL and 8 oz. vinegar with 24 oz. of water.

Warm Up: A rub down of AVL increases circulation to muscles and helps prevent injuries. Clinically proven to enhance performance.

Post Work Out: Applying AVL helps speed muscle recovery by increasing blood flow to the affected area, helping to reduce soreness, stiffness, swelling and pain. AVL's fast acting formula is proven to increase blood flow and help your horse heal himself rapidly.

Setting Up: Professional trainers recommend applying AVL after a workout to all four legs and wrapping lightly.



Hoof Disinfectant: AVL's formula penetrates into the porous hoof sole and frog to disinfect. Apply once a week to help prevent bacterial and fungal infections. Use AVL daily to treat hoof conditions such as abscesses, cracks, delamination, Thrush and White Line Disease.

Skin Infections: AVL kills germs on contact and stops the itch in seconds. Use AVL to clean and treat bacterial skin infections like Rain Rot, Scratches, Summer Itch and Tail Itch. Apply to infected area three times a week.

Active Ingredients: Menthol 1.27%, Chloroxylenol 0.50%, Iodine 0.02%. Inactive ingredients: absinthium oil, acetone, blue 1, plant extracts of calendula, echinacea and wormwood; potassium iodide, thymol, water, yellow 6.

Caution: Keep out of the reach of children. Replace cap firmly. For external use on livestock only. Avoid contact with eyes or mucous membranes. Do not apply to irritated skin. If excessive irritation develops, discontinue use and consult a veterinarian. In long standing cases or those not






 Distributed by:
 W.F. Young, Inc.
 E. Longmeadow, MA 01028 U.S.A.
 ©W.F.Y.
 Learn more. Go to
www.absorbine.com
 Printed in U.S.A.
 RM 342377-5

responding to treatment, or in case of puncture or deep wounds, consult a veterinarian.
 If you rub, don't wrap.
Danger: Extremely flammable! Keep away from fire, sparks and heated surfaces.

Please Recycle 

ABSORBINE VETERINARY

menthol, chloroxylenol, and iodine liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:11444-026
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL, UNSPECIFIED FORM - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	1.27 g in 100 mL
CHLOROXYLENOL (UNII: 0F32U78V2Q) (CHLOROXYLENOL - UNII:0F32U78V2Q)	CHLOROXYLENOL	0.5 g in 100 mL
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)	IODINE	0.02 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ACETONE (UNII: 1364PS73AF)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
POTASSIUM IODIDE (UNII: 1C4QK22F9J)	
THYMOL (UNII: 3J50XA376E)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX)	
WORMWOOD (UNII: F84709P2XV)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11444-026-04	473 mL in 1 BOTTLE, PLASTIC		
2	NDC:11444-026-05	946 mL in 1 BOTTLE, PLASTIC		
3	NDC:11444-026-03	3785 mL in 1 BOTTLE, PLASTIC		
4	NDC:11444-026-07	1183 mL in 1 BOTTLE, PLASTIC		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
UNAPPROVED DRUG OTHER		01/01/1892	

Labeler - W. F. Young, Inc. (001114669)

Revised: 11/2024

W. F. Young, Inc.