ROBITUSSIN CHILDRENS HONEY DAY NIGHT DM VALUE PACKdextromethorphan hbr, guaifenesin, doxylamine succinate Haleon US Holdings LLC

Drug Facts

Active ingredients (in each 10 mL) - Children's Robitussin Honey Cough & Chest Congestion DM

Dextromethorphan HBr, USP 10 mg

Guaifenesin, USP 100 mg

Purposes - Children's Robitussin Honey Cough & Chest Congestion DM

Cough Suppressant

Expectorant

Uses - Children's Robitussin Honey Cough & Chest Congestion DM

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tube

Warnings - Children's Robitussin Honey Cough & Chest Congestion DM

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions - Children's Robitussin Honey Cough & Chest Congestion DM

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter

age	dose
children under 4 years	do not use
children 4 to under 6 years	5 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
adults and children 12 years and over	20 mL every 4 hours

Other information - Children's Robitussin Honey Cough & Chest Congestion DM

- each 10 mL contains: sodium 11 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients - Children's Robitussin Honey Cough & Chest Congestion DM

anhydrous citric acid, blueberry juice concentrate, carboxymethylcellulose sodium, glycerin, lactic acid, natural and artificial flavors, natural grade A honey, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, xanthan gum, zinc gluconate

Questions or comments? - Children's Robitussin Honey Cough & Chest Congestion DM

call weekdays from 9 AM to 5 PM EST at 1-800-245-1040

Active ingredients (in each 10 mL) - Children's Robitussin Honey NighttimeCough DM

Dextromethorphan HBr, USP 15 mg

Doxylamine succinate, USP 6.25 mg

Purposes - Children's Robitussin Honey Nighttime Cough DM

Uses - Children's Robitussin Honey Nighttime Cough DM

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- controls the impulse to cough to help you sleep

Warnings - Children's Robitussin Honey Nighttime Cough DM

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or chronic cough that lasts or as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- do not use more than directed
- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache.

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions - Children's Robitussin Honey Nighttime Cough DM

measure only with dosing cup provided

keep dosing cup with product

mL = milliliter

do not take more than 4 doses in any 24-hour period

age	dose
children under 6 years	do not use
children 6 to 12 years	10 mL every 6 hours
adults and children 12 years and older	20 mL every 6 hours

Other information- Children's Robitussin Honey Nighttime Cough DM

■ each 10 mL contains: sodium 10 mg

■ store at 20-25°C (68-77°F)

Inactive ingredients- Children's Robitussin Honey Nighttime Cough DM

anhydrous citric acid, blueberry juice concentrate, carboxymethylcellulose sodium, glycerin, lactic acid, natural and artificial flavors, natural grade A honey, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, xanthan gum, zinc gluconate

Questions or comments? - Children's Robitussin Honey Nighttime Cough DM call weekdays from 9 AM to 5 PM EST at 1-800-245-1040

Additional Information

Packaged with Tamper-Evident bottle cap. Do Not Use if breakable ring is separated or missing.

Do not take both products within 6 hours of each other.

Honey

This dynamic duo combines the great taste of natural honey with the effective cough relief of Robitussin you trust to help your child feel better.

Made with **Real Honey**

TRUE SOURCE CERTIFIED HONEY

Gluten Free

No Artificial Colors

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

Principal Display Panel - Children's Robitussin Honey Day Night Value Pack

Value Pack

Day Night

Children's

Robitussin

Honey

For Ages 4+

Cough & Chest Congestion DM

DEXTROMETHORPHAN HBr

(Cough Suppressant)

GUAIFENESIN (Expectorant)

Relieves:

- Chest congestion
- ✓ Mucus
- ✓ Cough

Taste the Real Honey

TRUE SOURCE CERTIFIED HONEY

4 FL OZ (118 mL)

Children's

Robitussin

Honey

For ages 6+

Nighttime Cough DM

DEXTROMETHORPHAN HBr

(Cough Suppressant)

DOXYLAMINE SUCCINATE (Antihistamine)

ALCOHOL FREE

LONG-ACTING

Relieves:

Cough up to 8 hours

Runny nose

Taste the Real Honey

TRUE SOURCE CERTIFIED HONEY

4 FL OZ (118 mL)

Day Value Pack Night

Children's

Children's

Robitussin

Robitussin



Relieves:

- ✓ Chest congestion
- ✓ Mucus
- √ Cough





Principal Display Panel - Children's Robitussin Honey Cough & Chest Congestion DM

Children's

Robitussin

Honey

For Ages 4+

Cough & Chest Congestion DM

DEXTROMETHORPHAN HBr

(Cough Suppressant)

GUAIFENESIN (Expectorant)

Relieves:

- ✓ Chest congestion
- ✓ Mucus
- ✓ Cough

Taste the Real Honey

TRUE SOURCE CERTIFIED HONEY

4 FL OZ (118 mL)

Children's

Robitussin



Relieves:

- ✓ Chest congestion
- √ Mucus
- √ Cough



Principal Display Panel - Children's Robitussin Honey Nighttime Cough DM

Children's

Robitussin

Honey

For ages 6+

Nighttime Cough DM

DEXTROMETHORPHAN HBr

(Cough Suppressant)

DOXYLAMINE SUCCINATE (Antihistamine)

ALCOHOL FREE

LONG-ACTING

Relieves:

Cough up to 8 hours

Runny nose

Taste the Real Honey

TRUE SOURCE CERTIFIED HONEY

4 FL OZ (118 mL)

Children's

Robitussin





ROBITUSSIN CHILDRENS HONEY DAY NIGHT DM VALUE PACK

dextromethorphan hbr, guaifenesin, doxylamine succinate kit

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0031-2102

Packaging

П				
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:0031-2102- 01	1 in 1 CARTON; Type 0: Not a Combination Product	05/27/2019	

Quantity of Parts

Quant	quantity of fairs		
Part #	Package Quantity	Total Product Quantity	
Part 1	0 BOTTLE	1 mL	
Part 2	0 BOTTLE	1 mL	

Part 1 of 2

CHILDRENS ROBITUSSIN HONEY COUGH AND CHEST CONGESTION DM

dextromethorphan hbr, guaifenesin solution

Product Information

 Item Code (Source)
 NDC:0031-8760

 Route of Administration
 ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	100 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)

CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)

GLYCERIN (UNII: PDC6A3C0OX)

LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)

HONEY (UNII: Y9H1V576FH)

POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)

PROPYLENE GLYCOL (UNII: 6DC9Q167V3)

WATER (UNII: 059QF0K00R)

SODIUM BENZOATE (UNII: 0J245FE5EU)

SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)

SODIUM GLUCONATE (UNII: R6Q3791S76)

SUCRALOSE (UNII: 96K6UQ3Z D4)

XANTHAN GUM (UNII: TTV12P4NEE)

ZINC GLUCONATE (UNII: U6WSN5SQ1Z)

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:0031- 8760-12	1 in 1 CARTON		
	1		118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	06/25/2018	

Part 2 of 2

CHILDRENS ROBITUSSIN HONEY NIGHTTIME COUGH DM

dextromethorphan hbr, doxylamine succinate solution

Product Information	
Item Code (Source)	NDC:0031-8762
Route of Administration	ORAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	15 mg in 10 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg in 10 mL

Inactive Ingredients	
Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED (UNII: K6790BS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
HONEY (UNII: Y9H1V576FH)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ZINC GLUCONATE (UNII: U6WSN5SQ1Z)	

Product Characteristics				
Color		Score		
Shape		Size		
Flavor	BERRY	Imprint Code		
Contains				

l	Packaging					
	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	1 NDC:0031- 8762-12	1 in 1 CARTON				
	1	118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package				

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	05/27/2019			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M012	05/27/2019			

Labeler - Haleon US Holdings LLC (079944263)

Revised: 8/2025 Haleon US Holdings LLC