

CITROMA- magnesium citrate liquid
Western Family Foods, Inc

Western Family 667
Citrus Citrate

Active Ingredient

Magnesium citrate 1.745 g per fl oz

Purpose

Saline Laxative

Use

for relief of occasional constipation (irregularity). Generally produces bowel movement in 1/2 to 6 hours

Warnings

Do not use

- if you are on a low salt diet

Ask a doctor

before use if you have

- kidney disease
- a magnesium or sodium-restricted diet
- abdominal pain, nausea or vomiting
- noticed a sudden change in bowel habits that persists over a period of 2 weeks
- already use a laxative for a period longer than 1 week

Ask a doctor or pharmacist before use if you are

taking any other drugs. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.

Stop Use and ask a doctor if

you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- drink a full glass (8 ounces) of liquid with each dose
- may be taken as a single daily dose or in divided doses

adults and children 12 years of age and over - 6.5 to 10 fl oz maximum 10 fl oz in 24 hours

children 6 to under 12 years of age - 3 to 7 fl oz maximum 7 fl oz in 24 hours

children 2 to under 6 years of age - 2 to 3 fl oz maximum 3 fl oz in 24 hours

children under 2 years of age - ask a doctor

discard unused product within 24 hours of opening bottle

Other information

Other information

- magnesium content 290 mg per 1 fl oz (30 mL)
- sodium content 45 mg per 1 fl oz (30 mL)
- store at temperatures between 46° and 86° F (8° and 30° C)

Inactive ingredients

citric acid, lemon oil, polyethylene glycol, purified water, sodium bicarbonate, sodium saccharin, sucrose

Questions or comments

1-800-525-2558

Adverse Reactions

Proudly Distributed by Western Family Foods, Inc.

P.O.Box 4057, Portland, OR 97208 U.S.A.

Copyright 2014 Marca Registrada

www.westernfamily.com

Principal Display Panel

WESTERN

FAMILY

Magnesium

Citrate

Saline Laxative

Oral Solution

TAMPER EVIDENT:

DO NOT USE IF THE BREAKAWAY BAND ON CAP IS BROKEN OR MISSING.

10 FL OZ (296 mL)



WESTERN FAMILY
Magnesium Citrate
Saline Laxative Oral Solution

TAMPER EVIDENT:
DO NOT USE IF THE
BREAKAWAY BAND
ON CAP IS BROKEN
OR MISSING.

10 FL OZ (296 mL) **lemon**

Drug Facts	
Active ingredient	Purpose
Magnesium citrate 1.745 g per fl oz	Saline laxative
Use for relief of occasional constipation (irregularity). Generally produces bowel movement in ½ to 6 hours	
Warnings	
Do not use	
■ if you are on a low salt diet	
Ask a doctor before use if you have	
■ kidney disease ■ a magnesium or sodium-restricted diet	
■ abdominal pain, nausea, or vomiting	
■ noticed a sudden change in bowel habits that persists over a period of 2 weeks	
■ already used a laxative for a period longer than 1 week	
Ask a doctor or pharmacist before use if you are taking any other drug. Take this product 2 or more hours before or after other drugs. Laxatives may affect how other drugs work.	
Stop use and ask a doctor if you have rectal bleeding or failure to have a bowel movement after use. These could be signs of a serious condition.	
If pregnant or breast-feeding, ask a health professional before use.	
Keep out of reach of children. In case of overdose, get medical help or contact a	

Drug Facts (continued)	
Poison Control Center right away.	
Directions ■ drink a full glass (8 ounces) of liquid with each dose ■ may be taken as a single daily dose or in divided doses	
adults and children 12 years of age and over	6.5 to 10 fl oz maximum 10 fl oz in 24 hours
children 6 to under 12 years of age	3 to 7 fl oz maximum 7 fl oz in 24 hours
children 2 to under 6 years of age	2 to 3 fl oz maximum 3 fl oz in 24 hours
children under 2 years of age	ask a doctor
discard unused product within 24 hours of opening bottle	
Other information	
■ magnesium content 290 mg per 1 fl oz (30 mL)	
■ sodium content 45 mg per 1 fl oz (30 mL)	
■ store at temperatures between 46° and 86° F (8° and 30° C)	
Inactive ingredients citric acid, lemon oil, polyethylene glycol, purified water, sodium bicarbonate, sodium saccharin, sucrose	
Questions? Call 1-800-525-2558	

UPC 0-15400-03426-5
80MAG 00000
Proudly Distributed by Western Family Foods, Inc.
P.O. Box 4057, Portland, OR 97208 U.S.A.
Copyright 2014 Marca Registrada
www.westernfamily.com 0342 6-A-VU L0003 0733B

CITROMA

magnesium citrate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55312-667
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MAGNESIUM CITRATE (UNII: RHO26O1T9V) (MAGNESIUM CATION - UNII:T6V3LHY838)	MAGNESIUM CITRATE	17.45 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
LEMON OIL (UNII: I9GRO824LL)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
WATER (UNII: 059QF0KO0R)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55312-667-38	296 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	04/15/1990	04/01/2015

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M007	04/15/1990	04/01/2015

Labeler - Western Family Foods, Inc (192166072)

Registrant - Consumer Product Partners, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Consumer Product Partners, LLC		119091514	manufacture(55312-667)

Revised: 2/2025

Western Family Foods, Inc