

**CHAMOSYN PARABEN FREE- barrier cream ointment**  
**CHAMOSYN- barrier cream ointment**  
**Links Medical Products**

-----  
**Chamosyn with Manuka Honey**

**Active ingredients**

- Menthol 0.45% or 0.1%
- Zinc oxide 20%

**Purpose**

- Anorectal analgesic/Anti-itch
- Skin protectant

**Uses**

- Helps relieve the local discomfort, burning, and itching of the perianal area associated with anorectal disorders and inflamed hemorrhoidal tissues.
- Aids in protecting irritated anorectal areas.
- Dries the oozing and weeping of poison
  - ivy
  - oak
  - sumac

**Warnings**

**For external use only.**

**When using this product**

- do not get into eyes

**Stop use and ask a doctor if**

- condition worsens
- symptoms do not improve within 7 days or clear up and occur again within a few days.

Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any medical device or applicator. Certain persons can develop allergic reactions to this product. If symptoms do not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## **Directions**

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with clean tissue or a clean soft cloth before application of this product.
- Children under 12 years of age: consult a doctor.
- Apply externally to the affected area as needed up to 6 times daily or after each incontinence episode or diaper change.

## **Other information**

Protect from freezing, avoid excessive heat.

## **Inactive Ingredients**

### Chamosyn

Active aloe gel, Calamine, Chamomilla recutita (matricaria) flower extract, Cod liver oil, Disodium EDTA, Glycerin, Lanolin, Light mineral oil, Manuka honey, Methylparaben, Microcrystalline wax, Petrolatum, Propylparaben, Sodium borate, Sorbitan oleate, Tocopherol, Water

### Chamosyn - Paraben Free

Active aloe gel, Calamine, Caprylyl glycol, Chamomilla recutita (matricaria) flower extract, Cod liver oil, Disodium EDTA, Ethylhexylglycerin, Glycerin, Lanolin, Light mineral oil, Manuka honey, Microcrystalline wax, Petrolatum, Phenoxyethanol, Sodium borate, Sorbitan oleate, Tocopherol, Water

## **Questions?**

**(888) 425-1149**

## **Chamosyn Ointment (0.45% Menthol)**

### **Tube Label**

**Drug Facts**

Active ingredients	Purpose
Menthol 0.45%.....	Anorectal analgesic/Anti-itch
Zinc oxide 20%.....	Skin protectant

**Uses**

- Helps relieve the local discomfort, burning, and itching of the perianal area associated with anorectal disorders and inflamed hemorrhoidal tissues.
- Aids in protecting irritated anorectal areas.
- Dries the oozing and weeping of poison
  - ivy
  - oak
  - sumac.

**Warnings**  
For external use only.

**When using this product** • do not get into eyes.

**Stop use and ask a doctor if** • condition worsens  
• symptoms do not improve within 7 days or clear up and occur again within a few days.

Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any medical device or applicator. Certain persons can develop allergic reactions to this product. If symptoms do not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with clean tissue or a clean soft cloth before application of this product. • Children under 12 years of age: consult a doctor. • Apply externally to the affected area as needed up to 6 times daily or after each incontinence episode or diaper change.

**Other information**  
Store between 59°-86°F (15°-30°C)

**Inactive ingredients** Active aloe gel, Calamine, Chamomilla recutita (matricaria) flower extract, Cod liver oil, Disodium EDTA, Glycerin, Lanolin, Light mineral oil, Manuka honey, Methylparaben, Microcrystalline wax, Petrolatum, Propylparaben, Sodium borate, Sorbitan oleate, Tocopherol, Water.

**Questions?** (888) 425-1149

Barcode: 5102800101

Reser No. 50120  
Manufactured by  
Links Medical Products, Inc.  
9247 Research Drive  
Irvine, CA 92618  
www.linksmed.com

**IMPROVED!**  
Now with  
**MEDICAL GRADE  
MANUKA HONEY**

NDC 51028-001-01

**CHAMOSYN™**  
ointment

**Multi-Purpose  
Moisture Barrier**

WITH ALOE, CHAMOMILE & MANUKA HONEY

Temporarily protects, heals and soothes irritated or chafed skin caused by:

- Incontinence
- Diaper Rash
- Feeding tube site leakage
- Wound drainage (peri-wound skin)
- Sweating
- Diarrhea

Skin Protectant  
NET WT 4 oz (113 g)

**Packet Labels**

**IMPROVED!**  
Now with  
**MEDICAL GRADE  
MANUKA HONEY**

**CHAMOSYN™**  
ointment

**Multi-Purpose  
Moisture Barrier**

WITH ALOE, CHAMOMILE & MANUKA HONEY

Temporarily protects, heals and soothes irritated or chafed skin caused by:

- Incontinence
- Diaper Rash
- Feeding tube site leakage
- Wound drainage (peri-wound skin)
- Sweating
- Diarrhea

Skin Protectant  
NET WT 0.17 oz (5 g)

Manufactured by  
Links Medical Products, Inc.®  
9247 Research Drive  
Irvine, CA 92618  
www.linksmed.com

**Active ingredients:** Menthol 0.45%, Zinc oxide 20%. **Purposes:** Anorectal analgesic/Anti-itch, Skin protectant.

**Uses:** Helps relieve the local discomfort, burning, and itching of the perianal area associated with anorectal disorders and inflamed hemorrhoidal tissues. • Aids in protecting irritated anorectal areas. • Dries the oozing and weeping of poison. • ivy • oak • sumac. **Warnings: For external use only. When using this product** • do not get into eyes. **Stop use and ask a doctor if** • condition worsens • symptoms do not improve within 7 days or clear up and occur again within a few days. Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any medical device or applicator. Certain persons can develop allergic reactions to this product. If symptoms do not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. **Directions:** • Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with clean tissue or a clean soft cloth before application of this product. • Children under 12 years of age: consult a doctor. • Apply externally to the affected area as needed up to 6 times daily or after each incontinence episode or diaper change. **Other information:** Store between 59°-86°F (15°-30°C). **Questions?** (888) 425-1149

1 103163



**Drug Facts**

**Active Ingredients**

Menthol 0.45%..... Anorectal analgesic/Anti-itch  
Zinc oxide 20%.....Skin protectant

**Purpose**

**Uses**

- Helps relieve the local discomfort, burning, and itching of the perianal area associated with anorectal disorders and inflamed hemorrhoidal tissues.
- Aids in protecting irritated anorectal areas.
- Dries the oozing and weeping of poison
  - ivy
  - oak
  - sumac.

**Warnings**

For external use only.

**When using this product** • do not get into eyes.

**Stop use and ask a doctor if** • condition worsens  
• symptoms do not improve within 7 days or clear up and occur again within a few days.

Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any medical device or applicator. Certain persons can develop allergic reactions to this product. If symptoms do not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with clean tissue or a clean soft cloth before application of this product.
- Children under 12 years of age: consult a doctor.
- Apply externally to the affected area as needed up to 6 times daily or after each incontinence episode or diaper change.

**Other information**

Protect from freezing, avoid excessive heat.

**Inactive Ingredients**

Active aloe gel, Calamine, Caprylyl glycol, Chamomilla recutita (matricaria) flower extract, Cod liver oil, Disodium EDTA, Ethylhexylglycerin, Glycerin, Lanolin, Light mineral oil, Manuka honey, Microcrystalline wax, Petrolatum, Phenoxyethanol, Sodium borate, Sorbitan oleate, Tocopherol, Water

**Questions?**

(888) 425-1149



Reorder No. SC0125W  
Manufactured for  
Links Medical Products, Inc.\*  
9247 Research Drive  
Irvine, CA 92618  
www.linksmed.com  
ML-C119-02

NDC 51028-003-01



CERTIFIED MANUKA HONEY

**CHAMOSYN<sup>®</sup>**

OINTMENT

**WITH  
MANUKA HONEY**

**Multi-Purpose Moisture Barrier with  
Medical-Grade Manuka Honey,  
Aloe and Chamomile**

**PART OF AN IMPORTANT REGIMEN  
TO PROTECT, SOOTHE AND HEAL  
IRRITATED OR DAMAGED SKIN.**

**ZINC OXIDE** • **MEDICAL-GRADE  
MANUKA HONEY**

**SKIN PROTECTANT**

**HYPOALLERGENIC  
PARABEN FREE**

**NET WT 4 oz (113 g)**

Packet Labels



## Tube Label

<b>Drug Facts</b>	
<b>Active ingredients</b>	<b>Purpose</b>
Menthol 0.1%.....	Anorectal analgesic/Anti-itch
Zinc oxide 20%.....	Skin protectant
<b>Uses</b>	
<ul style="list-style-type: none"> <li>• Helps relieve the local discomfort, burning, and itching of the perianal area associated with anorectal disorders and inflamed hemorrhoidal tissues.</li> <li>• Aids in protecting irritated anorectal areas.</li> <li>• Dries the oozing and weeping of poison               <ul style="list-style-type: none"> <li>• Ivy</li> <li>• oak</li> <li>• sumac</li> </ul> </li> </ul>	
<b>Warnings</b>	
For external use only.	
<b>When using this product</b>	• do not get into eyes.
<b>Stop use and ask a doctor if</b>	• condition worsens.
• symptoms do not improve within 7 days or clear up and occur again within a few days.	
Do not exceed the recommended daily dosage unless directed by a doctor. In case of bleeding, consult a doctor promptly. Do not put this product into the rectum by using fingers or any medical device or applicator. Certain persons can develop allergic reactions to this product. If symptoms do not subside or if redness, irritation, swelling, pain or other symptoms develop or increase, discontinue use and consult a doctor.	
<b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b>	
<ul style="list-style-type: none"> <li>• Adults: When practical, cleanse the affected area with mild soap and warm water and rinse thoroughly. Gently dry by patting or blotting with clean tissue or a clean soft cloth before application of this product.</li> <li>• Children under 12 years of age: consult a doctor.</li> <li>• Apply externally to the affected area as needed up to 6 times daily or after each incontinence episode or diaper change.</li> </ul>	
<b>Other information</b>	
Store between 59° - 86° F (15° - 30° C)	
<b>Inactive ingredients</b>	
Active aloe gel, Calamine, Chamomilla nuttalliana (matricaria) flower extract, Cod liver oil, Disodium EDTA, Glycerin, Lanolin, Light mineral oil, Manuka honey, Methylparaben, Microcrystalline wax, Petrolatum, Propylparaben, Sodium borate, Sorbitan oleate, Tocopherol, Water	
<b>Questions?</b> (888) 425-1149	

**IMPROVED!**  
Formulated with  
**MEDICAL-GRADE  
MANUKA HONEY**

NDC 51028-002-01

**CHAMOSYN<sup>®</sup>**  
ointment

**Multi-Purpose  
Moisture Barrier**

WITH ALOE, CHAMOMILE & MANUKA HONEY

Temporarily protects, heals and soothes irritated or chafed skin caused by:

- Incontinence
- Diaper Rash
- Feeding tube site leakage
- Wound drainage (peri-wound skin)
- Sweating
- Diarrhea

Skin Protectant  
NET WT 4 oz (113 g)

Manufactured for  
Links Medical Products, Inc.\*  
9247 Research Drive  
Irvine, CA 92618  
www.linksmed.com

## CHAMOSYN PARABEN FREE

barrier cream ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51028-003
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	4.5 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>COD LIVER OIL</b> (UNII: BBL281NWFG)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	

<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51028-003-00	144 in 1 BOX	01/01/2016	
1		5 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:51028-003-01	113 g in 1 TUBE; Type 0: Not a Combination Product	01/01/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/01/2016	

## CHAMOSYN

barrier cream ointment

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51028-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
-----------------	-------------------	----------

<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	4.5 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>COD LIVER OIL</b> (UNII: BBL281NWFQ)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>WATER</b> (UNII: 059QF0KO0R)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51028-001-00	144 in 1 BOX	02/16/2012	
1		5 g in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:51028-001-01	113 g in 1 TUBE; Type 0: Not a Combination Product	02/16/2012	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	02/16/2012	07/06/2016

# CHAMOSYN

barrier cream ointment

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51028-002
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 mg in 1 g
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	200 mg in 1 g

## Inactive Ingredients

Ingredient Name	Strength
<b>SODIUM BORATE</b> (UNII: 91MBZ8H3QO)	
<b>SORBITAN MONOOLEATE</b> (UNII: 06XEA2VD56)	
<b>TOCOPHEROL</b> (UNII: R0ZB2556P8)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>CHAMOMILE</b> (UNII: FGL3685T2X)	
<b>COD LIVER OIL</b> (UNII: BBL281NWFG)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LANOLIN</b> (UNII: 7EV65EAW6H)	
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>HONEY</b> (UNII: Y9H1V576FH)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:51028-002-01	113 g in 1 TUBE; Type 0: Not a Combination Product	01/15/2015	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/15/2015	

**Labeler** - Links Medical Products (839081445)

Revised: 5/2025

Links Medical Products