MULTI-SYMPTOM COLD AND FLU DAYTIME- acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled Care One (American Sales Company)

Drug Facts

Active ingredients (in each softgel)

Acetaminophen 325 mg

Dextromethoprhan HBr 10 mg

Phenlyephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Nasal decongestant

Uses

- temporarily relieves common cold and flu symptoms:
 - minor aches and pains
 - headache
 - sore throat
 - nasal congestion
 - fever
 - cough due to minor throat and bronchial irritation

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is

accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

When using this product,

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- when using other Daytime or Nighttime products, carefully read each label to insure correct dosing

Other information

- store between 15-30°C (59-86°F)
- avoid excessive heat

Inactive ingredients

butylated hydroxyanisole*, butylated hydroxytoluene*, carminic acid*, edible white ink, D&C yellow #10*, FD&C red #40, FD&C yellow#6, gelatin, glycerin, polyethylene glycol*, povidone, propylene glycol, purified water, sodium metabisulfite*, sorbitan*, sorbitol

*contains one or more of these ingredients

Questions or comments?

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

Principal Display Panel

†Compare to the active ingredients in Vick® DayQuil® Cold & flu LiquiCaps®†

MULTI-SYMPTOM COLD & FLU RELIEF

Pain Reliever / Fever Reducer - Acetaminophen

Cough Suppressant - Dextromethorphan HBr

Nasal Decongestant - Phenylephrine HCI

DAYTIME

Relieves Major Cold & Flu Symptoms:

Aches & Fever, Sore Throat, Coughing, Congestion

SOFTGELS

†This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil®, and LiquiCaps® are registered trademarks of The Procter Gamble Company.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN,

BROKEN OR SHOWS ANY SIGNS OF TAMPERING
KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION
DISTRIBUTED BY
FOODHOLD, U.S.A., LLC
LANDOVER, MD 20785
1-877-846-9949
© 2016 S&S Brands, LLC

Package Label

NDC 41520-068-24

Vicks® DayQuil® Cold & Flu LiquiCaps® *Compare to the active ingredients in

Cough Suppressant - Dextromethorphan HBr n Reliever/Fever Reducer - A

Nasal Decongestant - Phenylephrine HCI

eves Major Cold & Flu Symptoms: hes & Fever, Sore Throat,

ughing, Congestion



Drug Facts (continued)

Nasal decongestant Phenylephrine HCl 5 mg. Acetaminophen 325 mg......D Dextromethorphan HBr 10 mg.. Cough suppressant (legitos dos din each softgel) Purposes

When using this product, do not exceed recommended dosage.

Ask a doctor or pharmacist before use if you are taking the blood

persistent or chronic cough such as occurs with smoking, asthma, or

not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

(certain drugs for depression, psychiatric, or emotional conditions, or

accompanied or followed by fever, headache, rash, nausea, or vomiting,

If a skin reaction occurs, stop use and seek medical help right away.

■ skin reddening ■ blisters

■ 3 or more alcoholic drinks every day while using this product

■ with other drugs containing acetaminophen

■ more than 4,000 mg of acetaminophen in 24 hours

Sore throat warning: If sore throat is severe, persists for more than 2 days, is

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms

■ with any other drug containing acetaminophen (prescription or

■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI)

Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do

nonprescription). If you are not sure whether a drug contains acetaminophen,

■ µiôµ plooq bressure

condh that occurs with too much phiegm (mucus)

■ trouble urinating due to an enlarged prostate gland

■ heart disease ■ thyroid disease

Ask a doctor before use if you have

ask a doctor or pharmacist.

cousnit a doctor promptly.

Do not use

wsy include:

occur if you take:

SpnimsW

ешьиуѕета

■ cough due to minor throat and bronchial irritation

Drug Facts (continued)

Keep out of reach of children.

signs of a serious condition.

■ nervousness, dizziness, or sleeplessness occur

If pregnant or breast-feeding, ask a health professional before use.

 cough comes back or occurs with rash or headache that lasts. These could be redness or swelling is present
 new symptoms occur

■ fever gets worse or lasts more than 3 days

Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

#40", FD&C yellow #6, gelatin, glycerin, polyethylene glycol*, povidone, propylene glycol, purified water, sodium metabisulfite*, sorbitan*, sorbitol

■ store between 15-30°C (59-86°F)
■ avoid excessive heat

Inactive ingredients butylated hydroxyanisole", butylated hydroxytoluene", caminic acid", D&C yellow #10", edible white ink, FD&C red

■ when using other Daytime or Nighttime products, carefully read each

■ adults and children 12 years and over: take 2 softgels with water every 4 hours

DIFECTIONS

do not take more than directed (see Overdose warning)

right away. Quick medical attention is critical for adults as well as for children

damage. In case of overdose, get medical help or contact a Poison Control Cente

Overdose warning: Taking more than the recommended dose can cause liver

Questions or comments?

Other information

label to ensure correct dosing

■ children under 12 years: do not use

■ swallow whole; do not crush, chew, or dissolve

even if you do not notice any signs or symptoms.

■ do not take more than 4 doses in 24 hours

contains one or more of these ingredients

■ pain, cough, or nasal congestion gets worse or lasts more than 7 days

Stop use and ask a doctor if

Liver warning: This product contains acetaminophen. Severe liver damage may

■ minor aches and pains

pesqscpe temporarily relieves common cold and flu symptoms

sore throat

Drug Facts

Drug Facts (continued)

24 SOFTGE Actual Size

OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

FAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTE SIGNS OF **OR SHOWS ANY** BROKEN UNIT IS TORN,

CARE ONE Multi-Symptom Cold & Flu Relief

MULTI-SYMPTOM COLD AND FLU DAYTIME

acetaminohpen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

Droduct	Information
Product	iniormation

Product Type HUMAN OTC DRUG Item Code (Source) NDC:41520-068

Route of Administration ORAL

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	

Inactive Ingredients	
Ingredient Name	Strength
BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
GELATIN (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ 989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SORBITAN (UNII: 6O92ICV9RU)	
SORBITOL (UNII: 506T60A25R)	
CARMINIC ACID (UNII: CID8Z8N95N)	
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)	
SODIUM METABISULFITE (UNII: 4VON5FNS3C)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE	Size	20mm
Flavor		Imprint Code	P19;95A;512;P119
Contains			

l	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
l	1	NDC:41520-068- 24	24 in 1 CARTON	07/31/2016	
l	1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	07/31/2016		

Labeler - Care One (American Sales Company) (809183973)

Revised: 10/2023 Care One (American Sales Company)