

NITROGEN- nitrogen gas
MITCHELL WELDING SUPPLY

Nitrogen

NITROGEN, COMPRESSED NF

UN1066

Rx Only. **WARNING:** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken. **WARNING:** CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Read and follow the Safety Data Sheet (SDS) before use. **FIRST AID: IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. CAS: 7727-37-9 DO NOT REMOVE THIS PRODUCT LABEL.

MWS

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

www.mitchellwelding.com

CONTENTS: LTRS: CU.FT.



NITROGEN, COMPRESSED NF

UN1066

CONTENTS: LTRS: CU.FT.

WARNING: Rx Only. Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9

DO NOT REMOVE THIS PRODUCT LABEL.

MWS

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

www.mitchellwelding.com

**NITROGEN,
COMPRESSED
NF**

UN1066



CONTENTS: **LTRS:** **CU.FT.**

WARNING: **Rx Only.** Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION. Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a well-ventilated place. Protect from sunlight when ambient temperature exceeds 52°C (125°F). Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: **IF INHALED:** Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention.

CAS: 7727-37-9
DO NOT REMOVE THIS PRODUCT LABEL.

MWS 3539 Highway 271
Mitchell Welding Supply Tyler, TX 75708
903-593-7343
www.mitchellwelding.com



Nitrogen, Refrigerated Liquid NF

UN 1977

MWS

Mitchell Welding Supply

3539 Highway 271

Tyler, TX 75708

903-593-7343

www.mitchellwelding.com

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION

WARNING:

RX only. Administration of Nitrogen may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of Nitrogen and is familiar with the indications, effects, dosages, methods, and frequency, and duration of administration, and with the hazards, contraindications and side effects, and the precautions to be taken.

WARNING: CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. MAY DISPLACE OXYGEN AND CAUSE RAPID SUFFOCATION.


Do not handle until all safety precautions have been read and Do not handle until all safety precautions have been read and understood. Use and store only outdoors or in a

well-ventilated place. Wear cold insulating gloves, face shield, and eye protection. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. DO NOT change or force fit connections. Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention. IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

DO NOT REMOVE THIS PRODUCE LABEL.

CAS: 7727-37-9



NITROGEN				
nitrogen gas				
Product Information				
Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:72276-003	
Route of Administration	RESPIRATORY (INHALATION)			
Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	990 mL in 1 L		
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	NDC:72276	12310 L in 1 CYLINDER; Type 0; Net		

1	NDC:72276-003-01	13819 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
2	NDC:72276-003-02	12176 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
3	NDC:72276-003-03	9656 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
4	NDC:72276-003-04	8608 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
5	NDC:72276-003-05	7221 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
6	NDC:72276-003-06	6454 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
7	NDC:72276-003-07	4021 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
8	NDC:72276-003-08	3228 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
9	NDC:72276-003-09	2152 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
10	NDC:72276-003-10	1104 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
11	NDC:72276-003-11	651 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
12	NDC:72276-003-12	538 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
13	NDC:72276-003-13	396 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
14	NDC:72276-003-14	198 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
15	NDC:72276-003-15	113 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
16	NDC:72276-003-16	7079 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
17	NDC:72276-003-17	4021 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
18	NDC:72276-003-18	651 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
19	NDC:72276-003-19	566 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
20	NDC:72276-003-20	396 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
21	NDC:72276-003-21	142 L in 1 CYLINDER; Type 0: Not a Combination Product	12/10/2019	
22	NDC:72276-003-22	87773 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
23	NDC:72276-003-23	92489 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
24	NDC:72276-003-24	102281 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
25	NDC:72276-003-25	107722 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
26	NDC:72276-003-26	114976 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
27	NDC:72276-003-27	132023 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
28	NDC:72276-003-28	137463 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
29	NDC:72276-003-29	247724 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
30	NDC:72276-003-30	363063 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	

31	NDC:72276-003-31	91400 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
32	NDC:72276-003-32	101556 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
33	NDC:72276-003-33	124406 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	
34	NDC:72276-003-34	143267 L in 1 DEWAR; Type 0: Not a Combination Product	12/10/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA205766	12/10/2019	

Labeler - MITCHELL WELDING SUPPLY (047833462)

Establishment

Name	Address	ID/FEI	Business Operations
MITCHELL WELDING SUPPLY		118920889	manufacture(72276-003)

Revised: 11/2025

MITCHELL WELDING SUPPLY