

NATURAL ASPIRIN PLUS LEMON AND HONEY DIETARY SUPPLEMENT- aspirin Applied Biological Laboratories Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Biovanta New & Improved Convenience Kit: Natural Aspirin Tablet + Lemon & Honey Lozenge Dietary Supplement

Drug Facts

Active ingredient

Aspirin 325 mg (NSAID)*

*nonsteroidal anti-inflammatory drug

Purpose

Pain reliever and fever reducer

Uses

For temporary relief of minor aches and pain associated with chills, headache, body aches, fever, and sore throat.

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy Alert: Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed.

Do not use if allergic to milk, egg, wintergreen oil, and/or menthol, or have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if stomach bleeding warning applies to you, you have a history of stomach problems, such as heartburn, you have high blood pressure, heart

disease, liver cirrhosis, or kidney disease, you have asthma, you are taking a diuretic.

Ask a doctor or pharmacist before use if you are taking a prescription drug for anticoagulation, diabetes, gout or arthritis.

Stop use and ask a doctor if: an allergic reaction occurs. Seek medical help right away. • you experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • ringing in the ears or a loss or hearing occurs

If Pregnant or Breast-feeding: Ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

KEEP OUT OF REACH OF CHILDREN

In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions

- Drink a full glass of water with each dose
- Adults and children 12 years and over: Take 1 to 2 tablets every 4 hours while symptoms last
- Do not take more than 12 tablets in 24 hours unless directed by a doctor
- Children under 12 years: do not use unless directed by a doctor

Inactive ingredients

Bamboo extract, calcium carbonate, coconut oil, dicalcium phosphate, maize starch, pectin, sodium alginate, stearic acid, sugar, sunflower lecithin

biovanta[®]

(NSAID*) Non-Drowsy | Sugar Free

MULTI-SYMPTOM RELIEF COLD

FOR PAIN RELIEF ASSOCIATED WITH: Chills, Headache, Fever, and Sore Throat

TAKE TABLET

1. Take Tablet to Treat Symptoms

4 TABLETS

Questions or Comments?

866-889-3959

info@appliedbioinc.com

Distributed by:

Applied Biological Laboratories

760 Parkside Ave., 317
 Brooklyn, New York 11226
IMMUNE-SUPPORTING* LOZENGE
LEMON & HONEY
TAKE LOZENGE
 2. Take Lozenge to Help Support Immunity
 24 Lozenges DIETARY SUPPLEMENT



Drug Facts (for plant-based aspirin tablet)

Active Pharmaceutical Ingredient (one pressed tablet) **Purpose**
 Aspirin 325 mg (NSAID)* Pain Reliever and Fever Reducer
 nonsteroidal anti-inflammatory drug

Uses
 For temporary relief of minor aches and pain associated with chills, headache, body aches, fever, and sore throat.

Warnings
Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.
Allergy Alert: Aspirin may cause a severe allergic reaction which may include hives, facial swelling, asthma (wheezing), shock.
Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if you: • are age 60 or older • have had stomach ulcers or bleeding problems • take a blood thinning (anticoagulant) or steroid drug • take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others) • have 3 or more alcoholic drinks every day while using this product • take more or for a longer time than directed
 Do not use if allergic to milk, egg, watergreen oil, and/or menthol, or have ever had an allergic reaction to this product or any of its ingredients.
 Ask a doctor before use if stomach bleeding warning applies to you, you have a history of stomach problems, such as heartburn, you have high blood pressure, heart disease, liver cirrhosis, or kidney disease, you have asthma, you are taking a diuretic.
 Ask a doctor or pharmacist before use if you are taking a prescription drug for anticoagulation, diabetes, gout or arthritis.
 Stop use and ask a doctor if: an allergic reaction occurs. Seek medical help right away. • you experience any of the following signs of stomach bleeding: feel faint, vomit blood, have bloody or black stools, have stomach pain that does not get better • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • ringing in the ears or a loss of hearing occurs
If Pregnant or Breast-feeding: Ask a health professional before use. It is especially important not to use aspirin during the last 3 months of pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.
KEEP OUT OF REACH OF CHILDREN
 In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions:
 • Drink a full glass of water with each dose
 • Adults and children 12 years and over: Take 1 to 2 tablets every 4 hours while symptoms last
 • Do not take more than 12 tablets in 24 hours unless directed by a doctor
 • Children under 12 years: do not use unless directed by a doctor

Inactive Ingredients: Bamboo Extract, Calcium Carbonate, Coconut Oil, Dicalcium Phosphate, Maize Starch, Pectin, Sodium Alginate, Stearic Acid, Sugar, Sunflower Lecithin

Supplement Facts (for immune-supporting lozenge)

Serving Size: 1 lozenge (2.5 g)
 Servings Per Container: 24

Amount per serving	% DV
Watergreen Leaf Oil	6.0 mg +
Lysozyme	5.2 mg +
Menthol	4.7 mg +
Lactiferin	0.5 mg +
Aloe Vera Leaf Extract	0.3 mg +

* Daily Value (DV) not established.

Directions:
 • Dissolve 1 lozenge slowly in mouth
 • Repeat every hour as needed or as directed by a health care provider
 • Consult a health care provider: • children under 6 • pregnant or nursing women
 • Limit usage to 6 times daily

Other Ingredients: Isomalt, Honey Lemon Flavor, Turmeric and Yellow Gardenia Color, Rebaudioside A, Honey
 Do not use if allergic to milk, egg, watergreen oil, and/or menthol, or have ever had an allergic reaction to this product or any of its ingredients. Keep out of reach of children.

biovanta
 The combination of the Biovanta tablet and dietary supplement lozenge has been proven in randomized double-blind placebo controlled (RDBPC) clinical trials to relieve common cold symptoms and in scientific studies in human respiratory tissue to effectively reduce upper respiratory inflammation.

NSAID Tablet
 PLANT-BASED ASPIRIN
 Acetylsalicylic Acid

Why plant-based aspirin?
 We isolate salicylate (found in many fruits and vegetables) and convert it into clean, plant-based aspirin through minimal processing. We use aspirin because it's a proven and effective anti-inflammatory.

Questions or Comments?
 866-889-3959
 info@appliedbioinc.com

Distributed by:
 Applied Biological Laboratories
 760 Parkside Ave., 317
 Brooklyn, New York 11226

8 50013 29419 0

MADE FROM **NATURAL** 100% INGREDIENTS
 NOW WITH MORE OF THE ACTIVE INGREDIENTS

NEW & IMPROVED
 Convenience Kit

biovanta
 (NSAID*) Non-Drowsy | Sugar Free

MULTI-SYMPOM RELIEF COLD
 FOR PAIN RELIEF ASSOCIATED WITH: Chills, Headache, Fever, and Sore Throat

TAKE TABLET
 1. Take Tablet to Treat Symptoms
 4 TABLETS

IMMUNE-SUPPORTING* LOZENGE
 LEMON & HONEY

TAKE LOZENGE
 2. Take Lozenge to Help Support Immunity
 24 LOZENGES DIETARY SUPPLEMENT

Dietary Supplement Lozenge

LACTOFERIN LYSOZYME ALOE
 PROPRIETARY IMMUNE COMPLEX
 Strengthens Mucosal Immunity*

MENTHOL Soothe WINTERGREEN OIL Soothe

Supports mucosal immunity*

SCAN TO LEARN MORE

IPPSOLAR GREENWATER PETA

*This statement has not been evaluated by the Food and Drug Administration. The dietary supplement component of this product is not intended to diagnose, treat, cure or prevent any disease.

www.biovanta.com to learn more

NATURAL ASPIRIN PLUS LEMON AND HONEY DIETARY SUPPLEMENT

aspirin kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73678-100
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73678-100-01	1 in 1 KIT; Type 0: Not a Combination Product	04/25/2023	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	0 BLISTER PACK	1

Part 1 of 1

NATURAL ASPIRIN

aspirin tablet

Product Information

Item Code (Source)	NDC:73678-101
---------------------------	---------------

Route of Administration	ORAL
--------------------------------	------

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
STARCH, CORN (UNII: O8232NY3SJ)	
PECTIN (UNII: 89NA02M4RX)	
SUCROSE (UNII: C151H8M554)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
LECITHIN, SUNFLOWER (UNII: 834K0WOS5G)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
COCONUT OIL (UNII: Q9L0O73W7L)	
BAMBUSA VULGARIS TOP (UNII: FIW80T6P6V)	
SODIUM ALGINATE (UNII: C269C4G2ZQ)	

Product Characteristics

Color	white	Score	score with uneven pieces
Shape	ROUND	Size	9mm
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	04/25/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		04/25/2023	

Labeler - Applied Biological Laboratories Inc. (080512733)

Revised: 4/2023

Applied Biological Laboratories Inc.