

**LORATADINE ANTIHISTAMINE ANTIHISTAMINE- loratadine tablet
REMEDYREPACK INC.**

Perrigo Loratadine Tablets, 10 mg Drug Facts

OTC - ACTIVE INGREDIENT

Loratadine 10 mg

OTC - PURPOSE

Antihistamine

INDICATIONS & USAGE

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

WARNINGS

if you have ever had an allergic reaction to this product or any of its ingredients

liver or kidney disease. Your doctor should determine if you need a different dose.

do not take more than directed. Taking more than directed may cause drowsiness.

an allergic reaction to this product occurs. Seek medical help right away.

ask a health professional before use.

In case of overdose, get medical help or contact a Poison Control Center right away.

DOSAGE & ADMINISTRATION

adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours

children under 6 years of age

children under 6 years of age ask a doctor

consumers with liver or kidney disease ask a doctor

STORAGE AND HANDLING

- do not use if printed foil under cap is broken or missing
- store at 20°-25°C (68°-77°F)

INACTIVE INGREDIENT

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

OTC - QUESTIONS

1-800-719-9260

PACKAGE LABEL PRINCIPAL DISPLAY PANEL SECTION

DRUG: Loratadine antihistamine antihistamine

GENERIC: Loratadine

DOSAGE: TABLET

ADMINISTRATION: ORAL

NDC: 49349-218-20

ACTIVE INGREDIENT(S):

- LORATADINE 10mg in 1

INACTIVE INGREDIENT(S):

- LACTOSE MONOHYDRATE
- POVIDONE
- MAGNESIUM STEARATE
- STARCH, CORN

COLOR: white

SHAPE: OVAL

SCORE: No score

SIZE: 8 mm

IMPRINT: L612

PACKAGING: 100 in 1 VIAL

LORATADINE **10 MG TAB**
QTY:00100
NDC#: 49349-0218-20 INT:PP ID#:L612
EXPIRES: 01/2014
LOT#: DP113012345
COL: white SHP: oval
DIST: PERRIGO, ALLEGAN, MI 49010
MFG: PERRIGO, ALLEGAN, MI 49010
A. Caution Federal law prohibits transfer of this drug to any person other than for whom it was prescribed.
B. Store at a temperature between 15 degree C and 30 degree C (59 degree F and 86 degree F) (see USP).
C. Re-packaged by: RemedyRepack Inc. 655 Kohler Dr. Indiana, PA 15701. 1-724-465-8762



LORATADINE ANTIHISTAMINE ANTIHISTAMINE

loratadine tablet

Product Information

Product Type	HUMAN PRESCRIPTION DRUG	Item Code (Source)	NDC:49349-218 (NDC:45802-650)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients

Ingredient Name	Strength
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
POVIDONE (UNII: FZ989GH94E)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL (TABLET)	Size	8mm
Flavor		Imprint Code	L612

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49349-218-20	100 in 1 VIAL		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076301	05/20/2013	

Labeler - REMEDYREPACK INC. (829572556)

Revised: 5/2013

REMEDYREPACK INC.