

SUAVE POWDER ANTIPERSPIRANT AND DEODORANT- aluminum chlorohydrate aerosol, spray

Conopco Inc. d/b/a Unilever

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Suave Aerosol Powder Antiperspirant Deodorant

Active ingredient

Aluminum chlorohydrate (8.8%)

Purpose

anti-perspirant

Uses

- reduces underarm wetness
- 24 hour protection

WARNINGS

FLAMMABLE UNTIL FULLY DRY. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.

- **Keep away from face and mouth to avoid breathing in.**
- **Avoid spraying in eyes.**
- **Contents under pressure.**
- **Do not puncture or incinerate.**
- **Do not expose to heat or store at temperatures above 120 degrees F/50 degrees C or in enclosed places that could overheat.**
- **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.**
- **Help stop inhalation abuse. For information visit www.inhalant.org**
- **Do not use on broken skin.**
- **Stop use if rash or irritation occurs.**
- **Ask a doctor before using if you have kidney disease.**
- **KEEP OUT OF REACH OF CHILDREN.**

Directions

apply to underarms only

Inactive ingredients

Butane, cyclopentasiloxane, hydrofluorcarbon 152a, isopropyl palmitate, talc, disteardimonium hectorite, isobutane, fragrance (parfum), propylene carbonate, propane

Questions or comments?

Visit us at www.suave.com or call us at 1-800-782-8301 Mon-Fri 8:30 am - 6:00 pm EST

PDP 6 oz



24 HOUR protection



powder

AEROSOL

anti-perspirant deodorant

net wt. 6oz. (170g)

Drug Facts

Active ingredient	Purpose
Aluminum chlorohydrate (8.8%)	anti-perspirant

- Uses**
- reduces underarm wetness
 - 24 hour protection


- WARNINGS**
- FLAMMABLE UNTIL FULLY DRY. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.**
- Keep away from face and mouth to avoid breathing in.
 - Avoid spraying in eyes.
 - Contents under pressure.
 - Do not puncture or incinerate.
 - Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat.
 - Do not use on broken skin.
 - Stop use if rash or irritation occurs.
 - Ask a doctor before using if you have kidney disease.
 - **KEEP OUT OF REACH OF CHILDREN.**
 - **USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL.**
 - Help stop inhalation abuse. For information visit www.inhalant.org

Directions apply to underarms only

Inactive ingredients
 Butane, cyclopentasiloxane, hydrofluorocarbon 152a, isopropyl palmitate, talc, disteardimonium hectorite, isobutane, fragrance (parfum), propylene carbonate, propane

Questions or comments?
 Visit us at www.suave.com or call us at 1-800-782-8301 Mon-Fri 8:30am-6:00pm EST

- Shake well, hold can 6 inches from underarm and spray
- Use daily for best results
- If dispenser clogs, rinse in warm water



The Suave Promise:
 We guarantee your full satisfaction or we will replace or refund your purchase.

Contains no CFC's,
 Meets NY Clean Air Standards.

Dist. by
 © Unilever
 Trumbull, CT
 06611
 MADE IN USA
 83168944



SUAVE POWDER ANTIPERSPIRANT AND DEODORANT

aluminum chlorohydrate aerosol, spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64942-1292
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ALUMINUM CHLOROHYDRATE (UNII: HPN8MZW13M) (ALUMINUM CHLOROHYDRATE - UNII:HPN8MZW13M)	ALUMINUM CHLOROHYDRATE	8.8 g in 100 g

Inactive Ingredients

Ingredient Name	Strength

BUTANE (UNII: 6LV4FOR43R)	
1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0)	
CYCLOMETHICONE 5 (UNII: 0THI5PCI0R)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
TALC (UNII: 7SEV7J4R1U)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
ISOBUTANE (UNII: BXR49TP611)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
PROPANE (UNII: T75W9911L6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64942-1292-1	170 g in 1 CAN; Type 0: Not a Combination Product	03/01/2013	
2	NDC:64942-1292-2	113 g in 1 CAN; Type 0: Not a Combination Product	03/01/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part350	03/01/2013	

Labeler - Conopco Inc. d/b/a Unilever (001375088)

Revised: 12/2018

Conopco Inc. d/b/a Unilever