

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 1 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 2 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 3 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 4 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 MEDIUM 5 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 MEDIUM 6 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 MEDIUM 7 - BEIGE- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 OBSCURE 8 - BROWN- octinoxate, titanium dioxide, and zinc oxide paste

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 OBSCURE 9 - BROWN- octinoxate, titanium dioxide, and zinc oxide paste

Ventura International LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

L'BEL MOUSSE MATIFFIANT Matte Finish Mousse Foundation SPF 16 Base Textura Mousse Acabado Mate FPS 16

Drug Facts

| <i>Active Ingredients</i> | <i>Purpose</i> |
|----------------------------------|-----------------------|
| OCTINOXATE 6.50 % | Sunscreen |
| TITANIUM DIOXIDE 2.4% | Sunscreen |
| ZINC OXIDE 1.568% | Sunscreen |

Uses

- Helps prevent sunburn

Warnings

- Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Apply lipstick following the curves of natural lip line. For added definition, use with a lip pencil.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

CYCLOPENTASILOXANE, MICA, DIMETHICONE CROSSPOLYMER, DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER, TRIMETHYLSILOXYSILICATE, CYCLOHEXASILOXANE, BIS-HYDROXYETHOXYPROPYL DIMETHICONE, OCTYLDODECANOL, PHENOXYETHANOL, BORON NITRIDE, DISTEARDIMONIUM HECTORITE, ALUMINA, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, MICROCRYSTALLINE WAX, SILICA, HEXYL LAURATE, DIMETHICONOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, LAUROYL LYSINE, PETROLATUM, PROPYLENE CARBONATE, METHICONE, PHOSPHOLIPIDS, RHODIOLA ROSEA ROOT EXTRACT, CHOLESTEROL, BHA, BHT, CARNOSINE, TRIETHOXYCAPRYLYLSILANE, EUPHORBIA CERIFERA (CANDELILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, GLYCOSPHINGOLIPIDS, ALANYL GLUTAMINE.

MAY CONTAIN:

TITANIUM DIOXIDE , IRON OXIDES..

Dist. by Ventura Int Ltd. DBA
Belcorp USA, Miami, FL 33126.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 1 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

MOUSSE
MATIFFIANT

matte finish mousse
foundation
SPF 16

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** if swallowed, get medical help or contact a poison control center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

**Drug Facts
(Continued)**

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiacerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./ Vence:

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 2 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

**MOUSSE
MATIFFIANT**

matte finish mousse
**foundation
SPF 16**

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

■ **Other Information**

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

**Drug Facts
(Continued)**

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferia (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia. Exp./ Vence:

www.loral.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 3 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

MOUSSE
MATIFFIANT

matte finish mousse
foundation
SPF 16

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** if swallowed, get medical help or contact a poison control center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

Drug Facts
(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferina (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./ Vence: www.bel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLAIRE 4 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

**MOUSSE
MATIFFIANT**

matte finish mousse
**foundation
SPF 16**

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

■ **Other Information**

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

**Drug Facts
(Continued)**

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferia (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. **PUERTO RICO:** Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia. Exp./ Vence:

www.loreal.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIUM 5 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

MOUSSE
MATIFFIANT

matte finish mousse
foundation
SPF 16

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** if swallowed, get medical help or contact a poison control center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

**Drug Facts
(Continued)**

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferia (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./ Vence:

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIUM 6 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

**MOUSSE
MATIFFIANT**

matte finish mousse
**foundation
SPF 16**

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

■ **Other Information**

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

**Drug Facts
(Continued)**

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferia (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia. Exp./ Vence:

www.loral.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIUM 7 - BEIGE

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

MOUSSE
MATIFFIANT

matte finish mousse
foundation
SPF 16

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** if swallowed, get medical help or contact a poison control center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

Drug Facts
(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferina (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./ Vence:

www.lbel.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - OBSCURE 8 - BROWN

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

**MOUSSE
MATIFFIANT**

matte finish mousse
**foundation
SPF 16**

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** If swallowed, get medical help or contact a poison control center right away.

■ **Directions** ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

■ **Other Information**

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

**Drug Facts
(Continued)**

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferia (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia. Exp./ Vence:

www.loral.com

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - OBSCURE 9 - BROWN

L'BEL

MOUSSE

matte finish mousse

foundation

SPF 16

Net Wt. 1 oz. (30 g)



L'BEL

MOUSSE
MATIFFIANT

matte finish mousse
foundation
SPF 16

base textura mousse
acabado mate
FPS 16

Net Wt. 1 oz. (30 g)

Drug Facts

Active Ingredients Purpose

Octinoxate (6.5%) Sunscreen
Titanium Dioxide (2.4%) Sunscreen
Zinc Oxide (1.5%) Sunscreen

Uses ■ Helps prevent sunburn.

Warnings

■ **Skin cancer / skin aging alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ **For external use only.**

■ **Do not use** on damaged or broken skin.

■ **When using this product** keep out of eyes. rinse with water to remove.

■ **Stop use and ask a doctor** if rash occurs.

■ **Keep out of reach of children.** if swallowed, get medical help or contact a poison control center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure.

■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: ask a doctor.

Other Information

■ Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients

Cyclopentasiloxane, mica, dimethicone crosspolymer, dimethicone/vinyl dimethicone crosspolymer, trimethylsiloxysilicate,

Drug Facts
(Continued)

cyclohexasiloxane, bis-hydroxyethoxypropyl dimethicone, octyldodecanol, phenoxyethanol, boron nitride, disteardimonium hectorite, alumina, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, microcrystalline wax, silica, hexyl laurate, dimethiconol, caprylyl glycol, tocopheryl acetate, chlorphenesin, lauroyl lysine, petrolatum, propylene carbonate, methicone, phospholipids, rhodiola rosea root extract, cholesterol, bha, bht, carnosine, triethoxycaprylylsilane, euphorbiaciferina (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, alanyl glutamine.

May contain: titanium dioxide, iron oxides.

U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126, Made in Colombia. PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926 Made in Colombia
Exp./ Vence:

www.bel.com

**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16
BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 1 - BEIGE**

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-845 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| LAUROYL LYSINE (UNII: 113171Q70B) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CARNOSINE (UNII: 8HO6PVN24W) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| CANDELILLA WAX (UNII: WL0328HX19) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) | |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-845-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-845-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16
BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 2 - BEIGE**

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-846 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CYCLOMETHICONE 5 (UNII: 0THF5PCI0R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| LAUROYL LYSINE (UNII: 113171Q70B) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |

| |
|---|
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) |
| CHOLESTEROL (UNII: 97C5T2UQ7J) |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| CARNOSINE (UNII: 8HO6PVN24W) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| CANDELILLA WAX (UNII: WL0328HX19) |
| YELLOW WAX (UNII: 2ZA36H0S2V) |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS) |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) |
| CARNAUBA WAX (UNII: R12CBM0EIZ) |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-846-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-846-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 3 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-847 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|-----------------|----------|
|-----------------|----------|

| |
|---|
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) |
| MICA (UNII: V8A1AW0880) |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) |
| OCTYLDODECANOL (UNII: 461N1O614Y) |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) |
| BORON NITRIDE (UNII: 2U4T60A6YD) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| ALUMINUM OXIDE (UNII: LM26O6933) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| CHLORPHENESIN (UNII: I670DAL4SZ) |
| LAUROYL LYSINE (UNII: 113171Q70B) |
| PETROLATUM (UNII: 4T6HI2BN9U) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) |
| CHOLESTEROL (UNII: 97C5T2UQ7J) |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| CARNOSINE (UNII: 8HO6PVN24W) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| CANDELILLA WAX (UNII: WL0328HX19) |
| YELLOW WAX (UNII: 2ZA36H0S2V) |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS) |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) |
| CARNAUBA WAX (UNII: R12CBM0EIZ) |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-847-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-847-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16
BASE TEXTURA MOUSSE ACABADO MATE FPS 16 CLAIRE 4 - BEIGE**

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-848 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|--|-----------------|
| CYCLOMETHICONE 5 (UNII: 0THF5PCI0R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| LAUROYL LYSINE (UNII: 113171Q70B) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CARNOSINE (UNII: 8HO6PVN24W) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| CANDELILLA WAX (UNII: WL0328HX19) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) | |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) | |

FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-848-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-848-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 MEDIUM 5 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-849 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CYCLOMETHICONE 5 (UNII: 0THF5PCI0R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |

| |
|---|
| LAUROYL LYSINE (UNII: 113171Q70B) |
| PETROLATUM (UNII: 4T6H12BN9U) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) |
| CHOLESTEROL (UNII: 97C5T2UQ7J) |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| CARNOSINE (UNII: 8HO6PVN24W) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| CANDELILLA WAX (UNII: WL0328HX19) |
| YELLOW WAX (UNII: 2ZA36H0S2V) |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) |
| CARNAUBA WAX (UNII: R12CBM0EIZ) |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-849-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-849-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 MEDIUM 6 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-850 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CYCLOMETHICONE 5 (UNII: 0THT5PC10R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| LAUROYL LYSINE (UNII: 113171Q70B) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CARNOSINE (UNII: 8HO6PVN24W) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| CANDELILLA WAX (UNII: WL0328HX19) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) | |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-850-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-850-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 MEDIUM 7 - BEIGE

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-851 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CYCLOMETHICONE 5 (UNII: 0THT5PC10R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| LAUROYL LYSINE (UNII: 113171Q70B) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CARNOSINE (UNII: 8HO6PVN24W) | |
| TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E) | |
| CANDELILLA WAX (UNII: WL0328HX19) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |

| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229 XJ4V12) | | | | |
|--|--|---|----------------------|--------------------|
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) | | | | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | | | | |
| Packaging | | | | |
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:14783-851-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-851-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |
| Marketing Information | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | | |

**LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16
 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 OBSCURE 8 - BROWN**
 octinoxate, titanium dioxide, and zinc oxide paste

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Information | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-852 |
| Route of Administration | TOPICAL | | |

| Active Ingredient/Active Moiety | | | |
|---|-------------------|----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g | |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g | |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g | |

| Inactive Ingredients | | |
|--|----------|--|
| Ingredient Name | Strength | |
| CYCLOMETHICONE 5 (UNII: 0THF5PCI0R) | | |
| MICA (UNII: V8A1AW0880) | | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | | |
| ALUMINUM OXIDE (UNII: LM26O6933) | | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | | |

| |
|---|
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| CHLORPHENESIN (UNII: I670DAL4SZ) |
| LAUROYL LYSINE (UNII: 113171Q70B) |
| PETROLATUM (UNII: 4T6H12BN9U) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) |
| CHOLESTEROL (UNII: 97C5T2UQ7J) |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) |
| CARNOSINE (UNII: 8HO6PVN24W) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| CANDELILLA WAX (UNII: WL0328HX19) |
| YELLOW WAX (UNII: 2ZA36H0S2V) |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS) |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) |
| CARNAUBA WAX (UNII: R12CBM0EIZ) |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) |
| FERRIC OXIDE RED (UNII: 1K09F3G675) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-852-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-852-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

LBEL MOUSSE MATIFFIANT MATTE FINISH MOUSSE FOUNDATION SPF 16 BASE TEXTURA MOUSSE ACABADO MATE FPS 16 OBSCURE 9 - BROWN

octinoxate, titanium dioxide, and zinc oxide paste

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14783-853 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------------|
| Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51) | Octinoxate | 0.065 g in 1 g |
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 0.024 g in 1 g |
| Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc Oxide | 0.015 g in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| MICA (UNII: V8A1AW0880) | |
| CYCLOMETHICONE 6 (UNII: XHK3U310BA) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| BORON NITRIDE (UNII: 2U4T60A6YD) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| ALUMINUM OXIDE (UNII: LM26O6933) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| MICROCRYSTALLINE WAX (UNII: XOF597Q3KY) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| LAUROYL LYSINE (UNII: 113171Q70B) | |
| PETROLATUM (UNII: 4T6H12BN9U) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| LECITHIN, SOYBEAN (UNII: 1DI56QDM62) | |
| SEDUM ROSEUM ROOT (UNII: 3S5ITS5ULN) | |
| CHOLESTEROL (UNII: 97C5T2UQ7J) | |
| BUTYLATED HYDROXYANISOLE (UNII: REK4960K2U) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| CARNOSINE (UNII: 8HO6PVN24W) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| CANDELILLA WAX (UNII: WL0328HX19) | |
| YELLOW WAX (UNII: 2ZA36H0S2V) | |
| CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS) | |
| CETEARYL GLUCOSIDE (UNII: 09FUA47KNA) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12) | |
| ALANYL GLUTAMINE (UNII: U5JDO2770Z) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:14783-853-02 | 1 in 1 BOX | | |
| 1 | NDC:14783-853-01 | 30 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|---------------------|--|----------------------|--------------------|
| OTC MONOGRAPH FINAL | part352 | 11/20/2015 | |

Labeler - Ventura International LTD (603192787)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-----------------------------|---------|-----------|--|
| Bel Star S.A. (Colombia) | | 880160197 | MANUFACTURE(14783-845, 14783-846, 14783-847, 14783-848, 14783-849, 14783-850, 14783-851, 14783-852, 14783-853) |

Revised: 11/2015

Ventura International LTD