

CLEAR ANTI-ITCH- pramoxine hcl, zinc acetate lotion
Meijer, Inc.

Meijer 218.002/218AF
Clear Anti-Itch Lotion

Active ingredients

Pramoxine HCl 1%

Zinc acetate 0.1%

Purpose

External analgesic

Skin protectant

Uses

- for the temporary relief of pain and itching associated with minor skin irritations and rashes due to poison ivy, poison oak or poison sumac
- dries the oozing and weeping of poison: - ivy - oak - sumac

Warnings

For external use only

When using this product

- do not get into eyes

Stop use section and ask a doctor if

- condition worsens
- symptoms last more than 7 days or clear up and occur again within a few days

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well
- before applying wash affected area of skin

adults and children 2 years of age and older - apply to affected area not more than 3 to 4 times daily

children under 2 years - ask a doctor

Other information

store at room temperature (59° - 77° F)

Inactive ingredients

alcohol, benzoic acid, camphor, citric acid, fragrance, glycerin, hydroxypropyl methylcellulose, Lavandula angustifolia (lavender) oil, polysorbate 40, Rosmarinus officinalis (rosemary) leaf oil, sodium citrate, water

disclaimer

*THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY BAUSCH HEALTH US, LLC, DISTRIBUTOR OF CALADRYL[®] CLEAR LOTION.

ADVERSE REACTION

OUR QUALITY GUARANTEE

The Meijer Family

www.meijer.com/satisfaction

DISTRIBUTED BY MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

Principal Panel Display

NDC 41250-218-30

Meijer[®]

Compare to Caladryl[®] Clear[®] Active Ingredients*

CLEAR

Anti-Itch

Lotion

External Analgesic/Skin Protectant

Drying Action Plus Itch Relief

Dries Clear

For relief from pain and itching due to:

- Poison Ivy
- Poison Sumac

- Insect Bites
- Poison Oak
- Minor Skin Irritation

Empty & Replace Cap

Plastic Bottle

how2recycle.info

6 FL OZ (177 mL)

meijer
CLEAR
Anti-Itch Lotion
EXTERNAL ANALGESIC SKIN PROTECTANT

For relief from pain and itching due to:
 • Poison Ivy
 • Poison Sumac
 • Insect Bites
 • Poison Oak
 • Minor Skin Irritation

6 FL OZ (177 mL)

COMPARE TO CALADRYL® CLEAR® ACTIVE INGREDIENTS*

2

Drying action plus itch relief
Dries clear

Drug Facts

Active Ingredients
 Pramoxine HCl 1%
 Zinc acetate 0.1%

Purpose
 External analgesic
 Skin protectant

Uses ■ for the temporary relief of pain and itching associated with minor skin irritations and rashes due to poison ivy, poison oak or poison sumac ■ dries the oozing and weeping of poison: ■ ivy ■ oak ■ sumac

Warnings
 For external use only
 When using this product ■ do not get into eyes
 Stop use and ask a doctor if ■ condition worsens ■ symptoms last more than 7 days or clear up and occur again within a few days
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ shake well ■ before applying wash affected area of skin
 adults and children 2 years of age and older apply to affected area not more than 3 to 4 times daily
 children under 2 years ask a doctor

Other information store at room temperature (59°-77° F)

Inactive ingredients alcohol, benzoic acid, camphor, citric acid, fragrance, glycerin, hydroxypropyl methylcellulose, Lavandula angustifolia (lavender) oil, polysorbate 40, Rosmarinus officinalis (rosemary) leaf oil, sodium citrate, water

OUR QUALITY GUARANTEE
 THIS PRODUCT IS NOT MANUFACTURED OR DISTRIBUTED BY BAUSCH HEALTH US, LLC, DISTRIBUTOR OF CALADRYL® CLEAR® LOTION.
 DISTRIBUTED BY MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com

PID 422889
 L00024685F 0 4 1250 56735 6

CLEAR ANTI-ITCH

pramoxine hcl, zinc acetate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:41250-218
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
PRAMOXINE HYDROCHLORIDE (UNII: 88AYB867L5) (PRAMOXINE - UNII:068X84E056)	PRAMOXINE HYDROCHLORIDE	10 mg in 1 mL
ZINC ACETATE (UNII: FM5526K07A) (ZINC CATION - UNII:13S1S8SF37)	ZINC ACETATE	1 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
BENZOIC ACID (UNII: 8SKNOB0MIM)	

CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
POLYSORBATE 40 (UNII: STI11B5A2X)	
ROSEMARY OIL (UNII: 8LGU7VM393)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41250-218-30	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	06/02/2009	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	06/02/2009	

Labeler - Meijer, Inc. (006959555)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(41250-218)

Revised: 2/2026

Meijer, Inc.