

TYLENOL EXTRA STRENGTH, TRAVEL BASIX- acetaminophen tablet, coated
TYLENOL EXTRA STRENGTH, CVP HEALTH- acetaminophen tablet, coated
TYLENOL EXTRA STRENGTH- acetaminophen tablet, coated
Lil' Drug Store Products, Inc.

Tylenol[®] Extra Strength
Lil' Drug Store[®], TRAVEL BASIX, CVP[®] HEALTH

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">▪ take 2 caplets every 6 hours while symptoms last▪ do not take more than 6 caplets in 24 hours, unless directed by a doctor▪ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- store between 20-25°C (68-77°F)
- **do not use if carton or pouch is torn or damaged**

Inactive ingredients

carnauba wax ¹, corn starch ¹, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, modified starch ¹, polyethylene glycol ¹, powdered cellulose, pregelatinized starch, propylene glycol, shellac, sodium starch glycolate, titanium dioxide

¹ contains one or more of these ingredients

Questions or comments?

call **1-877-895-3665** (toll-free) or **215-273-8755** (collect)

Product distributed by:

JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA

Repackaged and distributed by:

Lil' Drug Store Products, Inc., 9300 Earhart Lane SW
Cedar Rapids, IA 52404

Tylenol ES Caplets, Lil' Drug Store [®] - PDP/Package

TYLENOL [®]

FOR ADULTS

Acetaminophen

Pain Reliever

Fever Reducer

EXTRA STRENGTH

500 mg each

6

Caplets

Lil'

Drug Store [®]

6 Caplets

TYLENOL

Drug Facts (continued)

Other Information

- store between 20-25°C (68-77°F)
- **do not use if carton or pouch is torn or damaged**

Inactive Ingredients

camauaba wax*, corn starch*, FD&C red no. 40 aluminum lake, hypromellose, magnesium stearate, modified starch*, polyethylene glycol*, powdered cellulose, pregelatinized starch, propylene glycol, shellac, sodium starch glycolate, titanium dioxide

*contains one or more of these ingredients

Questions or comments?

call 1-877-895-3665 (toll-free) or 215-273-8755 (collect)

Product distributed by:
JOHNSON & JOHNSON CONSUMER INC.
McNeil Consumer Healthcare Division
Fort Washington, PA 19034 USA
©J&JCI 2016

Visit us at www.tylenol.com or
call toll-free 1-877-TYLENOL (1-877-895-3665)

Repackaged and distributed by:
Lil' Drug Store Products, Inc., 9300 Earhart Lane SW
Cedar Rapids, IA 52404 1-877-507-6516 (M-F 8AM-4:30PM CST)
www.lildrugstore.com 97473C-US-01-17-A

Contains No Aspirin



TYLENOL

TYLENOL[®]

FOR ADULTS

Acetaminophen Pain Reliever
Fever Reducer

Extra Strength



500 mg each



6 Caplets

6
Caplets

3 POUCHES OF 2 CAPLETS EACH

6 Caplets

TYLENOL

DO NOT USE IF POUCH IS TORN OR DAMAGED

Drug Facts

Active Ingredient (In each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
 - premenstrual and menstrual cramps
 - temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

LIFT PANEL FOR CONTINUED DRUG FACTS

Drug Facts (continued)

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
 - fever gets worse or lasts more than 3 days
 - new symptoms occur
 - redness or swelling is present
- These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Tylenol ES Caplets, TRAVEL BASIX - PDP/Package

TYLENOL ®

FOR ADULTS

Acetaminophen Pain Reliever Fever Reducer

Extra Strength

[caplets image]

500 mg each

4

Caplets

2 POUCHES OF 2 CAPLETS EACH

[TRAVEL BASIX logo]



Tylenol ES Caplets, CVP ® HEALTH - PDP/Package

TYLENOL ®

FOR ADULTS

Acetaminophen Pain Reliever Fever Reducer

Extra Strength

[caplets image]

500 mg each

4

Caplets

2 POUCHES OF 2 CAPLETS EACH

[CVP® HEALTH logo]



Tylenol® ES Caplets, Lil' Drug Store® 25ct Unit Dose Box - PDP/Package

TYLENOL®

FOR ADULTS

Acetaminophen

Pain Reliever

Fever Reducer

Extra Strength

[caplets image]

25 Pouches of 2 Caplets each - 500 mg each

[Lil' Drug Store logo]



Tylenol[®] ES Caplets, Lil' Drug[®] Store 30ct Unit Dose Box - PDP/Package

TYLENOL[®]
FOR ADULTS
Acetaminophen
Pain Reliever
Fever Reducer
Extra Strength

[caplets image]

30 Pouches of 2 Caplets each - 500 mg each

[Lil' Drug Store logo]



TYLENOL EXTRA STRENGTH, TRAVEL BASIX
 acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6447
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	TYLENOL;500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6447-2	2 in 1 CARTON	11/29/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/22/2022	

TYLENOL EXTRA STRENGTH, CVP HEALTH

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-6547
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	TYLENOL;500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-6547-2	2 in 1 CARTON	05/06/2022	
1		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	05/06/2022	

TYLENOL EXTRA STRENGTH

acetaminophen tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:66715-9747
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ05DW1A)	
POWDERED CELLULOSE (UNII: SMD1X3XO9M)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SHELLAC (UNII: 46N107B71O)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	TYLENOL;500
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:66715-9747-1	1 in 1 CARTON	04/16/2018	06/29/2024
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:66715-9747-2	2 in 1 CARTON	04/13/2019	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:66715-9747-3	3 in 1 CARTON	06/29/2018	

3		2 in 1 POUCH; Type 0: Not a Combination Product		
4	NDC:66715-9747-7	30 in 1 CARTON	04/09/2018	
4		2 in 1 POUCH; Type 0: Not a Combination Product		
5	NDC:66715-9747-8	25 in 1 BOX, UNIT-DOSE	04/19/2022	08/12/2028
5		2 in 1 POUCH; Type 0: Not a Combination Product		
6	NDC:66715-9747-9	30 in 1 BOX, UNIT-DOSE	04/19/2022	
6		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	08/09/2011	

Labeler - Lil' Drug Store Products, Inc. (093103646)

Revised: 12/2025

Lil' Drug Store Products, Inc.