

GUNA-MATRIX- ascorbic acid - dodecahydroxycyclohexane dihydrate - fucus vesiculosus - histidine monohydrochloride - human interleukin-6 (nonglycosylated) - hyaluronidase - lactic acid, dl - malic acid - nadide - phenylalanine - prasterone - prolactin - rancid beef - sodium diethyl oxalacetate - sodium pyruvate - sodium sulfate - sus scrofa conjunctiva - sus scrofa small intestine mucosa lymph follicle - thuja occidentalis twig - tyrosine - solution/ drops

Guna spa

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

GUNA-MATRIX

ACTIVE INGREDIENTS/PURPOSE

ASCORBIC ACID 4X ANTIOXIDANT

CONJUNCTIVA TISSUE 6X DETOXIFICATION

DEHYDROEPIANDROSTERON 6X HORMONAL SUPPORT

DL-MALIC ACID 6X PROMOTE CELL METABOLISM

FUCUS VESICULOSUS 4X DETOXIFICATION

HISTIDINE 4X ANTI-INFLAMMATORY

HYALURONIDASE 6X ANTI-INFLAMMATORY

INTERLEUKIN 6 4C IMMUNE SUPPORT

LACTICUM ACIDUM 4X ANTIOXIDANT

LYMPHATIC VESSEL 6X IMMUNE SUPPORT

NADIDUM 6X METABOLIC SUPPORT

NATRUM OXALACETICUM 6X ANTIOXIDANT

NATRUM PYRUVICUM 6X ANTIOXIDANT

NATRUM SULPHURICUM 6X, 8X, 12X, 30X, 200X ANTIOXIDANT

PHENYLALANINE 4X IMPROVE CONCENTRATION

PROLACTIN 6X IMPROVE CONCENTRATION

PYROGENIUM 12X ANTI-INFLAMMATORY

THUJA OCCIDENTALIS 6X, 8X, 12X, 30X, 200X DETOXIFICATION

TRICHINOYL PHOSPHATE 6X ANTIOXIDANT

TYROSINE 4X IMMUNE SUPPORT

USES

Temporary Relief of general symptoms and inflammatory symptoms related to excess toxin buildup, such as:

- **Fatigue**
- **Occasional muscle aches and pains**
- **Skin rashes**
- **Swelling**

WARNINGS

- **Stop use and ask doctor** if symptoms persist more than 5 days.
- **If pregnant or breast-feeding** ask a health professional before use.
- **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.
- Contains ethyl alcohol 30%

PREGNANCY

If pregnant or breast-feeding ask a doctor before use

WARNINGS

Keep out of reach of children

DIRECTIONS

Adults and children 12 years and older 20 drops in a little water 2 times per day

Children between 12 years and 6 years of age 10 drops in a little water 2 times per day

Children under 6 years 5 drops in a little water 2 times per day

QUESTIONS


Questions?: info@gunainc.com


Tel. (484) 223-3500

Inactive ingredient: Ethyl alcohol 30%.

Take 15 minutes before meals

PRINCIPAL DISPLAY PANEL





GUNA-MATRIX

Homeopathic medicine

Drug Facts (continued)

Directions:
Take 15 minutes before meals.

Adults and children 12 years and older	20 drops in a little water, 2 times per day
Children between 12 years and 6 years of age	10 drops in a little water, 2 times per day
Children under 6 years	5 drops in a glass of water, 2 times per day


Other information:

- Store at 20°-25°C (68°-77°F).
- Excursions permitted between 15°-30°C (59°-86°F).

Questions?: info@gunainc.com
tel. (484) 223-3500


Do not use if tamper-evident seal is broken.

Manufactured by GUNA S.p.a. - Italy



GUNA Inc.
Whitehall - PA18052
www.gunainc.com

NDG 17089-419-19



GUNA-MATRIX

Homeopathic medicine

Temporary relief of general symptoms and inflammatory symptoms related to excess toxin buildup, such as:

- Fatigue
- Occasional muscle aches and pains
- Skin rashes
- Swelling

30 ml / 1.0 fl. oz.
Contains ethyl alcohol 30%

Uses: Temporary relief of general symptoms and inflammatory symptoms related to excess toxin buildup, such as: **fatigue, occasional muscle aches and pains, skin rashes, swelling.**

These statements have not been evaluated by the FDA. They are based upon homeopathic principles.

Drug Facts

Active Ingredients	Purpose
30 ml contains:	
Trichinoyl phosphate 6X	1.20 ml Antioxidant
Tyrosine 4X	1.20 ml Immune support
Thuja occidentalis 200X	1.20 ml
Thuja occidentalis 30X	1.20 ml
Thuja occidentalis 12X	1.05 ml Detoxification
Thuja occidentalis 6X	1.05 ml
Ascorbic acid 4X	1.05 ml Antioxidant
Conjunctiva tissue 6X	1.05 ml Detoxification
Dehydroepiandrosteron 6X	1.05 ml Hormonal support
DL-malic acid 6X	1.05 ml Promote cell metabolism
Fucus vesiculosus 4X	1.05 ml Detoxification
Histidine 4X	1.05 ml Anti-inflammatory
Hyaluronidase 6X	1.05 ml
Interleukin 6 4C	1.05 ml Immune support


Drug Facts (continued)

Lactium odorum 4X	1.05 ml	Antioxidant
Lymphatic vessel 6X	1.05 ml	Immune support
Natrium 6X	1.05 ml	Metabolic support
Natrium oxalacetatum 6X	1.05 ml	Antioxidant
Natrium pyruvicum 6X	1.05 ml	Antioxidant
Phenylalanine 4X	1.05 ml	Improve concentration
Prolofin 6X	1.05 ml	Anti-inflammatory
Pyrogenium 12X	1.05 ml	Anti-inflammatory
Sodium sulfate 6X	1.05 ml	Antioxidant
Sodium sulfate 8X	1.05 ml	Antioxidant
Sodium sulfate 12X	1.05 ml	Antioxidant
Sodium sulfate 30X	1.05 ml	Antioxidant
Sodium sulfate 200X	1.05 ml	Antioxidant

Inactive ingredient: Ethyl alcohol 30%.


Warnings:

- Stop use and ask doctor if symptoms persist more than 5 days.
- If pregnant or breast-feeding ask a health professional before use.
- Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.




SUSMAT C

0 17089 41918 3



Reserva di vernice





GUNA-MATRIX

ascorbic acid - dodecahydroxycyclohexane dihydrate - fucus vesiculosus - histidine monohydrochloride - human interleukin-6 (nonglycosylated) - hyaluronidase - lactic acid, dl - malic acid - nadide - phenylalanine - prasterone - prolactin - rancid beef - sodium diethyl oxalacetate - sodium pyruvate - sodium sulfate - sus scrofa conjunctiva - sus scrofa small intestine mucosa lymph follicle - thuja occidentalis twig - tyrosine - solution/ drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17089-416
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASCORBIC ACID (UNII: PQ6CK8PD0R) (ASCORBIC ACID - UNII:PQ6CK8PD0R)	ASCORBIC ACID	4 [hp_X] in 30 mL
SUS SCROFA CONJUNCTIVA (UNII: W61ME6Q717) (SUS SCROFA CONJUNCTIVA - UNII:W61ME6Q717)	SUS SCROFA CONJUNCTIVA	6 [hp_X] in 30 mL
PRASTERONE (UNII: 459AG36T1B) (PRASTERONE - UNII:459AG36T1B)	PRASTERONE	6 [hp_X] in 30 mL
MALIC ACID (UNII: 817L1N4CKP) (MALIC ACID - UNII:817L1N4CKP)	MALIC ACID	6 [hp_X] in 30 mL
FUCUS VESICULOSUS (UNII: 535G2ABX9M) (FUCUS VESICULOSUS - UNII:535G2ABX9M)	FUCUS VESICULOSUS	4 [hp_X] in 30 mL
HISTIDINE MONOHYDROCHLORIDE (UNII: 1D5Q932XM6) (HISTIDINE - UNII:4QD397987E)	HISTIDINE MONOHYDROCHLORIDE	4 [hp_X] in 30 mL
HYALURONIDASE (UNII: 8KOG53Z5EM) (HYALURONIDASE - UNII:8KOG53Z5EM)	HYALURONIDASE	6 [hp_X] in 30 mL
HUMAN INTERLEUKIN-6 (NONGLYCOSYLATED) (UNII: 92QVL9080Y) (HUMAN INTERLEUKIN-6 (NONGLYCOSYLATED) - UNII:92QVL9080Y)	HUMAN INTERLEUKIN-6 (NONGLYCOSYLATED)	4 [hp_C] in 30 mL
LACTIC ACID, DL- (UNII: 3B8D35Y7S4) (LACTIC ACID, DL- - UNII:3B8D35Y7S4)	LACTIC ACID, DL-	4 [hp_X] in 30 mL
SUS SCROFA SMALL INTESTINE MUCOSA LYMPH FOLLICLE (UNII: 308LM01C72) (SUS SCROFA SMALL INTESTINE MUCOSA LYMPH FOLLICLE - UNII:308LM01C72)	SUS SCROFA SMALL INTESTINE MUCOSA LYMPH FOLLICLE	6 [hp_X] in 30 mL
NADIDE (UNII: 0U46U6E8UK) (NADIDE - UNII:0U46U6E8UK)	NADIDE	6 [hp_X] in 30 mL
SODIUM DIETHYL OXALACETATE (UNII: 6CA025Y4FG) (DIETHYL OXALACETATE - UNII:15S56468G7)	SODIUM DIETHYL OXALACETATE	6 [hp_X] in 30 mL
SODIUM PYRUVATE (UNII: POD38AIF08) (PYRUVIC ACID - UNII:8558G7RUTR)	SODIUM PYRUVATE	6 [hp_X] in 30 mL
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM CATION - UNII:LYR4MONH37)	SODIUM SULFATE	12 [hp_X] in 30 mL
PHENYLALANINE (UNII: 47E5O17Y3R) (PHENYLALANINE - UNII:47E5O17Y3R)	PHENYLALANINE	4 [hp_X] in 30 mL
PROLACTIN (UNII: 3C5E95287C2) (PROLACTIN - UNII:3C5E95287C2)	PROLACTIN	6 [hp_X]

PROLACTIN (UNII: 2556556ZGZ) (PROLACTIN - UNII:2556556ZGZ)	PROLACTIN	in 30 mL
RANCID BEEF (UNII: 29SUH5R3HU) (RANCID BEEF - UNII:29SUH5R3HU)	RANCID BEEF	12 [hp_X] in 30 mL
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	12 [hp_X] in 30 mL
DODECAHYDROXYCYCLOHEXANE DIHYDRATE (UNII: 5BWD2J7B4W) (DODECAHYDROXYCYCLOHEXANE - UNII:I1Z9VS3H64)	DODECAHYDROXYCYCLOHEXANE DIHYDRATE	6 [hp_X] in 30 mL
TYROSINE (UNII: 42HK56048U) (TYROSINE - UNII:42HK56048U)	TYROSINE	4 [hp_X] in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	9 mL in 30 mL

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17089-416-18	1 in 1 BOX	12/21/2018	
1		30 mL in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		05/27/2010	

Labeler - Guna spa (430538264)

Establishment

Name	Address	ID/FEI	Business Operations
Guna spa		338587646	manufacture(17089-416)

Revised: 11/2022

Guna spa