

**AEROTAB NON-ASPIRIN- acetaminophen 500mg es tablet**  
**Aero Healthcare**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Aerotab Non-Aspirin Tablets**

Acteminophen 500 mg

Pain reliever / fever reducer

**USES**

temporary relief of minor aches and pains associated with

- common cold
- headache
- toothache
- muscular aches
- backache
- arthritis
- menstrual cramps
- temporarily reduces fever

**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if

- adult takes more than 4000 mg of acetaminophen in 24 hours
- taken with other drugs containing acetaminophen
- adult has 3 or more alcoholic drinks every day while using this product

**Allergy Warning:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have liver disease.**

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**Stop use and ask a doctor if**

- symptoms do not improve
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- new symptoms occur
- redness or swelling is present
- a rare sensitivity reaction occurs

**If pregnant or breast-feeding**

ask a health professional before use.

**Keep out of reach of children**

In case of accidental overdose, contact a doctor or Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

***DIRECTIONS***

- take only as directed - see Overdose warning
- do not take more than 8 tablets in any 24 hour period
- do not use more than 10 days unless directed to do so by a doctor

**Adults and children 12 years and over:** take 2 tablets every 4 to 6 hours.

**Children under 12 years of age:** do not use this extra strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems.

***OTHER INFORMATION***

Tamper evident. Do not use if packet is torn, cut or opened. Store between 20°-25°C (68°-77°F). Read all warnings and directions before use.

***INACTIVE INGREDIENTS***

corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid

AEROTAB

Non-Aspirin

acetaminophen 500mg

Fever reducer

Pain Reliever


Relieves aches

2 per packet



**AERO** HEALTHCARE. WE MAKE IT BETTER.  
 CODE: V1ATNA250 BX    DATE: 12/06/2019    DIMENSIONS: 114mm W x 129.5mm H x 81.28mm D


AERO HEALTHCARE – US PACKAGING PROGRAM BATCH 1 | PART THREE (REVISIONS)



**Drug Facts**  
**ACTIVE INGREDIENTS (per tablet)**  
 Acetaminophen, 500mg Pain Reliever / Fever Reducer  
**PURPOSE**  
 Pain Reliever / Fever Reducer  
**USES**  
 Temporarily relieves minor aches and pains associated with • headache • muscular aches  
 • backache • minor pain or arthritis • the common cold • toothache • premenstrual and menstrual cramps • temporarily reduces fever  
**WARNINGS**  
**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if: adult takes more than 4,000mg of acetaminophen 24 hours; taken with other drugs containing acetaminophen, adult has 3 or more alcoholic drinks every day while using product.  
**Allergy warning:** Acetaminophen may cause severe skin reactions. Symptoms may include • skin redness • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.  
**Do not use if** you are allergic to acetaminophen, with other products containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
**Ask a doctor before use if you have liver disease.**  
**Ask a doctor or pharmacist before use if** you are taking the blood thinning drug warfarin.  
**Stop use and ask a doctor if** • symptoms do not improve • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present • a rare sensitivity reaction occurs.  
**4 If pregnant or breast-feeding** ask a health professional before use.

**Drug Facts (continued)**  
**KEEP OUT OF REACH OF CHILDREN.**  
**Overdose warning:** In case of overdose, seek medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**DIRECTIONS** • take only as directed — see Overdose warning • do not take more than 8 tablets in any 24 hour period • do not use more than 10 days unless directed to do so by a doctor.  
**Adults and children 12 years of age and older** take 2 tablets every 4 to 6 hours.  
**Children under 12 years** do not use this extra strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems.  
**OTHER INFORMATION** Tamper evident. Do not use if packet is torn, cut or opened. Store between 20°C to 25°C (68°F to 77°F). Read all warnings and directions before use.  
**INACTIVE INGREDIENTS** Corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.

**AERO** HEALTHCARE  
 WE MAKE IT BETTER  
 CODE: VZ.ATNA100US.BX DATE: 06/17/2019 DIMENSIONS: 110mm W x 50mm H x 65mm D



**Drug Facts**  
**ACTIVE INGREDIENTS (per tablet)**  
 Acetaminophen, 500mg Pain Reliever / Fever Reducer  
**PURPOSE**  
 Pain Reliever / Fever Reducer  
**USES**  
 Temporarily relieves minor aches and pains associated with • headache • muscular aches  
 • backache • minor pain or arthritis • the common cold • toothache • premenstrual and menstrual cramps • temporarily reduces fever  
**WARNINGS**  
**Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if: adult takes more than 4,000mg of acetaminophen 24 hours; taken with other drugs containing acetaminophen, adult has 3 or more alcoholic drinks every day while using product.  
**Allergy warning:** Acetaminophen may cause severe skin reactions. Symptoms may include • skin redness • blisters • rash. If a skin reaction occurs, stop use and seek medical help right away.  
**Do not use if** you are allergic to acetaminophen, with other products containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
**Ask a doctor before use if you have liver disease.**  
**Ask a doctor or pharmacist before use if** you are taking the blood thinning drug warfarin.  
**Stop use and ask a doctor if** • symptoms do not improve • pain gets worse or lasts more than 10 days • fever gets worse or lasts more than 3 days • new symptoms occur • redness or swelling is present • a rare sensitivity reaction occurs.  
**4 If pregnant or breast-feeding** ask a health professional before use.

**NON-ASPIRIN**  
 acetaminophen 500mg  
**NON-ASPIRIN**  
 acetaminophen 500mg  
**AERO TAB**  
**AERO TAB**  
 10  
 50  
 2 per packet  
 2 per packet  
 Fever reducer  
 Pain reliever  
 Relieves aches  
 Fever reducer  
 Pain reliever  
 Relieves aches

**Drug Facts (continued)**  
**KEEP OUT OF REACH OF CHILDREN.**  
**Overdose warning:** In case of overdose, seek medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.  
**DIRECTIONS** • take only as directed — see Overdose warning • do not take more than 8 tablets in any 24 hour period • do not use more than 10 days unless directed to do so by a doctor.  
**Adults and children 12 years of age and older** take 2 tablets every 4 to 6 hours.  
**Children under 12 years** do not use this extra strength product. This will provide more than the recommended dose (overdose) and could cause serious health problems.  
**OTHER INFORMATION** Tamper evident. Do not use if packet is torn, cut or opened. Store between 20°C to 25°C (68°F to 77°F). Read all warnings and directions before use.  
**INACTIVE INGREDIENTS** Corn starch, povidone, pregelatinized starch, sodium starch glycolate, stearic acid.



LOT

**AERO** HEALTHCARE WE MAKE IT BETTER  
 Manufactured for AERO HEALTHCARE  
 US Valley Cottage, NY 10589  
 www.aerohealthcare.us.com  
 MADE IN USA


REF Code ATNA50US  
 V1.ATNA50US.BX  
 Store in a cool, dry place.

**AERO** HEALTHCARE WE MAKE IT BETTER  
 CODE: V1.ATNA50US.BX DATE: 09/08/2020 DIMENSIONS: 110mm W x 58mm H x 65mm D

Overall Dimensions: 1.5" x 2.4"  
Cavity Area: 1.125" x 1.9"  
Max Print Area: 1.075" x 1.75"



Overall Dimensions: 1.5" x 2.4"  
Cavity Area: 1.125" x 1.9"  
Max Print Area: 1.075" x 1.75"



acetaminophen 500mg es tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55305-126
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
POVIDONE (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
STARCH, CORN (UNII: O8232NY3SJ)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	score with uneven pieces
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55305-126-02	25 in 1 BOX	10/31/2017	
1	NDC:55305-126-01	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:55305-126-04	50 in 1 BOX	10/31/2017	
2	NDC:55305-126-01	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:55305-126-05	125 in 1 BOX	10/31/2017	
3	NDC:55305-126-01	2 in 1 PACKET; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	10/31/2017	

---

**Labeler** - Aero Healthcare (008186174)

**Registrant** - Aero Healthcare (008186174)

Revised: 5/2023

Aero Healthcare