PANOXYL CLARIFYING EXFOLIANT- salicylic acid liquid Crown Laboratories, Inc.

PanOxyl Clarifying Exfoliant

Active ingredient

Salicylic Acid 2%

Purpose

Acne Medication

Use

• for the treatment of acne

Warnings

For external use only

When using this product

 skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- shake well before using
- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

• Store at 20 ° - 25 °C (68 ° - 77 °F) [see USP Controlled Room Temperature].

Inactive ingredients

Betaine, Butylene Glycol, Chamomilla Recutita (Matricaria) Flower Extract, Glycerin, Hydroxyacetophenone, Pentylene Glycol, Phenoxyethanol, Potassium Sorbate, Propanediol, Purified Water, Sodium Benzoate, Sodium Citrate Dihydrate, Sorbic Acid, Spirulina Platensis (Blue Algae) Extract

Questions?

call **1-833-279-6522**

Panoxyl Clarifying Exfoliant Bottle

PanOxyl®

Clarifying Exfoliant

for Acne Prone Skin

2% SALICYLIC ACID

ACNE TREATMENT SOLUTION

Clears and helps prevent acne

Unclogs and minimizes the appearance of pores

Gentle leave-on formula

Blue Algae and Antioxidants help calm irritation and redness

DERMATOLOGIST RECOMMENDED

4 fl oz (118 mL)

P12117.01



Clarifying Exfoliant

for Acne Prone Skin

2% SALICYLIC ACID
ACNE TREATMENT SOLUTION

Clears and helps prevent acne

Unclogs and minimizes the appearance of pores

Gentle leave-on formula

Blue Algae and Antioxidants help calm irritation and redness

DERMATOLOGIST RECOMMENDED

4 fl oz (118ml)

Drug Facts

Use • for the treatment of acne

Warnings

For external use only

When using this product • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions • shake well before using • clean the skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information • store at 20°-25°C (68°-77°F) [see USP Controlled Room Temperature].

Inactive ingredients Aqua, Betaine, Butylene Glycol, Chamomilla Recutita (Matricaria) Flower Extract, Glycerin, Hydroxyacetophenone, Pentylene Glycol, Phenoxyethanol, Potassium Sorbate, Propanediol, Sodium Benzoate, Sodium Citrate Dihydrate, Sorbic Acid, Spirulina Platensis (Blue Algae) Extract

Questions? Call 1-833-279-6522



OT / EXP

Distributed by: Crown Laboratories, Inc. Johnson City, TN 37604 P12117.01

PANOXYL CLARIFYING EXFOLIANT

salicylic acid liquid

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0316-0296

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name

Basis of Strength

SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:0414PZ4LPZ)

SALICYLIC ACID (UNII: 0414PZ4LPZ) SALICYLIC ACID 2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BETAINE (UNII: 3SCV180C9W)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MATRICARIA CHAMOMILLA FLOWERING TOP (UNII: 3VNC7T6Z02)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	

SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBIC ACID (UNII: X045WJ989B)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
SPIRULINA PLATENSIS (UNII: 9L3TIH1UUE)	

ı	Packaging				
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date
	1	NDC:0316-0296- 04	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	06/02/2023	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M006	06/01/2023		

Labeler - Crown Laboratories, Inc. (079035945)

Establishment					
Na me	Address	ID/FEI	Business Operations		
Crown Laboratories, Inc.		079035945	manufacture(0316-0296)		

Revised: 11/2024 Crown Laboratories, Inc.