

**NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - IVORY- titanium dioxide lotion**

**NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - LINEN- titanium dioxide lotion**

**NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - OCHRE- titanium dioxide lotion**

**NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - NATURAL BEIGE- titanium dioxide lotion**

**NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - LIGHT GOLDEN- titanium dioxide lotion**

**NSE Products, Inc.**

-----  
**Nu Colour® Bioadaptive BB+ Foundation**

***Drug Facts***

**Active Ingredient**

Titanium Dioxide 12%

**Purpose**

Sunscreen

**Use**

- Helps prevent sunburn.
- Higher SPF gives more sun protection.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.
- Smooth over face and neck, blending well. Seal with powder if desired.

**Warnings**

- **For external use only.**
- Do not use on damaged or broken skin.
- Stop use and ask a doctor if a rash occurs.
- When using this product, keep out of eyes.
- Rinse with water to remove.
- **Keep out of the reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally 15 minutes before sun exposure.

- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water-resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses.

### **Other Information**

- Protect this product from excessive heat and direct sun.

### **Inactive Ingredients**

Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloctyl Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isostearate, Magnesium Stearate, Distearidimonium Hectorite, Magnesium Sulfate, Phenoxyethanol, Tribehenin, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorophlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propanediol, 1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

### **Questions?**

**1-888-742-7626**

### **PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Ivory**

NU COLOUR®

NU

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

Broad Spectrum  
SPF 35

30 mL e 1 Fl Oz

# Glue Seam

## Drug Facts (continued)

6 months of age: Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

**Other Information:** ■ Protect this product from excessive heat and direct sun.

## Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

**Questions? 1-888-742-7626**



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS  
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.  
©2020, 21 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM

## Drug Facts (continued)

**Inactive Ingredients:** Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isodecylate, Magnesium Stearate, Disodiummonium Hectorite, Magnesium Sulfate, Phenoxethanol, Triethanol Sorbitan Sesquiolate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propylene Glycol.



Please recycle—check your local capabilities.  
94513365/1

30 mL e 1 Fl Oz



Broad Spectrum  
SPF 35

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

**NU**

NU COLOUR®

Top

## Drug Facts

### Active Ingredient

Titanium Dioxide 12%..... Sunscreen

**Use:** ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired.


### Purpose

Sunscreen

## Drug Facts (continued)

**Warnings:** ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally 15 minutes before sun exposure. ■ Children under



**PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Linen**

NU COLOUR®

NU

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

Broad Spectrum  
SPF 35

30 mL e 1 Fl Oz

# Glue Seam

## Drug Facts (continued)

6 months of age: Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

**Other Information:** ■ Protect this product from excessive heat and direct sun.

## Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499)

**Questions? 1-888-742-7626**



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS  
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.  
©2020, 21 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM

## Drug Facts (continued)

**Inactive Ingredients:** Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isodecylate, Magnesium Stearate, Diglycidyl Ether of Dimethylacrylate, Magnesium Sulfate, Phenoxethanol, Triethanol, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propylene Glycol



Please recycle—check your local capabilities.  
94513365/1

30 mL e 1 Fl Oz



Broad Spectrum  
SPF 35

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

NU

NU COLOUR®

Top

## Drug Facts

### Active Ingredient

Titanium Dioxide 12%..... Sunscreen


**Use:** ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired.

### Purpose

## Drug Facts (continued)

**Warnings:** ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally 15 minutes before sun exposure. ■ Children under



**PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Ochre**

NU COLOUR®

NU

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

Broad Spectrum  
SPF 35

30 mL e 1 Fl Oz

# Glue Seam

## Drug Facts (continued)

6 months of age: Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

**Other Information:** ■ Protect this product from excessive heat and direct sun.

## Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499)

**Questions? 1-888-742-7626**



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS  
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.  
©2020, 21 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM

## Drug Facts (continued)

**Inactive Ingredients:** Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isodecylate, Magnesium Stearate, Diglycidyl Ether of Dimethylacrylate, Magnesium Sulfate, Phenoxethanol, Triethanolamine, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propylene Glycol



Please recycle—check your local capabilities.  
94513365/1

30 mL e 1 Fl Oz



Broad Spectrum  
SPF 35

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

NU

NU COLOUR®

Top

## Drug Facts

### Active Ingredient

Titanium Dioxide 12%..... Sunscreen

**Use:** ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired.


### Purpose

Sunscreen

## Drug Facts (continued)

**Warnings:** ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally 15 minutes before sun exposure. ■ Children under



**PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Natural-Beige**

NU COLOUR®

NU

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

Broad Spectrum  
SPF 35

30 mL e 1 Fl Oz



# Glue Seam

## Drug Facts (continued)

6 months of age: Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

**Other Information:** ■ Protect this product from excessive heat and direct sun.

## Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499)

**Questions? 1-888-742-7626**



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS  
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.  
©2020, 21 NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM

## Drug Facts (continued)

**Inactive Ingredients:** Water (Aqua), Phenyl Trimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloctyl Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Penthylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isodecylate, Magnesium Stearate, Disodiummonium Hectorite, Magnesium Sulfate, Phenoxethanol, Tribehenin, Sorbitan Sesquioleate, Ethylhexyl Palmitate, Triethoxycaprylylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucomannan, Propylene Glycol



Please recycle—check your local capabilities.  
94513365/1

30 mL e 1 Fl Oz



Broad Spectrum  
SPF 35

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

NU

NU COLOUR®

Top

## Drug Facts

### Active Ingredient

Titanium Dioxide 12%..... Sunscreen

**Use:** ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired.


### Purpose

Sunscreen

## Drug Facts (continued)

**Warnings:** ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally 15 minutes before sun exposure. ■ Children under



**PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton - Light-Golden**

NU COLOUR®

NU

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

Broad Spectrum  
SPF 35

30 mL e 1 Fl Oz

# Glue Seam

## Drug Facts (continued)

6 months of age. Ask a doctor ■ Reapply at least every 2 hours ■ Use a water-resistant sunscreen if swimming or sweating ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early-skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. – 2 p.m. Wear long-sleeved shirts, pants, hats, and sunglasses

**Other Information:** ■ Protect this product from excessive heat and direct sun.

## Drug Facts (continued)

**Inactive Ingredients:** Water (Aqua), Phenyl Trimethicone, Dimethicone, Dimethicone, Butylene Glycol Dicaprylate/Dicaprate, Butylene Glycol, Acrylates Copolymer, Butyloxy Salicylate, Squalane, Cetyl PEG/PPG-10/1 Dimethicone, Pentylene Glycol, Dimethicone/Vinyl Dimethicone Crosspolymer, Hexyl Laurate, Glycerin, Polyglyceryl-4 Isobutylate, Magnesium Stearate, Distardimonium Hectorite, Magnesium Sulfate, Phenoxethanol, Tribehenin, Sorbitan Sesquiolate, Ethylhexyl Palmitate, Triethoxycaprylsilane, Stearic Acid, Hydrogenated Olive Oil Unsaponifiables, Alumina, Methyl Methacrylate Crosspolymer, Synthetic Fluorphlogopite, Aluminum Hydroxide, Ethylhexylglycerin, Sodium Hyaluronate, Theobroma Cacao (Cocoa) Seed Extract, Rosa Damascena Flower Extract, Saccharomyces Ferment Filtrate, Trihydroxystearin, Glucosaminan, Propylparadiol,

## Drug Facts (continued)

1,2-Hexanediol, Tin Oxide, Disodium EDTA, Mica (CI 77019), Iron Oxides (CI 77491, CI 77492, CI 77499).

## Questions? 1-888-742-7626



SOLD EXCLUSIVELY BY NUSKIN ENTERPRISES AUTHORIZED DISTRIBUTORS  
MFD. IN KOREA EXCLUSIVELY FOR NSE PRODUCTS, INC.  
©2020, ZI NSE PRODUCTS, INC., PROVO, UT 84601 NUSKIN.COM



Please recycle—check your local capabilities.  
94513365/1

30 mL e 1 Fl Oz

Broad Spectrum  
SPF 35

BIOADAPTIVE BB+  
SKIN LOVING  
FOUNDATION

NU

NU COLOUR®

Top

## Drug Facts

### Active Ingredient


Titanium Dioxide 12%..... Sunscreen

**Use:** ■ Helps prevent sunburn. ■ Higher SPF gives more sun protection. ■ If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun. ■ Smooth over face and neck, blending well. Seal with powder if desired.

## Drug Facts (continued)

**Warnings:** ■ For external use only. ■ Do not use on damaged or broken skin. ■ Stop use and ask a doctor if a rash occurs. ■ When using this product, keep out of eyes. ■ Rinse with water to remove. ■ Keep out of the reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions:** ■ Apply liberally 15 minutes before sun exposure. ■ Children under



## NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - IVORY

titanium dioxide lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:62839-3365 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide  | 120 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                                 |          |
| <b>Phenyl Trimethicone</b> (UNII: DR0K5NOJ4R)                   |          |
| <b>Dimethicone</b> (UNII: 92RU3N3Y1O)                           |          |
| <b>Butylene Glycol Dicaprylate/Dicaprate</b> (UNII: 75D21FL1PI) |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                  |          |
| <b>Butylene Glycol</b> (UNII: 3XUS85K0RA)                       |          |
| <b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)                 |          |
| <b>Squalane</b> (UNII: GW89575KF9)                              |          |
| <b>Pentylene Glycol</b> (UNII: 50C1307PZG)                      |          |
| <b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)                         |          |
| <b>Glycerin</b> (UNII: PDC6A3C0OX)                              |          |
| <b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)            |          |
| <b>Magnesium Stearate</b> (UNII: 70097M6I30)                    |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                   |          |
| <b>Disteardimonium Hectorite</b> (UNII: X687XDK09L)             |          |
| <b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)   |          |
| <b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)                        |          |

|  |
|--|
| <b>Sorbitan Sesquioleate</b> (UNII: 0W8RRI5W5A)                                  |
| <b>Tribehenin</b> (UNII: 8OC9U7TQZ0)   |
| <b>Ethylhexyl Palmitate</b> (UNII: 2865993309)                                   |
| <b>Stearic Acid</b> (UNII: 4ELV7Z65AP)   |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                       |
| <b>Hydrogenated Olive Oil Unsaponifiables</b> (UNII: B8MIX97W95)                 |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)   |
| <b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)                                |
| <b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)           |
| <b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q) |
| <b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)                                     |
| <b>Ethylhexylglycerin</b> (UNII: 147D247K3P)                                     |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                                     |
| <b>ROSA X DAMASCENA FLOWER</b> (UNII: JWB78P295A)                                |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)                             |
| <b>COCOA</b> (UNII: D9108TZ9KG)  |
| <b>Trihydroxystearin</b> (UNII: 06YD7896S3)                                      |
| <b>Propanediol</b> (UNII: 5965N8W85T)  |
| <b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)   |
| <b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)  |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                                     |
| <b>KONJAC MANNAN</b> (UNII: 36W3E5TAMG)  |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62839-3365-1 | 1 in 1 CARTON                                      | 02/03/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 02/03/2022           |                    |

## NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - LINEN

titanium dioxide lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:62839-3364 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name  |           | Basis of Strength   | Strength        |               |
|--|-----------|---------------------|-----------------|---------------|
| <b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)  |           | Titanium Dioxide    | 120 mg in 1 mL  |               |
| <b>Inactive Ingredients</b>  |           |                     |                 |               |
| Ingredient Name  |           |                     | Strength        |               |
| <b>WATER</b> (UNII: 059QF0KO0R)  |           |                     |                 |               |
| <b>Phenyl Trimethicone</b> (UNII: DR0K5NOJ4R)                                    |           |                     |                 |               |
| <b>Dimethicone</b> (UNII: 92RU3N3Y1O)  |           |                     |                 |               |
| <b>Butylene Glycol Dicaprylate/Dicaprate</b> (UNII: 75D21FL1PI)                  |           |                     |                 |               |
| <b>Butylene Glycol</b> (UNII: 3XUS85K0RA)  |           |                     |                 |               |
| <b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)                                  |           |                     |                 |               |
| <b>MICA</b> (UNII: V8A1AW0880)   |           |                     |                 |               |
| <b>Squalane</b> (UNII: GW89575KF9)   |           |                     |                 |               |
| <b>Pentylene Glycol</b> (UNII: 50C1307PZG)                                       |           |                     |                 |               |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                                    |           |                     |                 |               |
| <b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)  |           |                     |                 |               |
| <b>Glycerin</b> (UNII: PDC6A3C0OX)   |           |                     |                 |               |
| <b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)                             |           |                     |                 |               |
| <b>Magnesium Stearate</b> (UNII: 70097M6I30)                                     |           |                     |                 |               |
| <b>Disteardimonium Hectorite</b> (UNII: X687XDK09L)                              |           |                     |                 |               |
| <b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)                    |           |                     |                 |               |
| <b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)   |           |                     |                 |               |
| <b>Sorbitan Sesquioleate</b> (UNII: 0W8RRI5W5A)                                  |           |                     |                 |               |
| <b>Tribehenin</b> (UNII: 8OC9U7TQZ0)   |           |                     |                 |               |
| <b>Ethylhexyl Palmitate</b> (UNII: 2865993309)                                   |           |                     |                 |               |
| <b>Stearic Acid</b> (UNII: 4ELV7Z65AP)   |           |                     |                 |               |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                       |           |                     |                 |               |
| <b>Hydrogenated Olive Oil Unsaponifiables</b> (UNII: B8MIX97W95)                 |           |                     |                 |               |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)   |           |                     |                 |               |
| <b>Triethoxycaprylsilane</b> (UNII: LDC331P08E)                                  |           |                     |                 |               |
| <b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)           |           |                     |                 |               |
| <b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q) |           |                     |                 |               |
| <b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)                                     |           |                     |                 |               |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                                     |           |                     |                 |               |
| <b>Ethylhexylglycerin</b> (UNII: 147D247K3P)                                     |           |                     |                 |               |
| <b>ROSA X DAMASCENA FLOWER</b> (UNII: JWB78P295A)                                |           |                     |                 |               |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)                             |           |                     |                 |               |
| <b>COCOA</b> (UNII: D9108TZ9KG)  |           |                     |                 |               |
| <b>Trihydroxystearin</b> (UNII: 06YD7896S3)                                      |           |                     |                 |               |
| <b>Propanediol</b> (UNII: 5965N8W85T)  |           |                     |                 |               |
| <b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)   |           |                     |                 |               |
| <b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)  |           |                     |                 |               |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                                     |           |                     |                 |               |
| <b>KONJAC MANNAN</b> (UNII: 36W3E5TAMG)  |           |                     |                 |               |
| <b>Packaging</b>   |           |                     |                 |               |
| #  | Item Code | Package Description | Marketing Start | Marketing End |

| # | Item Code        | Package Description                                | Date       | Date |
|---|------------------|--|------------|------|
| 1 | NDC:62839-3364-1 | 1 in 1 CARTON                                      | 02/03/2022 |      |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |            |      |

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 02/03/2022           |                    |

## NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - OCHRE

titanium dioxide lotion

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:62839-3363 |
| Route of Administration | TOPICAL        |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide  | 120 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name   | Strength |
|---|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                                 |          |
| <b>Phenyl Trimethicone</b> (UNII: DR0K5NOJ4R)                   |          |
| <b>Dimethicone</b> (UNII: 92RU3N3Y1O)                           |          |
| <b>Butylene Glycol Dicaprylate/Dicaprate</b> (UNII: 75D21FL1PI) |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                  |          |
| <b>Butylene Glycol</b> (UNII: 3XUS85K0RA)                       |          |
| <b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)                 |          |
| <b>Squalane</b> (UNII: GW89575KF9)                              |          |
| <b>Pentylene Glycol</b> (UNII: 50C1307PZG)                      |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                   |          |
| <b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)                         |          |
| <b>Glycerin</b> (UNII: PDC6A3C0OX)                              |          |
| <b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)            |          |
| <b>Magnesium Stearate</b> (UNII: 70097M6I30)                    |          |
| <b>Disteardimonium Hectorite</b> (UNII: X687XDK09L)             |          |
| <b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)   |          |
| <b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)                        |          |
| <b>Sorbitan Sesquileate</b> (UNII: 0W8RRI5W5A)                  |          |
| <b>Tribehenin</b> (UNII: 8OC9U7TQZ0)                            |          |
| <b>Ethylhexyl Palmitate</b> (UNII: 2865993309)                  |          |

|  |
|--|
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                       |
| <b>Stearic Acid</b> (UNII: 4ELV7Z65AP)   |
| <b>Hydrogenated Olive Oil Unsaponifiables</b> (UNII: B8MIX97W95)                 |
| <b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)                                |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)   |
| <b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q) |
| <b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)           |
| <b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)                                     |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                                     |
| <b>Ethylhexylglycerin</b> (UNII: 147D247K3P)                                     |
| <b>ROSA X DAMASCENA FLOWER</b> (UNII: JWB78P295A)                                |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)                             |
| <b>COCOA</b> (UNII: D9108TZ9KG)  |
| <b>Trihydroxystearin</b> (UNII: 06YD7896S3)                                      |
| <b>Propanediol</b> (UNII: 5965N8W85T)  |
| <b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)   |
| <b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)  |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                                     |
| <b>KONJAC MANNAN</b> (UNII: 36W3E5TAMG)  |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62839-3363-1 | 1 in 1 CARTON                                      | 02/03/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 02/03/2022           |                    |

## NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - NATURAL BEIGE

titanium dioxide lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:62839-3362 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide  | 120 mg in 1 mL |



## Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)  |          |
| <b>Phenyl Trimethicone</b> (UNII: DR0K5NOJ4R)                                    |          |
| <b>Dimethicone</b> (UNII: 92RU3N3Y1O)  |          |
| <b>Butylene Glycol Dicaprylate/Dicaprate</b> (UNII: 75D21FL1PI)                  |          |
| <b>MICA</b> (UNII: V8A1AW0880)   |          |
| <b>Butylene Glycol</b> (UNII: 3XUS85K0RA)  |          |
| <b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)                                  |          |
| <b>Squalane</b> (UNII: GW89575KF9)   |          |
| <b>Pentylene Glycol</b> (UNII: 50C1307PZG)                                       |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                                    |          |
| <b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)  |          |
| <b>Glycerin</b> (UNII: PDC6A3C0OX)   |          |
| <b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)                             |          |
| <b>Magnesium Stearate</b> (UNII: 70097M6I30)                                     |          |
| <b>Disteardimonium Hectorite</b> (UNII: X687XDK09L)                              |          |
| <b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)                    |          |
| <b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)   |          |
| <b>Sorbitan Sesquioleate</b> (UNII: 0W8RRI5W5A)                                  |          |
| <b>Tribehenin</b> (UNII: 8OC9U7TQZ0)   |          |
| <b>Ethylhexyl Palmitate</b> (UNII: 2865993309)                                   |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                                       |          |
| <b>Stearic Acid</b> (UNII: 4ELV7Z65AP)   |          |
| <b>Hydrogenated Olive Oil Unsaponifiables</b> (UNII: B8MIX97W95)                 |          |
| <b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)                                |          |
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)   |          |
| <b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q) |          |
| <b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)           |          |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                                     |          |
| <b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)                                     |          |
| <b>Ethylhexylglycerin</b> (UNII: 147D247K3P)                                     |          |
| <b>ROSA X DAMASCENA FLOWER</b> (UNII: JWB78P295A)                                |          |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)                             |          |
| <b>COCOA</b> (UNII: D9108TZ9KG)  |          |
| <b>Trihydroxystearin</b> (UNII: 06YD7896S3)                                      |          |
| <b>Propanediol</b> (UNII: 5965N8W85T)  |          |
| <b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)   |          |
| <b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)  |          |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                                     |          |
| <b>KONJAC MANNAN</b> (UNII: 36W3E5TAMG)  |          |

## Packaging

| # | Item Code        | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------|----------------------|--------------------|
| 1 | NDC:62839-3362-1 | 1 in 1 CARTON       | 02/03/2022           |                    |

|   |  |  |  |
|---|--|--|--|
| 1 | 30 mL in 1 TUBE; Type 0: Not a Combination Product |  |  |
|---|--|--|--|

## Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 02/03/2022           |                    |

## NU COLOUR BIOADAPTIVE BB PLUS FOUNDATION - LIGHT GOLDEN

titanium dioxide lotion

### Product Information

|                         |                |                    |                |
|-------------------------|----------------|--------------------|----------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) | NDC:62839-3361 |
| Route of Administration | TOPICAL        |                    |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| <b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide  | 120 mg in 1 mL |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>WATER</b> (UNII: 059QF0KO0R)                                  |          |
| <b>Phenyl Trimethicone</b> (UNII: DR0K5NOJ4R)                    |          |
| <b>Dimethicone</b> (UNII: 92RU3N3Y1O)                            |          |
| <b>Butylene Glycol Dicaprylate/Dicaprate</b> (UNII: 75D21FL1PI)  |          |
| <b>Butylene Glycol</b> (UNII: 3XUS85K0RA)                        |          |
| <b>Butyloctyl Salicylate</b> (UNII: 2EH13UN8D3)                  |          |
| <b>Squalane</b> (UNII: GW89575KF9)                               |          |
| <b>MICA</b> (UNII: V8A1AW0880)                                   |          |
| <b>Pentylene Glycol</b> (UNII: 50C1307PZG)                       |          |
| <b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)                    |          |
| <b>Hexyl Laurate</b> (UNII: 4CG9F9W01Q)                          |          |
| <b>Glycerin</b> (UNII: PDC6A3C00X)                               |          |
| <b>Polyglyceryl-4 Isostearate</b> (UNII: 820DPX33S7)             |          |
| <b>Magnesium Stearate</b> (UNII: 70097M6I30)                     |          |
| <b>Disteardimonium Hectorite</b> (UNII: X687XDK09L)              |          |
| <b>MAGNESIUM SULFATE, UNSPECIFIED FORM</b> (UNII: DE08037SAB)    |          |
| <b>Phenoxyethanol</b> (UNII: HIE492ZZ3T)                         |          |
| <b>Sorbitan Sesquioleate</b> (UNII: 0W8RRI5W5A)                  |          |
| <b>Tribehenin</b> (UNII: 8OC9U7TQZ0)                             |          |
| <b>Ethylhexyl Palmitate</b> (UNII: 2865993309)                   |          |
| <b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)                       |          |
| <b>Stearic Acid</b> (UNII: 4ELV7Z65AP)                           |          |
| <b>Hydrogenated Olive Oil Unsaponifiables</b> (UNII: B8MIX97W95) |          |

|  |
|--|
| <b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)   |
| <b>Triethoxycaprylylsilane</b> (UNII: LDC331P08E)                                |
| <b>MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE</b> (UNII: YK3DC63Y5M)           |
| <b>METHYL METHACRYLATE/GLYCOL DIMETHACRYLATE CROSSPOLYMER</b> (UNII: EG97988M5Q) |
| <b>Aluminum Hydroxide</b> (UNII: 5QB0T2IUN0)                                     |
| <b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)                                     |
| <b>Ethylhexylglycerin</b> (UNII: 147D247K3P)                                     |
| <b>ROSA X DAMASCENA FLOWER</b> (UNII: JWB78P295A)                                |
| <b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)                             |
| <b>COCOA</b> (UNII: D9108TZ9KG)  |
| <b>Trihydroxystearin</b> (UNII: 06YD7896S3)                                      |
| <b>Propanediol</b> (UNII: 5965N8W85T)  |
| <b>1,2-Hexanediol</b> (UNII: TR046Y3K1G)   |
| <b>STANNIC OXIDE</b> (UNII: KM7N50LOS6)  |
| <b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)                                     |
| <b>KONJAC MANNAN</b> (UNII: 36W3E5TAMG)  |

### Packaging

| # | Item Code        | Package Description                                | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:62839-3361-1 | 1 in 1 CARTON                                      | 02/03/2022           |                    |
| 1 |                  | 30 mL in 1 TUBE; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC monograph drug | M020                                     | 02/03/2022           |                    |

**Labeler** - NSE Products, Inc. (803486393)