

**PEDIACARE CHILDRENS COUGH AND COLD GRAPE- brompheniramine maleate, dextromethorphan hydrobromide, and phenylephrine hydrochloride syrup
RANDOB LABS,LTD. DBA CROSSINGWELL CONSUMER HEALTH**

Pediacare[®] Children's Cough and Cold Grape

Drug Facts

<i>Active ingredients (in each 10 ml)</i>	<i>Purposes</i>
Brompheniramine maleate, USP 2 mg	Antihistamine
Dextromethorphan HBr, USP 10 mg	Cough Suppressant
Phenylephrine HCl, USP 5 mg	Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)

- a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- **do not use more than directed**
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding,ask a health professional before use.

Keep out of reach of children.In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients

citric acid anhydrous, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

Distributed by
CrossingWell Consumer Health
PO Box 440
Cornwall, NY 12518

PRINCIPAL DISPLAY PANEL - 118 mL Bottle Carton

Fast Acting

Pedia
Care®

100% dedicated
to kids™

6 Years & Up

COUGH & COLD

Relieves:

- Stuffy, Runny Nose
- Itchy, Watery Eyes
- Sneezing
- Cough

Brompheniramine maleate - Antihistamine
(2 mg per 10 mL)


Phenylephrine HCl - Nasal decongestant
(5 mg per 10 mL)

Dextromethorphan HBr - Cough suppressant
(10 mg per 10 mL)

Alcohol Free

Grape Flavor

4 FL OZ (118 mL)



Fast Acting
PediaCare
100% dedicated to kids™

6 Years & Up

COUGH & COLD

Relieves:

- Stuffy, Runny Nose
- Itchy, Watery Eyes
- Sneezing
- Cough

Brompheniramine maleate - Antihistamine (2 mg per 10 mL)
Phenylephrine HCl - Nasal decongestant (5 mg per 10 mL)
Dextromethorphan HBr - Cough suppressant (10 mg per 10 mL)

Alcohol Free

Grape Flavor 4 FL OZ (118 mL)

Fast Acting
PediaCare
100% dedicated to kids™

6 Years & Up

COUGH & COLD

Relieves:

- Stuffy, Runny Nose
- Itchy, Watery Eyes
- Sneezing
- Cough

Brompheniramine maleate - Antihistamine (2 mg per 10 mL)
Phenylephrine HCl - Nasal decongestant (5 mg per 10 mL)
Dextromethorphan HBr - Cough suppressant (10 mg per 10 mL)

Alcohol Free

Grape Flavor 4 FL OZ (118 mL)

Drug Facts

Active ingredients (in each 10 mL) **Purposes**
Brompheniramine maleate, USP 2 mg.....Antihistamine
Dextromethorphan HBr, USP 10 mg.....Cough Suppressant
Phenylephrine HCl, USP 5 mg..... Nasal decongestant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat
- temporarily restores freer breathing through the nose

Warnings

Do not use

- to sedate a child or to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- a cough that occurs with too much phlegm (mucus)
- a breathing problem or persistent or chronic cough that lasts such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are

- taking any other oral nasal decongestant or stimulant
- taking sedatives or tranquilizers

When using this product

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

TAMPER EVIDENT: Do not use if the safety seal under the cap is broken or missing.

Drug Facts (continued)

Stop use and ask a doctor if

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosing cup with product
- mL = milliliter

age	dose
adults and children 12 years and over	20 mL every 4 hours
children 6 to under 12 years	10 mL every 4 hours
children under 6 years	do not use

Other information

- store at 20-25°C (68-77°F)

Inactive ingredients
citric acid anhydrous, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, sodium benzoate, sodium citrate, sorbitol, sucralose

CROSSINGWELL
consumer health

Distributed by
CrossingWell Consumer Health
PO Box 440
Cornwall, NY 12518

0 30103 09200 8

Lot #

Exp

PEDIACARE CHILDRENS COUGH AND COLD GRAPE

brompheniramine maleate, dextromethorphan hydrobromide, and phenylephrine hydrochloride syrup

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:52412-920
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BROMPHENIRAMINE MALEATE (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)	BROMPHENIRAMINE MALEATE	2 mg in 10 mL
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 10 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg in 10 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:52412-920-01	1 in 1 CARTON	01/03/2023	
1		118 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/03/2023	

Labeler - RANDOB LABS,LTD. DBA CROSSINGWELL CONSUMER HEALTH (061995007)

Revised: 12/2024

RANDOB LABS,LTD. DBA CROSSINGWELL CONSUMER HEALTH