MUCUS RELIEF SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH- mucinex congestion and cough maximum strength liquid Good Neighbor Pharmacy

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Dextromethorphan HBr 20mg Guaifenesin 400 mg Phenylephrine HCl 10mg

Purpose

| Dextromethorphan | Cough suppressant |
|-------------------|--------------------|
| Guaifenesin | Expectorant |
| Phenylephrine HCL | Nasal Decongestant |

Uses

temporarily relieves cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants the intensity of coughing, the impulse to cough to help you get to sleep, helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive

warnings

for children under 12 years of age

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

persistent or chronic cough such as occurs with smoking, astha, chrinic bronchitis or emphysema cough that occurs with too much phlegm (mucus)

when using this product

do not use more than directed

stop use and ask a doctor if

cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache. These

could be signs of a serious condition.

If pregnant or breast feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center 1-800-222-1222 immediately. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not exceed recommended dosage use dosage cup provided do not take more than 6 doses in a 24 hour period do not use dosing cup with other products dose as follows or as directed by a doctor mL=milliliter children under 12 years-do not use adults and children 12 years and older-20mL every 4 hours

Other information


each 20mL contains potassium 6mg, sodium 13mg store at room temperature do not refrigerate

Inactive ingredients

citric acid, dextrose, flavors, glycerin, methyl paraben, potassium sorbate, propylene glycol, propyl paraben, purified water, red 33, red 40, saccharin sodium, sodium hydroxide, sucralose, xanthan gum

Principal Display Panel

Maximum Strength Mucus Relief Severe Congestion and Cough Cought Suppressant (Dextromethorphan HBr) Chest Congestion and Mucus (Guaifenesin) Stuffy Nose (Phenylephrine HCl) Mucus, Stuffy Nose, Chest Congestion, Cough For Ages 12 and over Distrubted By AmerisourceBergen 1300 Morris Drive Chesterbrook PA 19087 Visit us at www.goodneighborpharmacy.com Questions or comments? 1 866 534 4631 6 fl oz 177 mL



MUCUS RELIEF SEVERE CONGESTION AND COUGH MAXIMUM STRENGTH

| Product Information | on | | | | | | | |
|---|-------------|----------------------|-----------|------------------------|-------------------|----------|--------------------|--|
| Product Type | | HUMAN OTC DRUG | Item (| Code (S | Source) | NDC:46 | 122-219 | |
| | | | Ite III C | Joue (| Jource | 1120.10 | 122 215 | |
| Route of Administrati | on | ORAL | | | | | | |
| Active Ingredient/ | Active Moie | ety | | | | | | |
| | Ingre | dient Name | | | Basis of Str | ength | Strength | |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ) GUAIFENESIN | | | | | | | 400 mg in 20 mL | |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9 D2RTI9KYH)DEXTROMETHORP(DEXTROMETHORPHAN - UNII:7355X3ROTS)HYDROBROMIDE | | | | | | HAN | 20 mg in 20 mL | |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS 297W6 MV) PHENYLEPHRINE HYDROCHLORIDE | | | | | | | 10 mg in 20 mL | |
| T | | | | | | | | |
| Inactive Ingredien | LS | In gradient Norm | | | | | tuonath | |
| | ACCO X) | Ingredient Name | | | | 5 | trength | |
| GLYCERIN (UNII: PDC6) | | | | | | | | |
| XANTHAN GUM (UNII: T | | | | | | | | |
| WATER (UNII: 059QF0K DISODIUM EDTA-COPI | | 75 A YO C II) | | | | | | |
| PROPYL GALLATE (UN | | | | | | | | |
| SODIUM BENZOATE (U | | , | | | | | | |
| | | EU) | | | | | | |
| SUCRALOSE (UNII: 96K | | | | | | | | |
| SORBITOL (UNII: 506T | | | | | | | | |
| SODIUM CITRATE (UN | | , | | | | | | |
| FD&C RED NO. 40 (UNI | | , | | | | | | |
| FD&C BLUE NO. 1 (UNI | | | | | | | | |
| PROPYLENE GLYCOL | | | | | | | | |
| CITRIC ACID ACETATE | | wL/AU) | | | | | | |
| Packaging | | | | | | | | |
| # Item Code | Pac | kage Description | Marke | Marketing Start Date N | | Marketin | Aarketing End Date | |
| 1 NDC:46122-219-30 | 177 mL in 1 | BOTTLE, PLASTIC | | | | | | |
| | | | | | | | | |
| Mankating Info | | | | | | | | |
| Marketing Info | | n Number or Monograp | | | keting Start Date | | ting End Date | |

Labeler - Good Neighbor Pharmacy (007914906)

| Establishment | | | | | | | |
|------------------------|---------|-----------|---|--|--|--|--|
| Name | Address | ID/FEI | Business Operations | | | | |
| Aaron Industries, Inc. | | 113044205 | manufacture(46122-219), analysis(46122-219) | | | | |

Revised: 11/2013

Good Neighbor Pharmacy