

**CORTIZONE 10 FOR PSORIASIS- hydrocortizone lotion**  
**Chattem, Inc.**

-----  
**Cortizone 10 for Psoriasis**

**Cortizone · 10<sup>®</sup>**  
**Anti-Itch Lotion for Psoriasis**

***Drug Facts***

***Active Ingredient***

Hydrocortisone 1%

***Purpose***

Anti-itch

***Uses***

- temporarily relieves the itching and discomfort associated with minor skin irritations and rashes
- other uses of this product should only be used under the advice and supervision of a doctor

***Warnings***

**For external use only**

**Do not use**

- for the treatment of diaper rash. Consult a doctor.

**When using this product**

- avoid contact with eyes
- do not use more than directed unless told to do so by a doctor

**Stop use and ask a doctor if**

- condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor

**Keep out of reach of children.**

- if swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- **adults and children 2 years of age and older:** apply to affected area not more

than 3 to 4 times daily

- **children under 2 years of age:** ask a doctor

### ***Inactive ingredients***

water, glycerin, petrolatum, dimethicone, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, cetyl alcohol, glyceryl stearate, stearyl alcohol, isohehexadecane, methyl gluceth-20, aloe barbadensis leaf juice, butyrospermum parkii (shea) butter extract, avena sativa (oat) kernel extract, zingiber officinale (ginger) root extract, boswellia serrata gum, bisabolol, ceramide NP, ceramide NS, ceramide EOS, ceramide EOP, ceramide AP, caprooyl phytosphingosine, caprooyl sphingosine, magnesium ascorbyl phosphate, tocopheryl acetate, maltodextrin, polysorbate 60, phenoxyethanol, disodium EDTA, dipropylene glycol, cetareth-25, cholesterol, behenic acid, pentylene glycol, methylparaben, 4-t-butylcyclohexanol, citric acid, sodium citrate

### **PRINCIPAL DISPLAY PANEL**

Cortizone 10<sup>®</sup>  
MAXIMUM STRENGTH  
anti-itch lotion for  
Psoriasis  
1% Hydrocortisone  
net wt 3.4 oz (96 g)



# Cortizone-10<sup>®</sup>

MAXIMUM STRENGTH

anti-itch lotion for  
**Psoriasis**

lasting itch relief  
for irritated & inflamed  
psoriatic skin



soothes itchy skin

long lasting


7 healing moisturizers

1% Hydrocortisone

Net wt 3.4 oz (96 g)



<b>Drug Facts</b>	
<b>Active ingredient</b>	<b>Purpose</b>
Hydrocortisone 1%.....	Anti-itch
<b>Uses</b>	
<ul style="list-style-type: none"> <li>temporarily relieves the itching and discomfort associated with minor skin irritations and rashes</li> <li>other uses of this product should only be under the advice and supervision of a doctor</li> </ul>	
<b>Warnings</b>	
For external use only	
Do not use <ul style="list-style-type: none"><li>for the treatment of diaper rash. Consult a doctor.</li></ul>	
When using this product <ul style="list-style-type: none"><li>avoid contact with eyes</li><li>do not use more than directed unless told to do so by a doctor</li></ul>	
Stop use and ask a doctor if <ul style="list-style-type: none"><li>condition worsens, symptoms persist for more than 7 days or clear up and occur again within a few days, and do not begin use of any other hydrocortisone product unless you have asked a doctor</li></ul>	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> <ul style="list-style-type: none"><li>adults and children 2 years of age and older: apply to affected area not more than 3 to 4 times daily</li><li>children under 2 years of age: ask a doctor</li></ul>	
<b>Inactive ingredients</b> water, glycerin, petrolatum, dimethicone, hydroxyethyl acrylate/sodium acryloyldimethyl taurate copolymer, cetyl alcohol, glyceryl stearate, stearyl alcohol, isohexadecane, methyl gluceth-20, aloe barbadensis leaf juice, butyrospermum parkii (shea) butter extract, avena sativa (oat) kernel extract, zingiber officinale (ginger) root extract, boswellia serrata gum, bisabolol, ceramide NP, ceramide NS, ceramide EOS, ceramide EOP, ceramide AP, caprooyl phytosphingosine, caprooyl sphingosine, magnesium ascorbyl phosphate, tocopheryl acetate, maltodextrin, polysorbate 60, phenoxyethanol, disodium EDTA, dipropylene glycol, ceteareth-25, cholesterol, behenic acid, pentylene glycol, methylparaben, 4-t-butylcyclohexanol, citric acid, sodium citrate (309-169)	



Distributed by Chatterm, Inc.  
P.O. Box 2219  
Chattanooga, TN 37409-0219 ©2015

\*Refers to the ingredient hydrocortisone  
[www.Cortizone10.com](http://www.Cortizone10.com)  
0034499-02

## CORTIZONE 10 FOR PSORIASIS

hydrocortisone lotion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-0341
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROCORTISONE (UNII: W4X0X7BPJ) (HYDROCORTISONE - UNII:W4X0X7BPJ)	HYDROCORTISONE	1 g in 100 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	

<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.S AT 1%)</b> (UNII: 86FQE96TZ4)
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)
<b>STEARYL ALCOHOL</b> (UNII: 2KR89I4H1Y)
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)
<b>METHYL GLUCETH-20</b> (UNII: J3QD0LD11P)
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)
<b>OAT</b> (UNII: Z6J799EAJK)
<b>GINGER</b> (UNII: C5529G5JPQ)
<b>INDIAN FRANKINCENSE</b> (UNII: 4PW41QCO2M)
<b>BISABOLOL OXIDE B, (-)-</b> (UNII: S32G48306Y)
<b>CERAMIDE 3</b> (UNII: 4370DF050B)
<b>CERAMIDE 2</b> (UNII: C04977SRJ5)
<b>CERAMIDE EOS</b> (UNII: CR0J8RN66K)
<b>CERAMIDE 1</b> (UNII: 5THT33P7X7)
<b>CERAMIDE 6 II</b> (UNII: F1X8L2B00J)
<b>N-HEXANOYLSPHINGOSINE</b> (UNII: 038753E78J)
<b>MAGNESIUM ASCORBYL PHOSPHATE</b> (UNII: 0R822556M5)
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)
<b>POLYSORBATE 60</b> (UNII: CAL22UVI4M)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)
<b>CETEARETH-25</b> (UNII: 8FA93U5T67)
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)
<b>BEHENIC ACID</b> (UNII: H390488X0A)
<b>PENTYLENE GLYCOL</b> (UNII: 50C1307PZG)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>4-TERT-BUTYLCYCLOHEXANOL</b> (UNII: K0H1405S9C)
<b>CITRIC ACID MONOHYDRATE</b> (UNII: 2968PHW8QP)
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-0341-0	96 g in 1 TUBE; Type 0: Not a Combination Product	01/15/2016	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/15/2016	

