#### POVIDONE IODINE- povinanz ointment ointment 1201258 Ontario Inc. O/A Nanz Pharma

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Povinanz Ointment 5%**

#### **Active Ingredients**

5% Povidone Iodine Solution USP

#### **Purpose:**

**Topical Antifungal** 

#### Uses:

For the treatment of athlete's foot, jock itch, and ring worm

For the effective relief of burning, cracking, discomfort, redness, scaling, soreness, and chafing that is associated with jock itch.

## Warnings:

Do not use on children under 2 years of age unless directed by a doctor. For external use only. Avoid contact with the eyes. If irritation occurs or if there is no improvement within 4 weeks, disuse and consult a doctor. If irritation occurs or if there is no improvement within 2 weeks, discontinue and consult a doctor.

## **KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children. If swallowed, get medical help immediately or contact a Poison Control Center right away.

## Storage:

Store in dry and dark place at temperature not exceeding 30C. Do not freeze

Povidone Iodine Label for all sizes

## Inactive Ingredients:

POLYETHYLENE GLYCOL 3350, POLYETHYLENE GLYCOL 400

## **Directions:**

Apply a thin layer of the product over the affected area twice daily (morning and night) or as directed by a doctor. Supervise children in the use of this product. For athlete's foot: Pay special atto spaces between the toes; wear well-fitting, ventilated shoes, and socks at least once daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks. If the condition persists longer, consult a doctor. This product is not effective on the scalp or nails.

To prevent athlete's foot, wash the feet and dry them thoroughly. Apply a thin layer of the product to the feet once or twice daily (morning and/or night). Supervise children in the use of this product with special attention to spaces between the toes; wear well-fitting, ventilated shoes, and change shoes and socks at least once daily.

# Stop Use and Ask Doctor If:

Irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

# Distributed by:

1201258 Ontario Inc. Nanz Pharma 575 Granite Court Pickerin, Ontario L1W 3K1 1201258 Ontario Inc. Na Canada


# Manufactured and Marketed by:

Nanz Pharma 575 Granite Ct. Pickering,ON L1W 3K1

Label

Drug Facts				
Active Ingredient 5% Povidone Iodine Solution USP, (5% w/w available lodine)	Purpose Topical Antifungal			
Uses For the treatment of athlete's foot, jock itch, and ringworm. For the effective relief of burning, cracking, discomfort, redness, scalin and chafing that is associated with jock itch.	g, soreness,			
Warnings Do not use on children under 2 years of age unless directed by a doctor. For external use only. Avoid contact with the eyes. If imitation occurs or if there is no improvement within 4 weeks, discontinue use and consult a doctor. If inflation occurs or if there is no improvement/within 2 weeks, discontinue use and consult a doctor.				
KEEP OUT OF REACH OF CHILDREN. If swallowed, get medical help Poison Control Center right away.	immediately, or contact			
Directions Apply a layer of the product over the affected area twi directed by a doctor. Supervise children in the use of this product. For to spaces between the toes; wear well-fitting, ventilated shoes; and cha daily. For athlete's foot and ringworm, use daily for 4 weeks; for jock condition persists longer; consult a doctor. This product is not effectiv	athlete's foot: Pay special attention inge shoes and socks at least once k itch, use daily for 2 weeks. If the			
To prevent athlete's foot, wash the feet and dry them thoroughly. App the feet once or twice daily (morning and/or night). Supervise childr special attention to spaces between the toes; wear well-fitting, ventilate socks at least once daily.	en in the use of this product. Pay			
Other Information Store in a dry and dark place at a temperature not exceeding 30C.				
Inactive Ingredients Anlrydrous dibasic sodium phosphate, Citric acid monohydrate, Glycer Potassium Iodate, Nonoxynol-3, Water	rin, Polyethylene glycol 1500,			
Questions Nanz Pharma Inc., 575 Granite Court, Pickering, ON	l, L1W3K1, Canada			

.



POVIDONE IODINE						
povinanz ointment ointment						
Product Information						
Product Type	HUMAN OTC DRUG	Item Code (	NDC:83254-500			
Route of Administration	TOPICAL					
Active Ingredient/Active Moiety						
Ingredient Name Basis of Stren					Strength	
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4) IODINE				5 g in 100 g		
Inactive Ingredients						
Ingredient Name					Strength	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)						
POLYETHYLENE GLYCOL 3350 (UNII: G2M7P15E5P)						

Packaging					
#	ltem Code	Package Description		Marketing Start Date	Marketing End Date
1	NDC:83254-500- 50	150 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
2	NDC:83254-500- 10	100 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
3	NDC:83254-500- 90	90 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
4	NDC:83254-500- 60	60 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
5	NDC:83254-500- 01	10 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
6	NDC:83254-500- 15	15 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
7	NDC:83254-500- 05	5 g in 1 TUBE; Type 0: Not a Combination Product	05	5/04/2023	
8	NDC:83254-500- 11	1 g in 1 POUCH; Type 0: Not a Combination Product	05	5/04/2023	
9	NDC:83254-500- 22	2 g in 1 POUCH; Type 0: Not a Combination Product	05	5/04/2023	
10	NDC:83254-500- 55	5 g in 1 POUCH; Type 0: Not a Combination Product	05	5/04/2023	
Marketing Information					
	Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
ото	C monograph fina	I M005		05/04/2023	

Labeler - 1201258 Ontario Inc. O/A Nanz Pharma (256906595)

Registrant - 1201258 Ontario Inc. O/A Nanz Pharma (256906595)

# Establishment

Name	Address	ID/FEI	Business Operations
1201258 Ontario Inc. O/A Nanz Pharma		256906595	manufacture(83254-500) , pack(83254-500) , label(83254- 500)

Revised: 5/2023

1201258 Ontario Inc. O/A Nanz Pharma