

AVOBENZONE, HOMOSALATE, OCTISALATE- avobenzone, homosalate, octisalate spray
Meijer, Inc.

Meijer D43.000/D43AA
Sport Sunscreen Spray SPF 50

Active Ingredients

Avobenzone 3%

Homosalate 12%

Octisalate 5%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable

- Flammable: keep away from fire or flame.
- After application, wait until product dries before approaching a source of heat or flame, or before smoking

Do not use

on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.
- contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- apply to all skin exposed to the sun
- hold container 4 to 6 inches from the skin to apply
- do not spray directly into face. Spray on hands then apply to face.
- do not apply in windy conditions
- use in a well-ventilated area and avoid inhalation
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m.-2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butyloctyl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxycitronellal, linalool, tocopheryl acetate

Disclaimers

*This product is not manufactured or distributed by Beiersdorf AG, distributor of Coppertone[®] Sunscreen Spray Sport Broad Spectrum SPF 50.

May stain or damage some fabrics or surfaces

Adverse Reaction

Questions 1-888-593-0593

DISTRIBUTED BY:

MEIJER DISTRIBUTION, INC.

GRAND RAPIDS, MI 49544

www.meijer.com

OUR QUALITY GUARANTEE

The Meijer Family

www.meijer.com/satisfaction

Principal display panel

meijer®

sport sunscreen spray

BROAD SPECTRUM SPF 50

UVA/UVB SUNSCREEN

SPF 50

WATER RESISTANT (80 MINUTES)

WON'T RUN WHEN YOU START TO SWEAT

OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE

Compare to Coppertone® Sport Broad Spectrum SPF 50*

NET WT 5.5 OZ (156 g)

Drug Facts

Active ingredients	Purpose
Avobenzone 3%	Sunscreen
Homosalate 12%	Sunscreen
Octisalate 5%	Sunscreen

Uses
 ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
 For external use only
Flammable: Keep away from fire or flame. ■ after application, wait until product dries before approaching a source of heat or flame, or before smoking
 Do not use ■ on damaged or broken skin
When using this product ■ keep out of eyes. Rinse with water to remove. ■ contents under pressure. Do not puncture or incinerate. Do not store at temperature above 120°F.
Stop use and ask a doctor if ■ rash occurs
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ spray liberally and spread evenly by hand 15 minutes before sun exposure
 ■ apply to all skin exposed to the sun ■ hold container 4 to 6 inches from the skin to apply
 ■ do not spray directly into face. Spray on hands then apply to face.
 ■ do not apply in windy conditions ■ use in a well-ventilated area and avoid inhalation
 ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m. to 2 p.m.
 ■ wear long-sleeved shirts, pants, hats and sunglasses
 ■ children under 6 months of age: Ask a doctor

Other information
 ■ protect the product in this container from excessive heat and direct sun

Inactive ingredients alcohol denat., diethylhexyl 2,6-naphthalate, diisopropyl adipate, acrylates/octylacrylamide copolymer, butylsteryl salicylate, neopentyl glycol diheptanoate, fragrance, amyl cinnamal, hydroxyethylcellulose, linoleol, tocopheryl acetate

May stain or damage some fabrics or surfaces

Questions 1-888-593-0593
 DISTRIBUTED BY
 MEIJER DISTRIBUTION, INC.
 GRAND RAPIDS, MI 49544
 www.meijer.com

OUR QUALITY GUARANTEE
The Meijer Family
 www.meijer.com/satisfaction

meijer.
 sport
 sunscreen spray

**BROAD SPECTRUM SPF 50
 UVA/UVB SUNSCREEN**

SPF 50

**WATER RESISTANT (80 MINUTES)
 WON'T RUN WHEN YOU START TO SWEAT
 OXYBENZONE, OCTINOXATE AND OCTOCRYLENE FREE**

**COMPARE TO COPPERTONE® SPORT
 BROAD SPECTRUM SPF 50***

NET WT 5.5 OZ (156 g)

*This product is not manufactured or distributed by Heliosol® distributor of Coppertone® Sunscreen Spray Sport Broad Spectrum SPF 50.

AVOBENZONE, HOMOSALATE, OCTISALATE

avobenzone, homosalate, octisalate spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0943
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	120 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
DIETHYLHEXYL 2,6-NAPHTHALATE (UNII: I0DQJ7YGXM)	

DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (40000 MW) (UNII: 7LL6SY9YFV)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
NEOPENTYL GLYCOL DIHEPTANOATE (UNII: 5LKW3C543X)	
.ALPHA.-AMYLCINNAMALDEHYDE (UNII: WC51CA3418)	
HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0943-1	156 g in 1 CAN; Type 0: Not a Combination Product	08/08/2023	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/08/2023	

Labeler - Meijer, Inc. (006959555)

Registrant - Nice-Pak Products, LLC (119091520)

Establishment

Name	Address	ID/FEI	Business Operations
Nice-Pak Products, LLC		119091514	manufacture(79481-0943)

Revised: 2/2026

Meijer, Inc.