

**LESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 045W AMBRE DORE/AMBER WARM- titanium dioxide emulsion  
Guerlain**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 045W AMBRE DORE/AMBER WARM**

***Drug Facts***

***Active ingredients***

Titanium dioxide 1.76%

***Purpose***

sunscreen

***Uses***

- Helps prevent sunburn

***Warnings***

- **For external use only.**

***Do not use***

- on damaged or broken skin.

***When using this product***

keep out of eyes. Rinse with water to remove.

***Stop use and ask a doctor***

if rash occurs.

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

For sunscreen use:

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.
- protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- Limit time in the sun, especially from 10 a.m.-2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor.

### ***Inactive ingredients***

AQUA (WATER) • C9-12 ALKANE • GLYCERIN • PROPANEDIOL • POLYGLYCERYL-6 POLYRICINOLEATE • SILICA • C15-19 ALKANE • VP /EICOSENE COPOLYMER • DICAPRYLYL CARBONATE • POLYGLYCERYL-2 ISOSTEARATE • COCO-CAPRYLATE/CAPRATE • DISTEARDIMONIUM HECTORITE • SORBITAN SESQUIISOSTEARATE • PARFUM (FRAGRANCE) • CAESALPINIA SPINOSA FRUIT EXTRACT • ALPHA-GLUCAN OLIGOSACCHARIDE • SODIUM MYRISTOYL GLUTAMATE • STEARIC ACID • SODIUM CITRATE • XANTHAN GUM • ALUMINA • POLYHYDROXYSTEARIC ACID • CELLULOSE • POTASSIUM SORBATE • KAPPAPHYCUS ALVAREZII EXTRACT • POLYMNIA SONCHIFOLIA ROOT JUICE • CITRIC ACID • BUTYLENE GLYCOL • ALUMINUM HYDROXIDE • MALTODEXTRIN • LACTOBACILLUS • TOCOPHEROL • THEOBROMA CACAO (COCOA) SEED EXTRACT • [MAY CONTAIN : CI 77491, CI 77492, CI 77499 (IRON OXIDES) • CI 77891 (TITANIUM DIOXIDE) • CI 77947 (ZINC OXIDE)]


### **Other information**

- Protect this product from excessive heat and direct sun.

### **Question or comments?**

In USA: 19 East, 57th Street, New York, NY 10022 855 454 6242 Monday through Friday 9am to 5pm EST.

**L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 045W AMBRE DORE/AMBER WARM, 30mL (49817-2059-1)**



DIMENSION CARTOUCHE  
61,51 X 6,2

GUERLAIN.COM  
FOND DE TEINT / FOUNDATION

L'ESSENTIEL

GUERLAIN  
PARIS

L'ESSENTIEL

NATURAL GLOW FOUNDATION  
16H WEAR

WITH SUNSCREEN  
BROAD SPECTRUM SPF 20

HYDRATES & PROTECTS (UVA/UVB, POLLUTION)

30 mL

1.0 FL. OZ.

**BOTANICAL INGREDIENTS** (EXTRACTS FROM BOTH TARA AND RED ALGAE GUMS): HELP SUPPORT SKIN'S ABILITY TO DEFEND AGAINST POLLUTION.\*  
**BEAUTY-BOOSTING INGREDIENTS** (INCLUDING PORCELANA COCOA BEAN EXTRACT): BOOST HYDRATION.\*\*  
\*EX VIVO, \*\*IN VITRO TESTS ON INGREDIENTS

IN THE NAME OF BEAUTY  
GUERLAIN SUSTAINABLE DEVELOPMENT  
BOTTLE DESIGNED TO PROMOTE RECYCLING.(1)  
TO LEARN MORE: GUERLAIN.COM.  
(1) ACCORDING TO LOCAL SORTING AND RECYCLING STANDARDS

© COPYRIGHT GUERLAIN  
MANUFACTURED FOR GUERLAIN  
68, CHAMPS-ÉLYSÉES 75008 PARIS  
MADE IN FRANCE  
GUERLAIN.COM



**Drug Facts**

Active Ingredients	Purpose
Titanium dioxide 1.76%	sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- For sunscreen use:
- Apply liberally 15 minutes before sun exposure.
  - Reapply at least every two hours.
  - Use a water resistant sunscreen if swimming or sweating.
  - Sun protection measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - Limit time in the sun, especially from 10 a.m.-2 p.m.
    - Wear long-sleeved shirts, pants, hats, and sunglasses.
  - Children under 6 months: Ask a doctor.

**Drug Facts**

(continued)

**Inactive ingredients**

AQUA (WATER) • C9-12 ALKANE • GLYCERIN • PROPANEDIOL • POLYGLYCERYL-6 POLYRICINOLEATE • SILICA • C15-19 ALKANE • VP/EICOSENE COPOLYMER • DICAPRYLYL CARBONATE • POLYGLYCERYL-2 ISOSTEARATE • GOOD-CARRIER-1-CAPRYLATE • DISTEARDIMONIUM HEPTORITE • SORBITAN SESQUISOSTEARATE • PARFUM (FRAGRANCE) • CAESALPINIA SPINOSA FRUIT EXTRACT • ALPHA-GLUCAN OLGOSACCHARIDE • SODIUM MYRISTOYL GLUTAMATE • STEARIC ACID • SODIUM CITRATE • XANTHAN GUM • ALUMINA • POLYHYDROXYSTEARIC ACID • CELLULOSE • POTASSIUM SORBATE • KAPPAPHYCUS ALVARREZII EXTRACT • POLYMINA SONCHIFOLIA ROOT JUICE • CITRIC ACID • BUTYLENE GLYCOL • ALUMINUM HYDROXIDE • MALTODEXTRIN • LACTOBACILLUS • TOCOPHEROL • THEOBROMA CACAO (COCOA) SEED EXTRACT • [MAY CONTAIN : CI 77491, CI 77492, CI 77499 (IRON OXIDES) • CI 77891 (TITANIUM DIOXIDE) • CI 77947 (ZINC OXIDE)] (2)(9)

**Other information**

- Protect this product from excessive heat and direct sun.

**Question or comments?**

In USA: 19 East, 57th Street, New York, NY 10022  
855 454 6242 Monday through Friday 9am to 5pm EST.

INFORMATION



or guerlain.com




MMP PREMIUM



7424177085

REPIQUAGE USINE  
DATE D'EXPIRATION

CE PRODUIT NE PEUT ÊTRE VENDU QUE PAR LES DÉPOSITAIRES AGRÉÉS PAR LA SOCIÉTÉ GUERLAIN CONFORMÉMENT À SES CONDITIONS GÉNÉRALES DE VENTES.



LOGO 23,2 mm

28,6

FUTURA BOOK Corps 5  
Épaisseur 0,148 - hauteur 1,33 mm

LOGO 16 mm

16,7

**PLACEMENT ET TAILLE  
AU PLUS PRÈS  
DE LA CRÉA FOURNIE  
(QUI N'EST PAS À LA COTE)**

**Active Ingredients**  
TITANIUM DIOXIDE 1.76%

Shake well before use. Apply to face, then use a brush, a sponge or your fingertips to blend in.

**Warnings:** For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

In USA: 19 East, 57th Street, New York, NY 10022.

# L'ESSENTIEL

NATURAL GLOW FOUNDATION  
16H WEAR

WITH SUNSCREEN  
BROAD SPECTRUM SPF 20

*Guerlain*

## Active Ingredients

TITANIUM DIOXIDE 1.76%

Shake well before use. Apply to face, then use a brush, a sponge or your fingertips to blend in.

**Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

In USA: 19 East, 57th Street, New York, NY 10022.



EXP: \_\_\_\_\_

045W AMBRE DORÉ / AMBER WARM

**L'ESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 045W AMBRE DORE/AMBER WARM, 15mL (49817-2059-3)**

# L'ESSENTIEL

Natural Glow Foundation  
16h Wear

With Sunscreen  
Broad Spectrum SPF 20

*Guerlain*

## Active Ingredients

TITANIUM DIOXIDE 1.76%

Shake well before use. Apply to face, then use a brush, a sponge or your fingertips to blend in.

**Warnings: For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.**

In USA: 19 East, 57th Street, New York, NY 10022.

15 mL 0.5 FL.OZ. • TESTER

GUERLAIN  
68, CHAMPS-ELYSEES 75008 PARIS  
MADE IN FRANCE

# L'ESSENTIEL

Natural Glow Foundation  
16h Wear  
With Sunscreen  
Broad Spectrum SPF 20

*Guerlain*



## **Active Ingredients**

TITANIUM DIOXIDE 1.76%

Shake well before use. Apply to face, then use a brush, a sponge or your fingertips to blend in.

**Warnings: For external use only. Do not use** on damaged or broken skin. **When using this product** keep out of eyes. Rinse with water to remove. **Stop use and ask a doctor** if rash occurs. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

In USA: 19 East, 57th Street, New York, NY 10022.

15 mL 0.5 FL.OZ. • TESTER

GUERLAIN

68, CHAMPS-ELYSEES 75008 PARIS  
MADE IN FRANCE

L'ESSENTIEL

Natural Glow Foundation  
16h Wear  
With Sunscreen  
Broad Spectrum SPF 20

*Guerlain*

## **LESSENTIEL NATURAL GLOW FOUNDATION 16H WEAR WITH SUNSCREEN BROAD SPECTRUM SPF 20 045W AMBRE DORE/AMBER WARM**

titanium dioxide emulsion

### **Product Information**

**Product Type**

HUMAN OTC DRUG

**Item Code (Source)**

NDC:49817-2059



**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9 V2JP) (TITANIUM DIOXIDE - UNII:15FIX9 V2JP)	TITANIUM DIOXIDE	17.6 mg in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPANEDIOL (UNII: 5965N8W85T)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
C15-19 ALKANE (UNII: C187N1M01)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
POLYGLYCERYL-2 MONOISOSTEARATE (UNII: 7B8OE71MQC)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
SORBITAN SESQUISO STEARATE (UNII: VU97D01BF9)	
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)	
SODIUM MYRISTOYL GLUTAMATE (UNII: AYU7QD893W)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ALUMINUM OXIDE (UNII: LM26O6933)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
TOCOPHEROL (UNII: R0ZB2556P8)	
COCOA (UNII: D9108TZ9KG)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49817-2059-1	1 in 1 BOX	03/10/2019	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49817-2059-3	1 in 1 BOX	03/10/2019	
2		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	03/10/2019	

