

**CHILDRENS ALLERGY- fexofenadine hcl suspension  
WALMART INC. (see also Equate)**

-----  
**DRUG FACTS**

**Active ingredient (in each 5 mL)**

Fexofenadine HCl, USP 30 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients.

**Ask a doctor before use if you have**

kidney disease. Your doctor should determine if you need a different dose.

**When using this product**

- do not take more than directed
- do not take at the same time as aluminum or magnesium antacids
- do not take with fruit juices (see Directions)

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Direction**

- shake well before using
- use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

### **Other information**

- **each 5 mL contains:** sodium 17 mg
- store between 20° to 25°C (68° to 77°F)

### **Inactive ingredients**

artificial raspberry flavor, butylparaben, edetate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol

### **Questions or comments?**

Call **1-888-287-1915**

### **Principal Display Panel**

Compare to Children's Allegra® Allergy active ingredient\*

### **Childrens**

### **ALLERGY RELIEF**

Fexofenadine HCl Oral Suspension

30 mg/5mL

Antihistamine

Non-Drowsy

Alcohol-Free Dye-Free

AGES 2 YEARS AND OLDER

- Sneezing
- Runny Nose
- Itchy, watery eyes
- Itchy nose or throat

Indoor / Outdoor

Berry Flavor

FL OZ (mL)

Dosing Cup Enclosed

Use only with enclosed dosing cup. Wash and let air dry after each use.

\*This product is not manufactured or distributed by Sanofi Consumer Healthcare NA, owner of the registered trademark Children's Allegra® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF SEAL ON BOTTLE PRINTED WITH "SEALED FOR SAFETY" IS TORN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**

**DISTRIBUTED BY:**

**Walmart Inc.,**

**Bentonville, AR 72716**

**Product Label**

**Drug Facts (continued)**  
**Inactive ingredients:** artificial raspberry flavor, butylparaben, edelate disodium, poloxamer 407, propylene glycol, propylparaben, purified water, sodium phosphate dibasic, sodium phosphate monobasic, sucrose, titanium dioxide, xanthan gum, xylitol  
**Questions or comments?**  
 1-888-287-1915

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF SEAL ON BOTTLE PRINTED WITH "SEALED FOR SAFETY" IS TORN OR MISSING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

  
 Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call 1-888-287-1915.

**DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716**  
**PRODUCT OF INDIA**  
 \*This product is not manufactured or distributed by Sanofi Consumer Healthcare NA, owner of the registered trademark Children's Allegra® Allergy.



NDC 79903-249-04

**equate™**

Compare to Children's Allegra® Allergy active ingredient\*

**childrens**  
**ALLERGY RELIEF**  
 Fexofenadine HCl Oral Suspension  
 30 mg/5 mL  
 Antihistamine Non-Drowsy  
 Alcohol-Free Dye-Free  
 AGES 2 YEARS AND OLDER

**12 HOUR**



- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

Indoor / Outdoor Allergy Relief

Berry Flavor

**4 FL OZ (118mL)**      Dosing Cup Enclosed

Use only with enclosed dosing cup. Wash and let air dry after each use.

NDC 79903-249-04

**equate™**

Compare to Children's Allegra® Allergy active ingredient\*

**childrens**  
**ALLERGY RELIEF**  
 Fexofenadine HCl Oral Suspension  
 30 mg/5 mL  
 Antihistamine Non-Drowsy  
 Alcohol-Free Dye-Free  
 AGES 2 YEARS AND OLDER

**12 HOUR**



- Sneezing
- Runny nose
- Itchy, watery eyes
- Itchy throat or nose

Indoor / Outdoor Allergy Relief

Berry Flavor

**4 FL OZ (118mL)**      Dosing Cup Enclosed

Use only with enclosed dosing cup. Wash and let air dry after each use.

**Drug Facts**

<b>Active ingredient (in each 5 mL)</b> Fexofenadine HCl, USP 30 mg	<b>Purpose</b> Antihistamine
--	---------------------------------

**Uses** temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:  
 ■ runny nose    ■ itchy, watery eyes  
 ■ sneezing      ■ itching of the nose or throat

**Warnings**  
 Do not use if you have ever had an allergic reaction to this product or any of its ingredients.  
 Ask a doctor before use if you have kidney disease. Your doctor should determine if you need a different dose.

**When using this product**  
 ■ do not take more than directed  
 ■ do not take at the same time as aluminum or magnesium antacids  
 ■ do not take with fruit juices (see Directions)

**Stop use and ask a doctor** if an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding**, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
 ■ shake well before using  
 ■ use only with enclosed dosing cup

adults and children 12 years of age and over	take 10 mL every 12 hours; do not take more than 20 mL in 24 hours
children 2 to under 12 years of age	take 5 mL every 12 hours; do not take more than 10 mL in 24 hours
children under 2 years of age	ask a doctor
adults 65 years of age and older	ask a doctor
consumers with kidney disease	ask a doctor

Note: mL = milliliters

**Other information**  
 ■ each 5 mL contains: sodium 17 mg  
 ■ store between 20° to 25°C (68° to 77°F)



PLD-A8328 FC008835

Lot No.:  
 Exp. Date:

**EQUATE Children's Allergy Relief Berry Flavor**

**CHILDRENS ALLERGY**

fexofenadine hcl suspension

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79903-249
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>FEXOFENADINE HYDROCHLORIDE</b> (UNII: 2S068B75ZU) (FEXOFENADINE - UNII:E6582LOH6V)	FEXOFENADINE HYDROCHLORIDE	30 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>BUTYLPARABEN</b> (UNII: 3QPI1U3FV8)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>POLOXAMER 407</b> (UNII: TUF21VW3M2)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM PHOSPHATE, DIBASIC, ANHYDROUS</b> (UNII: 22ADO53M6F)	
<b>SODIUM PHOSPHATE, MONOBASIC, ANHYDROUS</b> (UNII: KH7I04HPUU)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>XYLITOL</b> (UNII: VCQ006KQ1E)	

## Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79903-249-04	1 in 1 BOX	03/01/2024	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA203330	03/01/2024	

**Labeler** - WALMART INC. (see also Equate) (051957769)

Revised: 3/2024

WALMART INC. (see also Equate)