

SILKA ANTIFUNGAL- tolnaftate liquid
Genomma Lab USA

Silka® Liquid Antifungal

Drug Facts

Active ingredient

Tolnaftate 1%

Purpose

Antifungal

Uses

- For effective treatment of most athlete's foot and ringworm
- Relieves itching, scaling, cracking, burning, redness, soreness, irritation and discomfort. Helps prevent most athlete's foot (dermatophytosis) with daily use.

Warnings

For external use only

- **Do not use** on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if

- irritation occurs
- there is no improvement within 4 weeks (for athlete's foot and ringworm).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean affected area with soap and warm water and dry thoroughly. Apply a thin layer of Silka® Anti-Fungal Liquid over affected area twice daily (morning and night) or as directed by a doctor. The brush applicator allows for easy application on skin around the nail and cuticle area.
- Wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot: pay special attention to spaces between the toes.
- For athlete's foot and ringworm, use daily for 4 weeks. For toe fungus, apply under nail and around cuticle area. If condition persists longer, consult a doctor.
- This product is not effective on the scalp or nails.
- Supervise children in the use of this product.

Other information

- Store at room temperature 15° – 30°C (59° - 86°F)

Inactive ingredients

Aloe Barbadensis Leaf Extract, BHT, Carthamus Tinctorius (Safflower) Seed Oil, Hydrogenated Polyisobutene, Lavandula Angustifolia (Lavender) Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Oryza Sativa (Rice) Bran Oil, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Sesamum Indicum (Sesame) Seed Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopheryl Acetate.

Questions or comments?

Call toll free 1-877-994-3666

Monday to Friday, 8 am to 6 pm Central time.

Distributed by

Genomma Lab., Houston, TX 77098

PRINCIPAL DISPLAY PANEL - 13 ml Bottle Carton

SILKA®

MAX STRENGTH
ANTIFUNGAL LIQUID

CLINICALLY PROVEN

AGAINST ATHLETE'S
FOOT FUNGUS

- KILLS FUNGUS
- STOPS ITCHING
AND BURNING
- HELPS RESTORE
SKIN HEALTH

with brush
APPLICATOR

BEFORE
AFTER
DRAMATIZATION

0.45 fl oz / 13 ml

SILKA®

MAX STRENGTH
ANTIFUNGAL LIQUID

CLINICALLY PROVEN

AGAINST ATHLETE'S
FOOT FUNGUS

SILKA®

MAX STRENGTH
ANTIFUNGAL LIQUID

CLINICALLY PROVEN

AGAINST ATHLETE'S
FOOT FUNGUS

- KILLS FUNGUS
- STOPS ITCHING AND BURNING
- HELPS RESTORE SKIN HEALTH

with brush
APPLICATOR

BEFORE

AFTER

0.45 fl oz / 13 ml

Drug Facts

Active ingredient
Tolnaftate 1%

Purpose
Antifungal

Uses

- For effective treatment of most athlete's foot and ringworm
- Relieves itching, scaling, cracking, burning, redness, soreness, irritation and discomfort. Helps prevent most athlete's foot (dermatophytosis) with daily use.

Warnings
For external use only

- Do not use on children under 2 years of age unless directed by a doctor.

When using this product avoid contact with the eyes.

Stop use and ask a doctor if ■ Irritation occurs

- there is no improvement within 4 weeks (for athlete's foot and ringworm).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Clean affected area with soap and warm water and dry thoroughly. Apply a thin layer of Silka® Anti-Fungal Liquid over affected area twice daily (morning and night) or as directed by a doctor. The brush applicator allows for easy application on skin around the nail and outlie area. ■ Wear well-fitting, ventilated shoes, and change shoes and socks at least once daily. For athlete's foot, pay special attention to spaces between the toes. ■ For athlete's foot and ringworm, use daily for 4 weeks. For toe fungus, apply under nail and around outlie area. If condition persists longer, consult a doctor. ■ This product is not effective on the scalp or nails. ■ Supervise children in the use of this product.

Other information

- Store at room temperature 15° - 30°C (59° - 86°F)

Inactive ingredients
Aloe Barbadensis Leaf Extract, BHT, Carthamus Tinctorius (Safflower) Seed Oil, Hydrogenated Polysobutene, Lavandula Angustifolia (Lavender) Oil, Melaleuca Alternifolia (Tea Tree) Leaf Oil, Oryza Sativa (Rice) Bran Oil, Prunus Amygdalus Dulcis (Sweet Almond) Oil, Sesamum Indicum (Sesame) Seed Oil, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopheryl Acetate.

Questions or comments? / Preguntas o comentarios?
Call toll free / Llame sin costo 1-877-994-3666
Monday to Friday, 8 am to 6 pm Central time.
Lunes a viernes de 8 a. m. a 6 p. m., hora del Centro.

2000014893

SILKA®

MAXIMA POTENCIA
LÍQUIDO ANTIFÚNGICO

CLINICAMENTE PROBADO

CONTRA EL HONGO
DEL PIE
DE ATLETA

- MATA HONGOS
- ALIVIA LA PICAZÓN Y ARDOR
- AYUDA A RESTAURAR LA SALUD DE LA PIEL

con aplicador en
BROCHA

ANTES

DESPUÉS

0.45 fl oz / 13 ml

6 50240 06045 8

Lot. No. / LOTE:
Exp. date. / Exp.:

Información del Medicamento

Ingrediente Activo
Tolnaftato 1%

Propósito
Anti-Hongos

Usos

- Para el tratamiento eficaz de la mayoría de pies de atleta y tiña
- Alivia picazón, descamación, agrietamiento, ardor, enrojecimiento, dolor, irritación y malestar. Ayuda a prevenir la mayoría del pie de atleta (dermatofitosis) con el uso diario.

Precauciones
Sólo para uso externo

- No lo use en niños menores de 2 años a menos que lo indique un médico.

Al utilizar este producto evite el contacto con los ojos.

Deje de usarlo y consulte a un médico si ■ se produce irritación ■ no hay mejoría en 4 semanas (para pie de atleta y tiña).

Mantener fuera del alcance de los niños. En caso de ingestión, busque ayuda médica o comuníquese con un centro de control de intoxicaciones de inmediato.

Instrucciones ■ Limpie el área afectada con agua tibia y jabón y séquela bien. Aplique una capa fina de Silka® Líquido Antifúngico sobre el área afectada dos veces al día (mañana y noche) o según lo indique un médico. El aplicador con cepillo permite una fácil aplicación en la piel alrededor de la uña y el área de la cutícula. ■ Use zapatos bien ajustados y ventilados, y cambie de zapatos y calcetines al menos una vez al día. ■ Para el pie de atleta, preste especial atención a los espacios entre los dedos. Para el pie de atleta y la tiña, use diariamente durante 4 semanas. Para hongos en los dedos del pie, aplique debajo de la uña y alrededor del área de la cutícula. Si la afección persiste, consulte a un médico. ■ Este producto no es efectivo en el cuero cabelludo ni en las uñas. ■ Supervise a los niños en el uso de este producto.

Otra Información

- Almacenar a temperatura ambiente de 15° - 30° C (59° - 86° F)

Ingredientes inactivos
Extracto de hoja de aloe barbadensis, BHT, Aceite de semilla de Carthamus Tinctorius (cártamo), Poliisobuteno hidrogenado, Aceite de Lavandula Angustifolia (Lavanda), Aceite de hoja de Melaleuca Alternifolia (árbol de té), Aceite de salvado de oryza sativa (arroz), Aceite de Prunus Amygdalus Dulcis (Almendras dulces), Aceite de semilla de Sesamum Indicum (sésamo).

Distributed by / Distribuido por:
Genomma Lab., Houston, TX 77098
www.genommalab.us

Genomma Lab®

tolnaftate liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50066-085
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Tolnaftate (UNII: 06KB629TKV) (Tolnaftate - UNII:06KB629TKV)	Tolnaftate	1 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
LAVENDER OIL (UNII: ZBP1YXW0H8)	
TEA TREE OIL (UNII: VIF565UC2G)	
RICE BRAN OIL (UNII: LZ06K1506A)	
SESAME OIL (UNII: QX10HYY4QV)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50066-085-01	1 in 1 CARTON	09/30/2025	
1		13 mL in 1 BOTTLE, GLASS; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph drug	M005	09/30/2025	

Labeler - Genomma Lab USA (832323534)

Revised: 9/2025

Genomma Lab USA