

**STUDIO FIX FLUID BROAD SPECTRUM SPF 15- octinoxate, titanium dioxide emulsion**  
**MAKEUP ART COSMETICS**

-----  
**MAC STUDIO FIX FLUID BROAD SPECTRUM SPF 15**

**Active Ingredients**

Octinoxate 3.0%

Titanium Dioxide 1.0%

**Purpose**

Sunscreen

**USE**

helps prevent sunburn

For External use only

**Do not use**

on damaged or broken skin

**When using this product**

keep out of eyes, Rinse with water to remove

**Stop use and ask a doctor if**

rash occurs

**Keep out of reach of children**

If product is swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- For sunscreen use:
- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.-2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

## **Inactive Ingredients**

WATER\AQUA\EAU,METHYL  
TRIMETHICONE,DIMETHICONE,TRIMETHYLSILOXYSILICATE,PEG-10  
DIMETHICONE,BUTYLENE GLYCOL,ISODODECANE,POLYETHYLENE,CETYL PEG/PPG-10/1  
DIMETHICONE,MAGNESIUM SULFATE,ALGAE EXTRACT,LAMINARIA SACCHARINA  
EXTRACT,SODIUM HYALURONATE,SALIX NIGRA (WILLOW) BARK  
EXTRACT,TOCOPHERYL ACETATE,CAFFEINE,LECITHIN,HYDROGENATED  
LECITHIN,DISTEARDIMONIUM HECTORITE,SILICA,XANTHAN GUM,DIMETHICONE  
CROSSPOLYMER,TRIETHOXYCAPRYLYLSILANE,DIMETHICONE/PEG-10/15  
CROSSPOLYMER,METHOXY AMODIMETHICONE/SILSESQUIOXANE  
COPOLYMER,SORBITAN SESQUIOLEATE,SALICYLIC ACID,SODIUM CITRATE,LAURETH-  
7,METHYLDIHYDROJASMONATE,PROPYLENE CARBONATE,ALUMINA,DIPROPYLENE  
GLYCOL,PENTAERYTHRITYL TETRA-DI-T-BUTYL  
HYDROXYHYDROCINNAMATE,BHT,PHENOXYETHANOL,SORBIC ACID,CHLOROXYLENOL,  
[+/- TITANIUM DIOXIDE (CI 77891),IRON OXIDES (CI 77491),IRON OXIDES (CI  
77492),IRON OXIDES (CI 77499)] <ILN50543>

## **Other Information**

Protect the product in this container from excessive heat and direct sun

## **PRINCIPAL DISPLAY PANEL**

NC15

Back

**Drug Facts (continued)**  
• wear long-sleeved shirts, pants, hats and sunglasses • children under 6 months of age: ask a doctor

**Inactive Ingredients** water, aqua (eau), methyl ermethicone, zinc behenate, trimethylsiloxysulfate, butyl-10 dimethicone, butylene glycol, behenocaine, polyethylene, cetyl pectate, 10-11 dimerthicone, magnesium stearate, algae extract, laminaria saccharina extract, sodium hyaluronate, salix nigra (willow) bark extract, tocopheryl acetate, carthene, lecithin, hydrogenated lecithin, disodiumironum hexedite.

**Drug Facts (continued)**  
silica, xanthan gum, dimethicone crosspolymer, triethoxycarbonylsiloxane, dimethicone/prop-10/15 crosspolymer, methoxy amodimethacrylate/sebacic acid copolymer, sorbitan sesquileaetha sulfosulfate, sodium citrate, laurath-7, methylhydroxypolysiloxane, propylene carbonate, aluminum, dipropylene glycol, pentamethyl tetra-di-4-ethyl hydroxyhydroxymethyl bit, phenoxethanol, acetic acid, dibutyltin dilaurate (E-77891), iron oxides (E-77481), iron oxides (E-77492), iron oxides (E-77493), iron oxides (E-77494), iron oxides (E-77495).

**Other Information** Protect the product in this container from excessive heat and direct sun

# MAC

## STUDIO FIX

### FLUID BROAD SPECTRUM SPF 15

### 24HR MATTE FOUNDATION + OIL CONTROL

1.0 FL. OZ. LIQ./30 ML

**24-HOUR WEAR, MEDIUM-TO-FULL BUILDABLE COVERAGE. BLURRING SOFT MATTE FINISH. WATER- AND TRANSFER-RESISTANT. OIL/SHINE-CONTROL. NON-DRYING. DOES NOT CLOG PORES. SHAKE WELL.**

<b>Drug Facts</b>	
<b>Active Ingredients</b> Cinnoban 5.0% Titanium Dioxide 1.0%	<b>Purpose</b> Sunscreen Sunscreen
<b>Use</b> helps prevent sunburn	
<b>Warnings</b> For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs.	
<b>Drug Facts (continued)</b> Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> • For sunscreen use: • apply liberally 15 minutes before sun exposure • reapply every two hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. – 2 p.m.	



C-181919



© MAKE-UP ART COSMETICS, DIST.  
MADE IN CANADA / SM&K  
MACCOSMETICS.COM  
15%  
PROF. COSMETICS  
M&K

SRM0011112

MAC  
STUDIO FIX  
FLUID BROAD SPECTRUM SPF 15  
24 HR MATTE FOUNDATION + OIL CONTROL

1.0 FL.OZ.LIQ/30ML e

## STUDIO FIX FLUID BROAD SPECTRUM SPF 15

octinoxate, titanium dioxide emulsion

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:40046-0082
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTINOXATE</b> (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	30 mg in 1 mL
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	10 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>ALUMINUM OXIDE</b> (UNII: LMI26O6933)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8)</b> (UNII: 5041RX63GN)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>SACCHARINA LATISSIMA</b> (UNII: 68CMP2MB55)	
<b>CHLOROXYLENOL</b> (UNII: 0F32U78V2Q)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>MAGNESIUM SULFATE, UNSPECIFIED</b> (UNII: DE08037SAB)	
<b>PEG-10 DIMETHICONE (600 CST)</b> (UNII: 8PR7V1SVM0)	
<b>CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)</b> (UNII: 035JKJ76MT)	
<b>PORPHYRIDIUM PURPUREUM</b> (UNII: K2P8K2558N)	
<b>SALIX NIGRA BARK</b> (UNII: QU52J3A5B3)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>HYDROGENATED SOYBEAN LECITHIN</b> (UNII: H1109Z9J4N)	
<b>DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE)</b> (UNII: UF7620L1W6)	
<b>METHYL DIHYDROJASMONATE (SYNTHETIC)</b> (UNII: 3GW44CIE3Y)	
<b>SORBIC ACID</b> (UNII: X045WJ989B)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>HYALURONATE SODIUM</b> (UNII: YSE9PPT4TH)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>DIMETHICONE/PEG-10/15 CROSSPOLYMER</b> (UNII: 21AS8B1BSS)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ)	
<b>SODIUM CITRATE</b> (UNII: 1Q73Q2JULR)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	

<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>PROPYLENE CARBONATE</b> (UNII: 8D08K3S51E)
<b>PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE)</b> (UNII: 255PIF62MS)
<b>CAFFEINE</b> (UNII: 3G6A5W338E)
<b>LAURETH-7</b> (UNII: Z95S6G8201)
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:40046-0082-1	1 in 1 CARTON	05/12/2023	
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/12/2023	

**Labeler** - MAKEUP ART COSMETICS (010597206)

**Registrant** - Estee Lauder Companies Inc. (790802086)

### Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd		202952982	manufacture(40046-0082)

### Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder Cosmetics Ltd.		204132062	manufacture(40046-0082) , pack(40046-0082) , label(40046-0082)

Revised: 12/2024

MAKEUP ART COSMETICS